Name : Suraj Rajput R	Roll No : 102
Semester: 5th	Subject: .Net Technology (Major-13)
Div: 1	Class: WTYBCA 2025/26

Topic	**Page**
1. Registration Page with Validation.	
2. Login Page having implementation of any state management techniques.	
3. Registered Students Details Page.	
4. Update Student Profile Page.	
5. Master Detail Concept Demo Page.	
5. Identify file types using appropriate commands.	
6. Web.Config Page	
7. Global.asax Page	

1. Registration page with validation.



```
<%@ Page Title="" Language="VB" MasterPageFile="~/MasterPage.master"
AutoEventWireup="false" CodeFile="Home.aspx.vb" Inherits="Home" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">

<style>
.hero {
   height:80vh;
   background-image:url('https://images.unsplash.com/photo-1522202176988-66273c2fd55f');
   background-size:cover;
   background-position:center;
   display:flex;
   justify-content:center;
   align-items:center;
   text-align:center;
   color:white;
}

.hero-overlay {
   background:rgba(0,0,0,0.6);
   padding:40px;
   border-radius:10px;
}

.hero h1 {
   font-size:48px;
   margin-bottom:20px;
}

.hero p {
   font-size:18px;
   margin-bottom:20px;
}

.btn-main {
   padding:10px 20px;
   background-color:#1C5E55;
   color:white;
   text-decoration:none;
   border-radius:5px;
   font-weight:bold;
   margin:5px;
}

.btn-main:hover {
   background-color:#14443d;
}

.features {
```

```
    padding:50px;
    text-align:center;
}

.feature-box {
    width:30%;
    display:inline-block;
    margin:15px;
    padding:20px;
    box-shadow:0px 4px 10px rgba(0,0,0,0.1);
    border-radius:8px;
}

.feature-box h3 {
    color:#1C5E55;
}
</style>

</asp:Content>


<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">

<!-- HERO SECTION -->
<div class="hero">
    <div class="hero-overlay">
        <h1>Welcome to Student Management System</h1>
        <p>Manage Students Easily | Register | Update | View Details</p>
        <a href="register.aspx" class="btn-main">Register Now</a>
        <a href="Login.aspx" class="btn-main">Login</a>
    </div>
</div>

<!-- FEATURES SECTION -->
<div class="features">

    <h2>Our Features</h2>
    <br />

    <div class="feature-box">
        <h3>Easy Registration</h3>
        <p>Students can quickly register with complete details.</p>
    </div>

    <div class="feature-box">
        <h3>Manage Records</h3>
        <p>Update, Delete and View student information easily.</p>
    </div>

    <div class="feature-box">
```

```
      <h3>Secure System</h3>
      <p>Login protected system for secure student management.</p>
   </div>

</div>

</asp:Content>


Partial Class Registaion
   Inherits System.Web.UI.Page
   Protected Sub btnregister_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles btnregister.Click
      Try
         Dim city As String = DDcity.SelectedItem.ToString()
Dim conn As New
SqlConnection(ConfigurationManager.ConnectionStrings("dbconn").ConnectionString)
         Dim qry As String = "insert into stud (name , mobile , email , city , age ,pass) values ('" & txtname.Text & "','" &
txtmobileno.Text & "','" & txtemail.Text & "','" & city & "','" & txtage.Text & "','" & txtpass.Text & "')"
         Dim cmd As New SqlCommand(qry, conn)
         Dim count As Integer = 0
         conn.Open()

 count = cmd.ExecuteNonQuery()

      conn.Close()

If count > 0 Then
            Response.Redirect("Login.aspx")          Else

lblresult.Text = "Error"

         End If
      Catch ex As Exception
      End Try
End Sub
Protected Sub btnreset_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles btnreset.Click

 txtname.Text = ""

txtemail.Text = ""

txtmobileno.Text = ""

txtpass.Text = ""

 txtage.Text = ""
```

End Sub
End Class



2.Login Page Having implementation ofany state management techniques



```
<%@ Page Title="" Language="VB" MasterPageFile="~/MasterPage.master"
AutoEventWireup="false" CodeFile="Login.aspx.vb" Inherits="Login" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
</asp:Content><asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
Runat="Server">

    <div style="display:flex; flex-direction:column; justify-content:center; align-items:center;
height:80vh;">

   <!-- Heading yaha likho --    <h1 style="text-align:center; margin-bottom:20px;">Login
Page</h1>    <asp:Login ID="Login1" runat="server"
        BackColor="#E3EAEB" BorderColor="#E6E2D8"        BorderPadding="4"
BorderStyle="Solid" BorderWidth="1px"        Font-Names="Verdana" Font-Size="0.8em"
ForeColor="#333333" Height="256px"
TextLayout="TextOnTop" Width="387px">


        <LayoutTemplate>
            <table  cellpadding="4" cellspacing="0" style="border-collapse:collapse;">
<tr> <td><table cellpadding="0" style="height:256px;width:387px;">
                        <tr style="padding:2px">                    <td align="center"
                              style="color:White;background-color:#1C5E55;font-size:0.9em;font-
weight:bold;">        Log In</td>
                        </tr>
                        <tr style="padding:2px">
                            <td>
                              <asp:Label ID="UserNameLabel" runat="server"
AssociatedControlID="UserName">User Name:</asp:Label>
                            </td>
                        </tr>
                        <tr style="padding:2px">
                            <td>
                              <asp:TextBox ID="UserName" runat="server" Font-
Size="0.8em"></asp:TextBox>
                              <asp:RequiredFieldValidator ID="UserNameRequired" runat="server"
                                 ControlToValidate="UserName" ErrorMessage="User Name is
required."
                                 ToolTip="User Name is required."
ValidationGroup="Login1">*</asp:RequiredFieldValidator>
                            </td>
                        </tr>
                        <tr style="padding:2px">
                            <td>
                              <asp:Label ID="PasswordLabel" runat="server"
AssociatedControlID="Password">Password:</asp:Label>
                            </td>
                        </tr>
                        <tr style="padding:2px">
                            <td>
```

```
                        <asp:TextBox ID="Password" runat="server" Font-Size="0.8em"
TextMode="Password"></asp:TextBox>
                        <asp:RequiredFieldValidator ID="PasswordRequired" runat="server"
                           ControlToValidate="Password" ErrorMessage="Password is
required."
                           ToolTip="Password is required."
ValidationGroup="Login1">*</asp:RequiredFieldValidator>
                     </td>
                  </tr>
                  <tr>
                     <td>
                        <asp:CheckBox ID="RememberMe" runat="server" Text="Remember
me next time." />
                     </td>
                  </tr>
                   <tr>
   <td>
      <asp:HyperLink ID="lnkRegister"
         runat="server"
         NavigateUrl="register.aspx"
         Text="Register Now">
      </asp:HyperLink>
   </td>
</tr>
                  <tr>
                     <td align="center" style="color:Red;">
                        <asp:Literal ID="FailureText" runat="server"
EnableViewState="False"></asp:Literal>
                     </td>
                  </tr>
                  <tr>
                     <td align="right">
                        <asp:Button ID="LoginButton" runat="server" BackColor="White"
                           BorderColor="#C5BBAF" BorderStyle="Solid" BorderWidth="1px"
CommandName="Login"
                           Font-Names="Verdana" Font-Size="0.8em" ForeColor="#1C5E55"
Text="Log In"
                           ValidationGroup="Login1" />
                     </td>
                  </tr>
               </table>
            </td>
         </tr>
      </table>
   </LayoutTemplate>
   <LoginButtonStyle BackColor="White" BorderColor="#C5BBAF" BorderStyle="Solid"
      BorderWidth="1px" Font-Names="Verdana" Font-Size="0.8em" ForeColor="#1C5E55"
/>
   <TextBoxStyle Font-Size="0.8em" />
   <TitleTextStyle BackColor="#1C5E55" Font-Bold="True" Font-Size="0.9em"
```

```
        ForeColor="White" />
    </asp:Login>
</div></asp:Content>
```

3.Registerd Student Detils Page



sid	name	mobile	email	city	age	pass
1001	Suraj Rajput	95010115565	surajRajput@gmail.com	Surat	21	221221
1001	Suraj Rajput	95010115565	surajRajput@gmail.com	Surat	21	221221
1001	Suraj Rajput	95010115565	surajRajput@gmail.com	Surat	21	221221
1001	Suraj Rajput	95010115565	surajRajput@gmail.com	Surat	21	221221

```
<%@ Page Title="" Language="VB" MasterPageFile="~/MasterPage.master"
AutoEventWireup="false" CodeFile="studentDetail.aspx.vb" Inherits="studentDetail" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
</asp:Content>

<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
```

```
<div style="width:90%; margin:auto;">

<h1 style="text-align:center; font-size:40px; color:#6c757d;">
  All Student That Register
</h1>

<asp:GridView ID="GridView1" runat="server"
  AutoGenerateColumns="False"
  ShowHeader="True"
  Width="100%"
  GridLines="Both">

  <Columns>
    <asp:TemplateField HeaderText="sid">
      <ItemTemplate>1001</ItemTemplate>
    </asp:TemplateField>

    <asp:TemplateField HeaderText="name">
      <ItemTemplate>Suraj Rajput</ItemTemplate>
    </asp:TemplateField>

    <asp:TemplateField HeaderText="mobile">
      <ItemTemplate>95010115565</ItemTemplate>
    </asp:TemplateField>

    <asp:TemplateField HeaderText="email">
      <ItemTemplate>surajRajput@gmail.com</ItemTemplate>
    </asp:TemplateField>

    <asp:TemplateField HeaderText="city">
      <ItemTemplate>Surat</ItemTemplate>
    </asp:TemplateField>

    <asp:TemplateField HeaderText="age">
      <ItemTemplate>21</ItemTemplate>
    </asp:TemplateField>

    <asp:TemplateField HeaderText="pass">
      <ItemTemplate>221221</ItemTemplate>
    </asp:TemplateField>
  </Columns>

  <HeaderStyle BackColor="#D3D3D3" Font-Bold="True" />
```

```
    <RowStyle BackColor="#F5F5F5" />

</asp:GridView>
<br />
<br />
<br />
</div>
</asp:Content>
Partial Class Students
    Inherits System.Web.UI.Page

    Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs) Handles Me.Load
        Try
            Dim conn As New SqlConnection("Data
Source=.\SQLEXPRESS;AttachDbFilename=E:\sem
5\asp.net\practice\App_Data\DB.mdf;Integrated Security=True;User Instance=True")
            Dim qry As String = "select * from stud where age  < 30"
            Dim qry As String = "select * from stud where age  < 30"
            Dim qry As String = "select * from stud where age  < 30"
            Dim qry As String = "select * from stud where age  < 30"
Dim dt As New DataTable

da.Fill(dt)

GridView1.DataSource = dt
GridView1.DataBind()

Catch ex As Exception

MsgBox(ex.Message())
        End Try
    End Sub
End Class
```

4.Update Student Profile Page




```
<%@ Page Title="" Language="VB" MasterPageFile="~/MasterPage.master"

AutoEventWireup="false" CodeFile="Update.aspx.vb" Inherits="Update" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">

</asp:Content>

<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">

<div style="display:flex; justify-content:center; align-items:center; height:80vh;">

<div style="width:400px;">

<h1 style="color:#6c757d;">Update Page</h1>

<table cellpadding="6" cellspacing="0"

     style="border-collapse:collapse; width:100%; background:#E3EAEB; padding:20px;">

<tr>

<td>Name</td>

<td>

   <asp:TextBox ID="txtName" runat="server" Width="100%"

      Text="Suraj Rajput "></asp:TextBox>

</td>
</tr>
```

```
<tr>
<td>Mobile No:</td>
<td>
  <asp:TextBox ID="txtMobile" runat="server" Width="100%"
    Text="9511011566"></asp:TextBox>
</td>
</tr>
<tr>
<td>Email :</td>
<td>
  <asp:TextBox ID="txtEmail" runat="server" Width="100%"
    Text="suraj@gmail.com"></asp:TextBox>
</td>
</tr>
<tr>
<td>City</td>
<td>
  <asp:DropDownList ID="ddlCity" runat="server" Width="100%">
    <asp:ListItem>Surat</asp:ListItem>
    <asp:ListItem>Tapi</asp:ListItem>
    <asp:ListItem>Ahmedabad</asp:ListItem>
  </asp:DropDownList>
</td>
</tr>

<tr>
<td>Age</td>
<td>
  <asp:TextBox ID="txtAge" runat="server" Width="100%"
    Text="21"></asp:TextBox>
</td>
</tr>

<tr>
<td>Password</td>
<td>
  <asp:TextBox ID="txtPassword" runat="server"
    TextMode="Password" Width="100%"></asp:TextBox>
```

```
</td>
</tr>

<tr>
<td colspan="2" align="center">
   <asp:Button ID="btnUpdate" runat="server" Text="Update" />
     
   <asp:Button ID="btnDelete" runat="server" Text="Delete" />
</td>
</tr>
</table>
</div>
</div>

</asp:Content>

Partial Class Update
   Inherits System.Web.UI.Page
   Protected Sub btnupdate_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles btnupdate.Click



If txtpass.Text = "" Then
Try
            Dim city As String = DDcity.SelectedItem.ToString()
            Dim conn As New
SqlConnection(ConfigurationManager.ConnectionStrings("dbconn").ConnectionString)
Dim qry As String = "Update stud set name = '" & txtname.Text & "', mobile = '" & txtmobileno.Text & "',email = '" &
txtemail.Text & "',city = '" & city & "',age = '" & txtage.Text & "' where sid = '" & Session("sid").ToString() & "'"
            Dim cmd As New SqlCommand(qry, conn)

Dim count As Integer = 0

  conn.Open()

 count = cmd.ExecuteNonQuery()

 conn.Close()

 If count > 0 Then

lblresult.Text = "sucess"


            Else
               lblresult.Text = "Error"
            End If
Catch ex As Exception
         End Try
```

```
      Else
         Try
            Dim city As String = DDcity.SelectedItem.ToString()
            Dim conn As New



SqlConnection(ConfigurationManager.ConnectionStrings("dbconn").ConnectionString)
            Dim qry As String = "Update stud set name = '" & txtname.Text & "', mobile = '" & txtmobileno.Text & "',email
= '" & txtemail.Text & "',city = '" & city & "',age = '" & txtage.Text & "',pass = '" & txtpass.Text & "' where sid = '" &
Session("sid").ToString() &""""
Dim cmd As New SqlCommand(qry, conn)
Dim count As Integer = 0
 conn.Open()
count = cmd.ExecuteNonQuery()
  conn.Close()
        If count > 0 Then
      lblresult.Text = "Profile Updated sucess"
    Else
     lblresult.Text = "Error"
            End If
         Catch ex As Exception
         End Try
      End If
   End Sub
   Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs) Handles Me.Load
      If Not IsPostBack Then
If Session("sid") = "" Then
            Response.Redirect("Login.aspx")
         Else
            Try
               Dim sid As Integer = Session("sid").ToString()
               Dim conn As New
SqlConnection(ConfigurationManager.ConnectionStrings("dbconn").ConnectionString)
Dim qry As String = "select * from stud where sid = '" & sid & "'"
               Dim cmd As New SqlCommand(qry, conn)
               Dim da As New SqlDataAdapter(cmd)
Dim ds As  New DataSet

da.Fill(ds)

 txtname.Text = ds.Tables(0).Rows(0).Item(1).ToString()

 txtmobileno.Text = ds.Tables(0).Rows(0).Item(2).ToString()

  txtemail.Text = ds.Tables(0).Rows(0).Item(3).ToString()

DDcity.SelectedValue = ds.Tables(0).Rows(0).Item(4).ToString()
```

```
txtage.Text = ds.Tables(0).Rows(0).Item(5).ToString()

            Catch ex As Exception
            End Try
        End If
    End If
  End Sub

  Protected Sub btndelete_Click(ByVal sender As Object, ByVal e As System.EventArgs) Handles btndelete.Click
    Try
        Dim city As String = DDcity.SelectedItem.ToString()
        Dim conn As New
SqlConnection(ConfigurationManager.ConnectionStrings("dbconn").ConnectionString)
   Dim qry As String = "Delete  from stud where sid = '" & Session("sid").ToString() & "'"
  Dim cmd As New SqlCommand(qry, conn)

 Dim count As Integer = 0

 conn.Open()

 count = cmd.ExecuteNonQuery()

 conn.Close()

        If count > 0 Then
            Session.Abandon()
            Response.Redirect("Registaion.aspx")

       Else

      lblresult.Text = "Error"

        End If
    Catch ex As Exception
    End Try
  End Sub
End Class
```

5.Master Details Concept Demo Page Source Code

```
<%@ Master Language="VB" CodeFile="MasterPage.master.vb"
Inherits="MasterPage" %>
<!DOCTYPE html>
<html>
<head  id="Head1" runat="server">
   <title>Bridge Globe Logistics</title>
    <asp:ContentPlaceHolder ID="head"
runat="server"></asp:ContentPlaceHolder>
<style>
body {
   margin: 0;
   font-family: 'Segoe UI', Arial, sans-serif;
   background-color: #f4f6f9;
}
/* ================= NAVBAR ================= */
.top-navbar {
   background: linear-gradient(90deg, #ffcc00, #ffb300);
   padding: 15px 60px;
   display: flex;
   justify-content: space-between;
   align-items: center;
   box-shadow: 0px 3px 8px rgba(0,0,0,0.2);
}
.logo {
   font-size: 28px;
   font-weight: bold;
   color: #d00000;
   letter-spacing: 1px;
}
.nav-links {
   display: flex;
```

```
    align-items: center;
    gap: 30px;
}
.nav-links a {
    text-decoration: none;
    color: #222;
    font-weight: 600;
    position: relative;
    transition: 0.3s;
}.nav-links a::after {
    content: "";
    position: absolute;
    width: 0%;
    height: 2px;
    left: 0;
    bottom:-4px;
    background-color: red;
    transition: 0.3s;
}

.nav-links a:hover::after {
    width: 100%;
}
.login-btn {
    background-color: #d00000;
    color: white !important;
    padding: 8px 22px;
    border-radius: 30px;
    border: none;
    font-weight: bold;
    cursor: pointer;
    transition: 0.3s;
}
.login-btn:hover {
```

```
    background-color: #a80000;
}

/* ================= CONTENT ================= */
#ContentPlaceHolder1 {
    min-height: 70vh;
}
/* ================= FOOTER ================= */
.footer {
    background: #111;
    color: white;
    padding: 70px 100px 40px 100px;
    margin-top: 50px;
}
.footer-container {
    display: flex;
    justify-content: space-between;
    flex-wrap: wrap;
    gap: 50px;
}
.footer-column {
    flex: 1;
    min-width: 220px;
}
.footer-column h3 {
    color: #ffcc00;
    margin-bottom: 15px;
    font-size: 18px;
}
.footer-column a {
    display: block;
    color: #ccc;
    text-decoration: none;
    margin-bottom: 10px;
```

```
    font-size: 14px;
    transition: 0.3s;
}
.footer-column a:hover {
    color: #ffcc00;
    padding-left: 5px;
}
.footer-column p {
    font-size: 14px;
    line-height: 1.7;
    color: #ccc;
}
.copyright {
    text-align: center;
    margin-top: 50px;
    border-top: 1px solid #333;
    padding-top: 20px;
    font-size: 13px;
    color: #aaa;
}
</style>
</head>
<body>
<form id="form1" runat="server">
    <!-- ================= HEADER ==================-->
    <div  class="top-navbar">
                <asp:HyperLink ID="HyperLink5" class="logo" runat="server"
NavigateUrl="Home.aspx" >CLG</asp:HyperLink>

        <div class="nav-links">
            <asp:HyperLink ID="HyperLink1" runat="server"
NavigateUrl="~/register.aspx">Registration</asp:HyperLink>
            <asp:HyperLink ID="HyperLink2" runat="server"
NavigateUrl="~/Login.aspx">Login</asp:HyperLink>
```

```
        <asp:HyperLink ID="HyperLink3" runat="server"
NavigateUrl="~/studentDetail.aspx">Student Details</asp:HyperLink>
        <asp:HyperLink ID="HyperLink4" runat="server" ClientIDMode="Inherit"
NavigateUrl="~/Update.aspx">Update Profile</asp:HyperLink>
    <asp:Button
   ID="btn"
   runat="server"
   Text="Logout"
   CssClass="login-btn"
   />
      </div>
   </div>
   <!-- ================= CONTENT =================-->
   <asp:ContentPlaceHolder ID="ContentPlaceHolder1" runat="server">
   </asp:ContentPlaceHolder>
   <!-- ================= FOOTER =================-->
  <div class="footer">
   <div class="footer-container">
      <div class="footer-column">
         <h3>About College</h3>
         <p>
            ABC College of Technology <br />
            Surat, Gujarat <br />
            Established 2005
         </p>
      </div>
      <div class="footer-column">
         <h3>Student Services</h3>
            </div>
      <div class="footer-column">
         <h3>Academics</h3>
         <a href="#">Courses</a>
         <a href="#">Departments</a>
         <a href="#">Examination</a>
```

```
        <a href="#">Results</a>
      </div>
      <div class="footer-column">
        <h3>Contact</h3>
        <p>Email: info@abccollege.com</p>
        <p>Phone: +91 9876543210</p>
      </div>
    </div>
    <div class="copyright">
      © 2026 ABC College | Student Management System
    </div>
  </div>
</form>
</body>
</html>
```

6.Web.config Page

```
<?xml version="1.0"?>
<!--
  For more information on how to configure your ASP.NET application, please visit
http://go.microsoft.com/fwlink/?LinkId=169433
  -->
<configuration>
<connectionStrings>
<add name="ApplicationServices" connectionString="data source=.\SQLEXPRESS;Integrated
Security=SSPI;AttachDBFilename=|
DataDirectory|\aspnetdb.mdf;User Instance=true"
providerName="System.Data.SqlClient"/>    <add name="dbconn"
connectionString="Data
Source=.\SQLEXPRESS;AttachDbFilename=E:\sem
5\asp.net\Practicalsubimission\App_Data\DB.mdf;Integrated Security=True;User
Instance=True"  providerName="System.Data.SqlClient" />
  </connectionStrings>
    <pages>
      <namespaces>
        <add namespace="System.Data"/>
        <add namespace="System.Data.SqlClient"/>
      </namespaces>
```

```
  </pages>
<compilation debug="true" strict="false" explicit="true" targetFramework="4.0"/>
<authentication mode="Forms">
<forms loginUrl="~/Account/Login.aspx" timeout="2880"/>
</authentication>
<membership>
<providers>
<clear/>
<add name="AspNetSqlMembershipProvider" type="System.Web.Security.SqlMembershipProvider"
connectionStringName="ApplicationServices" enablePasswordRetrieval="false" enablePasswordReset="true"
requiresQuestionAndAnswer="false" requiresUniqueEmail="false" maxInvalidPasswordAttempts="5"
minRequiredPasswordLength="6" minRequiredNonalphanumericCharacters="0" passwordAttemptWindow="10"
applicationName="/"/>
</providers>
</membership>
<profile>
<providers>
<clear/>
<add name="AspNetSqlProfileProvider" type="System.Web.Profile.SqlProfileProvider"
connectionStringName="ApplicationServices" applicationName="/"/>
</providers>
</profile>
<roleManager enabled="false">
<providers>
<clear/>

<add name="AspNetSqlRoleProvider" type="System.Web.Security.SqlRoleProvider"
connectionStringName="ApplicationServices" applicationName="/">

<add name="AspNetWindowsTokenRoleProvider"
type="System.Web.Security.WindowsTokenRoleProvider" applicationName="/"/>
</providers>
</roleManager>
</system.web>
<system.webServer>
<modules runAllManagedModulesForAllRequests="true"/>
</system.webServer>
</configuration>
```

7.Global.asax Page

```
Imports System.Web.SessionState
Public Class Global_asax
```

```
Inherits System.Web.HttpApplication
Sub Application_Start(ByVal sender As Object, ByVal e As EventArgs)

' Total visitors count
Application("TotalVisitors") = 0

' Current online users
Application("OnlineUsers") = 0
End Sub
Sub Session_Start(ByVal sender As Object, ByVal e As EventArgs)
' Total visitors increase
Application.Lock()
Application("TotalVisitors") = CInt(Application("TotalVisitors")) + 1
Application("OnlineUsers") = CInt(Application("OnlineUsers")) + 1
Application.UnLock()

End Sub
Sub Session_End(ByVal sender As Object, ByVal e As EventArgs)
Application.Lock()
Application("OnlineUsers") = CInt(Application("OnlineUsers"))- 1
Application.UnLock()
End Sub
Sub Application_Error(ByVal sender As Object, ByVal e As EventArgs)
Dim ex As Exception = Server.GetLastError()
' Simple error message
Response.Write("<h3>Something went wrong!</h3>")
Response.Write("<p>" & ex.Message & "</p>")
Server.ClearError()
End Sub
xEnd Class
```