



Package Explorer

- Amazon
- CucumberAdactinHotelApp
 - src/main/java
 - src/test/java
 - com.feature
 - AdactinHotelApp.feature
 - com.runner
 - Runner.java
 - com.stepdefinition
 - src/test/resource
 - extent.properties
 - extent-config.xml
 - JRE System Library [JavaSE-1.7]
 - Maven Dependencies
 - src
 - target
 - cucumber.html
 - cucumber.json
 - test-output
 - AdactinHotelAppReport
 - AdactinHotelApp.html
 - AdactinHotelApp.pdf
 - pom.xml
- CucumberGreensKart
- CucumberShopDemoQa
- CucumberSwagLabs
- DataDriven
- MyPetWareHouse
- TestNgConcepts
- TryBooking


CucumberAdactinHotelApp/pom.xml Runner.java extent.properties extent-config.xml AdactinHotelApp.feature

```
1 Feature: User to Book a Hotel Room
2
3 Scenario: User to login the account
4   Given User to launch the Url
5   When User to give the username
6   And User to give the password
7   And User to click the login
8
9 Scenario: User to give the room details and search the hotel
10  When User to select the location
11  And User to select the hotels
12  And User to select the room type
13  And User to select the no of rooms
14  And User to give the checkin details
15  And User to give the checkout details
16  And User to select the adults per room
17  And User to select the childrens per room
18  And User to select the search
19
20 Scenario: User to select the hotel and continue
21  When User to select the radio button
22  And User to select the continue
23
24 Scenario: User to give information details and book hotel
25  When User to give the first name
26  And User to give the last name
27  And User to give the bill address
28  And User to give the credit card no
29  And User to select credit card type
30  And User to select expiry month
31  And User to select expiry year
32  And User to give credit card cvv number
33  And User to click booknow
34
35
36
37
38
39
```


Writable

Insert

1:1:0



```
1 package com.runner;
2
3 import org.junit.BeforeClass;
10
11 @RunWith(Cucumber.class)
12 @CucumberOptions(features = "D:\\Eclipse IDE\\CucurberAdactinHotelApp\\src\\test\\java\\com\\feature\\AdactinHotelApp.feature",
13                  glue = "com.stepdefinition",
14                  monochrome = true,
15                  dryRun = true,
16                  plugin = {"pretty", "html:target/cucumber.html", "json:target/cucumber.json",
17                          "com.aventstack.extentreports.cucumber.adapter.ExtentCucumberAdapter:"})
18 public class Runner extends BaseClass {
19
20     @BeforeClass
21
22     public static void BrowserLaunch() {
23
24         browser("chrome");
25
26     }
27
28 }
29
```



```
CucumberAdactinHotelApp/pom.xml  Runner.java  extent.properties  extent-config.xml  AdactinHotelApp.feature  StepDefinition.java X

1 package com.stepdefinition;
2
3 import com.baseclass.BaseClass;
4
5 public class StepDefinition extends BaseClass {
6
7     PageObjectManager pom = new PageObjectManager(driver);
8
9     @Given("User to launch the Url")
10    public void user_to_launch_the_url() {
11
12        url("https://adactinhotelapp.com/");
13    }
14
15    @When("User to give the username")
16    public void user_to_give_the_username() {
17
18        pom.getInstanceLoginPom().getUsername().sendKeys("Suriyajaya");
19    }
20
21    @When("User to give the password")
22    public void user_to_give_the_password() {
23
24        pom.getInstanceLoginPom().getPassword().sendKeys("Qwerty@123");
25    }
26
27    @When("User to click the login")
28    public void user_to_click_the_login() {
29
30        pom.getInstanceLoginPom().getLogin().click();
31    }
32
33    @When("User to select the location")
34    public void user_to_select_the_location() {
35
36        selectdropdown(pom.getInstanceSearchHotelPom().getLocation(), "byvalue", "Sydney");
37    }
38
39
40
41
42
43
```



Package Explorer × CucumbarAdactinHotelApp/pom.xml Runner.java extent.properties extent-config.xml AdactinHotelApp.feature StepDefinition.java ×

Amazon

CucumbarAdactinHotelApp

- src/main/java
- src/test/java
 - com.feature
 - AdactinHotelApp.feature
 - com.runner
 - Runner.java
 - com.stepdefinition
 - StepDefinition.java
- src/test/resource
 - extent.properties
 - extent-config.xml

JRE System Library [JavaSE-1.7]

Maven Dependencies

src

target

- cucumber.html
- cucumber.json

test-output

- AdactinHotelAppReport
 - AdactinHotelApp.html
 - AdactinHotelApp.pdf

pom.xml

CucumberGreensKart

CucumberShopDemoQa

CucumberSwagLabs

DataDriven

MyPetWareHouse

TestNgConcepts


TryBooking

```
44 @When("User to select the hotels")
45 public void user_to_select_the_hotels() {
46
47     selectdropdown(pom.getInstanceSearchHotelPom().getHotels(), "byvalue", "Hotel Sunshine");
48 }
49
50 @When("User to select the room type")
51 public void user_to_select_the_room_type() {
52
53     selectdropdown(pom.getInstanceSearchHotelPom().getRoomtype(), "byvalue", "Standard");
54 }
55
56
57 @When("User to select the no of rooms")
58 public void user_to_select_the_no_of_rooms() {
59
60     selectdropdown(pom.getInstanceSearchHotelPom().getNoofrooms(), "byvalue", "2");
61 }
62
63
64 @When("User to give the checkin details")
65 public void user_to_give_the_checkin_details() {
66
67     pom.getInstanceSearchHotelPom().getCheckindate().sendKeys("19/11/2022");
68 }
69
70 @When("User to give the checkout details")
71 public void user_to_give_the_checkout_details() {
72
73     pom.getInstanceSearchHotelPom().getCheckoutdate().sendKeys("20/11/2022");
74 }
75
76
77 @When("User to select the adults per room")
78 public void user_to_select_the_adults_per_room() {
79
80     selectdropdown(pom.getInstanceSearchHotelPom().getAdultsperroom(), "byvalue", "2");
81 }
82
```

Writable

Smart Insert

82 : 1 : 2141



```
83 @When("User to select the childrens per room")
84 public void user_to_select_the_childrens_per_room() {
85
86     selectdropdown(pom.getInstanceSearchHotelPom().getChildrenperroom(), "byvalue", "2");
87
88 }
89
90 @When("User to select the search")
91 public void user_to_select_the_search() {
92
93     pom.getInstanceSearchHotelPom().getSearch().click();
94 }
95
96 @When("User to select the radio button")
97 public void user_to_select_the_radio_button() {
98
99     pom.getInstanceSelectHotelPom().getRadiobutton().click();
100 }
101
102 @When("User to select the continue")
103 public void user_to_select_the_continue() {
104
105     pom.getInstanceSelectHotelPom().getContinu().click();
106 }
107
108
109 @When("User to give the first name")
110 public void user_to_give_the_first_name() {
111
112     pom.getInstanceBookHotelPom().getFirstname().sendKeys("Suriya");
113 }
114
115 @When("User to give the last name")
116 public void user_to_give_the_last_name() {
117
118     pom.getInstanceBookHotelPom().getLastname().sendKeys("SA");
119 }
120
121 @When("User to give the bill address")
```




Package Explorer ×

- > Amazon
- ▼ CucumberAdactinHotelApp
 - > src/main/java
 - ▼ src/test/java
 - ▼ com.feature
 - AdactinHotelApp.feature
 - ▼ com.runner
 - Runner.java
 - ▼ com.stepdefinition
 - StepDefinition.java
 - ▼ src/test/resource
 - extent.properties
 - extent-config.xml
 - > JRE System Library [JavaSE-1.7]
 - > Maven Dependencies
 - > src
 - ▼ target
 - cucumber.html
 - { } cucumber.json
 - ▼ test-output
 - AdactinHotelAppReport
 - AdactinHotelApp.html
 - AdactinHotelApp.pdf
 - pom.xml
- > CucumberGreensKart
- > CucumberShopDemoQa
- > CucumberSwagLabs
- > DataDriven
- > MyPetWareHouse
- > TestNgConcepts
- > TryBooking

```
CucumberAdactinHotelApp/pom.xml  Runner.java  extent.properties  extent-config.xml  AdactinHotelApp.feature  StepDefinition.java ×  
121 @When("User to give the bill address")  
122 public void user_to_give_the_bill_address() {  
123  
124     pom.getInstanceBookHotelPom().getBilladdress().sendKeys("SA appartments");  
125 }  
126  
127 @When("User to give the credit card no")  
128 public void user_to_give_the_credit_card_no() {  
129  
130     pom.getInstanceBookHotelPom().getCcno().sendKeys("1234567890123456");  
131 }  
132  
133  
134 @When("User to select credit card type")  
135 public void user_to_select_credit_card_type() throws InterruptedException {  
136     // Thread.sleep(3000);  
137     selectdropdown(pom.getInstanceBookHotelPom().getCctype(), "byvalue", "AMEX");  
138 }  
139  
140 @When("User to select expiry month")  
141 public void user_to_select_expiry_month() {  
142  
143     selectdropdown(pom.getInstanceBookHotelPom().getExpmon(), "byvalue", "2");  
144 }  
145  
146 @When("User to select expiry year")  
147 public void user_to_select_expiry_year() {  
148  
149     selectdropdown(pom.getInstanceBookHotelPom().getExpyr(), "byvalue", "2022");  
150 }  
151  
152 @When("User to give credit card cvv number")  
153 public void user_to_give_credit_card_cvv_number() {  
154  
155     pom.getInstanceBookHotelPom().getCvv().sendKeys("123");  
156 }  
157  
158 @When("User to click booknow")  
159 public void user_to_click_booknow() {
```

Writable

Smart Insert

159 : 5 : 4249



Package Explorer × CucumbarAdactinHotelApp/pom.xml Runner.java extent.properties extent-config.xml AdactinHotelApp.feature StepDefinition.java ×

Amazon

CucumbarAdactinHotelApp

- src/main/java
- src/test/java
 - com.feature
 - AdactinHotelApp.feature
 - com.runner
 - Runner.java
 - com.stepdefinition
 - StepDefinition.java
- src/test/resource
 - extent.properties
 - extent-config.xml
- JRE System Library [JavaSE-1.7]
- Maven Dependencies
- src
- target
 - cucumber.html
 - cucumber.json
- test-output
 - AdactinHotelAppReport
 - AdactinHotelApp.html
 - AdactinHotelApp.pdf
- pom.xml

CucumberGreensKart

CucumberShopDemoQa

CucumberSwagLabs

DataDriven

MyPetWareHouse

TestNgConcepts

TryBooking

```
127 @When("User to give the credit card no")
128 public void user_to_give_the_credit_card_no() {
129
130     pom.getInstanceBookHotelPom().getCcno().sendKeys("1234567890123456");
131
132 }
133
134 @When("User to select credit card type")
135 public void user_to_select_credit_card_type() throws InterruptedException {
136 // Thread.sleep(3000);
137 selectdropdown(pom.getInstanceBookHotelPom().getCctype(), "byvalue", "AMEX");
138 }
139
140 @When("User to select expiry month")
141 public void user_to_select_expiry_month() {
142
143     selectdropdown(pom.getInstanceBookHotelPom().getExpmon(), "byvalue", "2");
144 }
145
146 @When("User to select expiry year")
147 public void user_to_select_expiry_year() {
148
149     selectdropdown(pom.getInstanceBookHotelPom().getExpyr(), "byvalue", "2022");
150 }
151
152 @When("User to give credit card cvv number")
153 public void user_to_give_credit_card_cvv_number() {
154
155     pom.getInstanceBookHotelPom().getCvv().sendKeys("123");
156 }
157
158 @When("User to click booknow")
159 public void user_to_click_booknow() {
160
161     pom.getInstanceBookHotelPom().getBooknow().click();
162 }
163
164 }
165
```

Writable

Smart Insert

165 : 1 : 4354

Eclipse IDE - CucumberAdactinHotelApp/target/cucumber.json - Eclipse IDE

FileEditSourceNavigateSearchProjectRunWindowHelp

Package Explorer

Amazon

CucumberAdactinHotelApp

src/main/java

src/test/java

com.feature

AdactinHotelApp.feature

com.runner

Runner.java

com.stepdefinition

StepDefinition.java

src/test/resource

extent.properties

extent-config.xml

JRE System Library [JavaSE-1.7]

Maven Dependencies

src

target

cucumber.html

cucumber.json

test-output

AdactinHotelAppReport

AdactinHotelApp.html

AdactinHotelApp.pdf

pom.xml

CucumberGreensKart

CucumberShopDemoQa

CucumberSwagLabs

DataDriven

MyPetWareHouse

TestNgConcepts

TryBooking

CucumberAdactinH...

Runner.java

extent.properties

extent-config.xml

AdactinHotelApp...

StepDefinition.ja...

*cucumber.json

1 {

2 "line" : 1,

3 "elements" : [{

4 "start_timestamp" : "2022-11-21T13:14:13.147Z",

5 "line" : 3,

6 "name" : "User to login the account",

7 "description" : "",

8 "id" : "user-to-book-a-hotel-room;user-to-login-the-account",

9 "type" : "scenario",

10 "keyword" : "Scenario",

11 "steps" : [{

12 "result" : {

13 "duration" : 8996300,

14 "status" : "passed"

15 },

16 "line" : 4,

17 "name" : "User to launch the Url",

18 "match" : {

19 "location" : "com.stepdefinition.StepDefinition.user_to_launch_the_url()"

20 },

21 "keyword" : "Given "

22 }, {

23 "result" : {

24 "duration" : 2000500,

25 "status" : "passed"

26 },

27 "line" : 5,

28 "name" : "User to give the username",

29 "match" : {

30 "location" : "com.stepdefinition.StepDefinition.user_to_give_the_username()"

31 },

32 "keyword" : "When "

33 }, {

34 "result" : {

35 "duration" : 996700,

36 "status" : "passed"

37 },

38 "line" : 6,

39 "name" : "User to give the password",

Auto format done - was necessary because one liners in eclipse would be extreme slow!

Writable


Insert

1 : 1 : 0

ENG IN

18:53

21-11-2022



Cucumber Report

21-Nov-2022, 6:44:19 pm

Start : Nov 21, 6:44:14.351 pm

End : Nov 21, 6:44:14.680 pm

Duration : 0.329 s

Features



Scenarios

Steps


PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 4
FAILED - 0
SKIPPED - 0


PASSED - 24
FAILED - 0
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User to Book a Hotel Room</u>	0.329 s	4	4	0	0	24	24	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>User to Book a Hotel Room</u>	4	4	0	0	0.329 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User to Book a Hotel Room</u>	<u>User to login the account</u>	4	4	0	0	0.050 s
2	<u>User to Book a Hotel Room</u>	<u>User to give the room details and search the hotel</u>	9	9	0	0	0.039 s
3	<u>User to Book a Hotel Room</u>	<u>User to select the hotel and continue</u>	2	2	0	0	0.005 s
4	<u>User to Book a Hotel Room</u>	<u>User to give information details and book hotel</u>	9	9	0	0	0.035 s

User to Book a Hotel Room



<div>PASSED</div>	<div>DURATION - 0.329 s</div>	<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 24</div> <div>Pass - 24</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:44:14.351 pm // 6:44:14.680 pm /</div>					

User to login the account

PASSED	DURATION - 0.050 s		Steps	
/ 6:44:14.370 pm // 6:44:14.420 pm /			Total - 4	
User to Book a Hotel Room			Pass - 4	
			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given User to launch the Url	PASSED	0.010 s
2	When User to give the username	PASSED	0.001 s
3	And User to give the password	PASSED	0.000 s
4	And User to click the login	PASSED	0.001 s

User to give the room details and search the hotel

<div>PASSED</div>	<div>DURATION - 0.039 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 6:44:14.515 pm // 6:44:14.554 pm /</div>			<div>Total - 9</div>	
<div>User to Book a Hotel Room</div>			<div>Pass - 9</div>	
			<div>Fail - 0</div>	
			<div>Skip - 0</div>	



#	Step / Hook Details	Status	Duration
1	When User to select the location	PASSED	0.007 s
2	And User to select the hotels	PASSED	0.001 s
3	And User to select the room type	PASSED	0.002 s
4	And User to select the no of rooms	PASSED	0.001 s
5	And User to give the checkin details	PASSED	0.000 s
6	And User to give the checkout details	PASSED	0.000 s
7	And User to select the adults per room	PASSED	0.003 s
8	And User to select the childrens per room	PASSED	0.001 s
9	And User to select the search	PASSED	0.005 s

User to select the hotel and continue

PASSED	DURATION - 0.005 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 6:44:14.589 pm // 6:44:14.594 pm /				
User to Book a Hotel Room				

#	Step / Hook Details	Status	Duration
1	When User to select the radio button	PASSED	0.001 s
2	And User to select the continue	PASSED	0.002 s

User to give information details and book hotel

PASSED	DURATION - 0.035 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 6:44:14.645 pm // 6:44:14.680 pm /				
User to Book a Hotel Room				

#	Step / Hook Details	Status	Duration
1	When User to give the first name	PASSED	0.003 s
2	And User to give the last name	PASSED	0.000 s
3	And User to give the bill address	PASSED	0.001 s
4	And User to give the credit card no	PASSED	0.001 s
5	And User to select credit card type	PASSED	0.001 s
6	And User to select expiry month	PASSED	0.003 s
7	And User to select expiry year	PASSED	0.001 s
8	And User to give credit card cvv number	PASSED	0.001 s
9	And User to click booknow	PASSED	0.001 s



Welcome to Adactin Group of Hotels Hello Suriyajaya! [Search Hotel](#) | [Booked Itinerary](#) | [Change Password](#) | [Logout](#)

Booking Confirmation

Hotel Name	Hotel Sunshine
Location	Sydney
Room Type	Deluxe
Arrival Date	21/11/2022
Departure Date	22/11/2022
Total Rooms	2 Room(s)
Adults Per Room	2 Adult(s)
Children per Room	2 Children
Price per Night	AUD \$ 175
Total Price	AUD \$ 185
GST	AUD \$ 18.5
Final Billed Price	AUD \$ 203.5
First Name	Suriya

Adactin Hotel Mobile App
[DOWNLOAD](#) the Hotel Mobile App and extend your experience. Click to know more about how to get the app on Android or IOS.

HotelApp Web Services
Access Hotel App SOAP and Rest Services to learn web services testing. [Click](#) to know more.

Sample TestCases
[DOWNLOAD](#) a complete set of readymade sample TEST CASES for this application. Enjoy automation!

Known Defects
[DOWNLOAD](#) list of known defects for this application.

Book on Automation