

# WEB TECHNOLOGY LAB-8

Name :-Suruchi kumari

Roll No.-22it3056

T1.

```
import React, { useState } from 'react';
import './App.css';

function App() {
  const [amount, setAmount] = useState('');
  const [fromCurrency, setFromCurrency] = useState('USD');
  const [toCurrency, setToCurrency] = useState('INR');
  const [convertedAmount, setConvertedAmount] = useState(null);

  const handleAmountChange = (event) => {
    setAmount(event.target.value);
  };

  const handleFromCurrencyChange = (event) => {
    setFromCurrency(event.target.value);
  };

  const handleToCurrencyChange = (event) => {
    setToCurrency(event.target.value);
  };

  const handleConvert = () => {
    let exchangeRate;
    if (fromCurrency === 'USD' && toCurrency === 'INR') {
```

```

    exchangeRate = 82.91;
  } else if (fromCurrency === 'INR' && toCurrency === 'USD') {
    exchangeRate = 1 / 82.91;
  } else {
    exchangeRate = 1;
  }
  const converted = parseFloat(amount) * exchangeRate;
  setConvertedAmount(converted.toFixed(2));
};

return (
  <div className="App">
    <h1>Currency Converter</h1>
    <div>
      <label>
        Amount:
        <input type="number" value={amount}
onChange={handleAmountChange} />
      </label>
    </div>
    <div>
      <label>
        From:
        <select value={fromCurrency}
onChange={handleFromCurrencyChange}>
          <option value="USD">USD</option>
          <option value="INR">INR</option>
        </select>
      </label>
    </div>
    <div>

```

```

      <label>
        To:
        <select value={toCurrency} onChange={handleToCurrencyChange}>
          <option value="USD">USD</option>
          <option value="INR">INR</option>
        </select>
      </label>
    </div>
    <button onClick={handleConvert}>Convert</button>

```

```

        {convertedAmount && (
          <p>{amount} {fromCurrency} equals {convertedAmount}
        {toCurrency}</p>
        )}
      </div>
    );
  }
}

export default App;

```

OUT PUT:-

---

### Currency Converter

Amount:

From: USD ▼

To: INR ▼

1 USD equals 82.91 INR

T2.

```

import React, { useState, useRef } from 'react';
import './App.css';

function App() {
  const [time, setTime] = useState(0);
  const [isRunning, setIsRunning] = useState(false);
  const intervalRef = useRef(null);

```

```

const handleStart = () => {
  setIsRunning(true);
  intervalRef.current = setInterval(() => {
    setTime((prevTime) => prevTime + 1);
  }, 1000);
};

const handlePause = () => {
  clearInterval(intervalRef.current);
  setIsRunning(false);
};

const handleReset = () => {
  clearInterval(intervalRef.current);
  setTime(0);
  setIsRunning(false);
};

const formatTime = (timeInSeconds) => {
  const minutes = Math.floor(timeInSeconds / 60);
  const seconds = timeInSeconds % 60;
  return (
    String(minutes).padStart(2, '0') + ':' +
    String(seconds).padStart(2, '0')
  );
};

return (
  <div className="App">
    <h1>Stopwatch</h1>
    <div className="timer">{formatTime(time)}</div>

```

```

<div className="controls">
  {!isRunning ? (
    <button onClick={handleStart}>Start</button>
  ) : (
    <button onClick={handlePause}>Pause</button>
  )}
  <button onClick={handleReset}>Reset</button>
</div>

```

```
    </div>
  );
}

export default App;
```

OUT PUT:-



T3.

```
import React, { useState, useEffect } from 'react';
import './App.css';

function App() {
  const [conversations, setConversations] = useState([]);
  const [selectedConversation, setSelectedConversation] = useState(null);
  const [newMessage, setNewMessage] = useState('');
  const [messages, setMessages] = useState([]);

  useEffect(() => {
    fetchConversations();
  }, []);
```

```

useEffect(() => {
  if (selectedConversation) {
    fetchMessages(selectedConversation.id);
  }
}, [selectedConversation]);

const fetchConversations = () => {
  const mockConversations = [
    { id: 1, name: 'Friend 1' },
    { id: 2, name: 'Friend 2' },
  ];
  setConversations(mockConversations);
};

const fetchMessages = (conversationId) => {
  const mockMessages = [
    { id: 1, text: 'Hello!', sender: 'Friend 1', timestamp: new Date() },
    { id: 2, text: 'Hi there!', sender: 'You', timestamp: new Date() },
  ];
  setMessages(mockMessages);
};

const handleConversationClick = (conversation) => {
  setSelectedConversation(conversation);
};

const handleMessageSend = () => {
  const message = { id: messages.length + 1, text: newMessage, sender:
'You', timestamp: new Date() };
  setMessages([message, ...messages]);

```

```

    setNewMessage('');
  };

  return (
    <div className="App">
      <div className="sidebar">
        <h2>Conversations</h2>
        <ul>

```

```

        {conversations.map((conversation) => (
          <li key={conversation.id} onClick={() =>
handleConversationClick(conversation)}>
            {conversation.name}
          </li>
        ))}
      </ul>
    </div>
    <div className="chat">
      <h2>Chat</h2>
      {selectedConversation && (
        <div>
          <h3>{selectedConversation.name}</h3>
          <div className="messages">
            {messages.map((message) => (
              <div key={message.id} className={message.sender === 'You'
? 'sent' : 'received'}>
                <p>{message.text}</p>
                <span>{message.sender} -
{message.timestamp.toLocaleString()}</span>
              </div>
            ))}
          </div>
          <div className="message-input">
            <input type="text" value={newMessage} onChange={(e) =>
setNewMessage(e.target.value)} />
            <button onClick={handleMessageSend}>Send</button>
          </div>
        </div>
      )}
    </div>
  );
}

export default App;

```

```

    </div>
  );
}

export default App;

```

OUT PUT:-

- 
- 

Conversations

Friend 1  
Friend 2

Chat

Friend 1

What are you doing ?  
You - 3/5/2024, 5:24:18 PM  
Hello  
You - 3/5/2024, 5:24:06 PM  
Hello!  
Friend 1 - 3/5/2024, 5:23:57 PM  
Hi there!  
You - 3/5/2024, 5:23:57 PM