Outline-as-Map State 1 · the exam, charging

STUDENT

The identical spine component, fed **progress** instead of readiness. Each topic is a **cell that charges from the bottom** as they work it — red→gold while charging, green when full. The header bar is the whole exam charging. Same geometry as the authoring map, so what Lee builds *is* what the student navigates.

THE CHARGING METAPHOR

- **Fill = progress, height = weight.** A student sees instantly that Recording JEs is the biggest block on the exam *and* that they're 45% through it.
- **Red→gold while charging, green + when full.** The bolt is the reward mark; the palette is already yours.
- **Locked topics are dim shells** — visible (so the exam's true size is honest) but clearly not yet available.
- **Same component as authoring.** Same segment heights, same order, same spine. Lee's readiness dots become the student's charge level — one geometry, two feeds.
- **Foot icons re-skin per side:** Videos→Watch, Memos→Cheats, Campuses→My class.

WHY IT SELLS

The map is the product demo. A prospect landing on `/` sees the exam as a battery with the free topics already charged — the paid ones are the rest of the bar.

Outline-as-Map

State 2 · topic open — sets as chargeable blocks

STUDENT

Same collapse-to-46px behaviour as authoring. Sets show their own charge, runtime, and the paywall line — **free sets are genuinely free and say so**; locked ones show what they contain rather than hiding it. (Your HONEST-PAYWALL rule, drawn.)



WHAT CHANGED

- **Set cards carry a horizontal charge bar** (left→right) while topics charge bottom→up — subtly different axes so the two levels never read as the same object.
- **"4 FREE" not "LOCKED".** The pill states what they *get*, then the price line is one quiet row — no dark patterns, no fake urgency.
- **Runtime per set** ("9 min") is the honest unit of student effort — the same numbers your stitch runtime already computes.
- **The spine still shows the whole exam.** Progress never hides the map; a student can always see how far the mountain goes.

DATA FEED

`progress`: per-set charged-count + entitlement. Both already exist server-side (student tree + entitlements); the map only reads them.

Outline-as-Map

State 3 · playing — the spine becomes the player outline

STUDENT

The endgame you named: **the same spine is the player's outline**. While a set plays, the mini-spine keeps the exam in view and the charge visibly climbs as they clear questions — the student watches their own battery fill in real time, which is exactly the authoring strip one zoom down.



ONE COMPONENT, FOUR SURFACES

- **Authoring rail** (readiness) → **student map** (progress) → **player outline** (this page) → **full-screen course view** (later). All the same `<ExamMap>`.
- **The charge climbs while they play** — the mini-spine's active cell fills question by question. The feedback loop is the product.
- **Cheats icon at the foot** is where your memo library becomes a student-facing asset: the CHEAT CODES they've unlocked, collected.
- **Partner-ready:** a tutor's exam renders in exactly this shell, with your brand and your player — which is the deal you're offering them.

TOMORROW'S BUILD

Authoring State 1 → commit → 2 → commit → 3 → commit. The student feed is *designed* tonight, built after Exam 1 ships. Tree mode stays as the safety toggle.