Cucumber Report

| Start : Feb 18, 12:41:37.855 pm	End : Feb 18, 12:43:23.035 pm	Duration : 1 m 45.180 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 36 FAILED - 2 SKIPPED - 2

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Magento E-commerce Website Testing	1 m 45.180 s	2	0	2	0	40	36	2	2

#	Feature Name	Scenario Name
1	*Magento E-commerce Website Testing*	*Purchase a Jacket*
2		*Purchase a Womens Tshirt*

#	Feature Name	T	P	F	S	Duration
1	Magento E-commerce Website Testing	2	0	2	0	1 m 45.180 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Magento E-commerce Website Testing	Purchase a Jacket	20	18	1	1	56.180 s
2		Purchase a Womens Tshirt	20	18	1	1	48.943 s

Magento E-commerce Website Testing

FAILED	DURATION - 1 m 45.180 s		Scenarios		Steps	
			Total - 2		Total - 40	
/ 12:41:37.855 pm // 12:43:23.035 pm /			Pass - 0	2	Pass - 36	40
			Fail - 2		Fail - 2	
			Skip - 0		Skip - 2	

Purchase a Jacket

FAILED	DURATION - 56.180 s		Steps	
/ 12:41:37.863 pm // 12:42:34.043 pm /			Total - 20	
			Pass - 18	20
Magento E-commerce Website Testing			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User Launch the Browser	PASSED	8.721 s
2	Given User Launch the Url	PASSED	4.283 s
3	When User click the Homepage SingIn Button	PASSED	1.101 s
4	Then User navigates to the login page "Customer Login"	PASSED	0.078 s
5	When User enters Username "velandg10@gmail.com" in the Username Field	PASSED	0.126 s
6	And User enters password "Velan@1995" in the Password Field	PASSED	0.085 s
7	And User clicks on the signIn button	PASSED	2.691 s
8	Then User should be redirected to the dashboard "Welcome, Velan Velli!"	PASSED	0.286 s
9	When User select the Mens top Jacket Selection	PASSED	2.078 s
10	And User selects the "Montana Wind Jacket"	PASSED	2.063 s
11	And User Select L size	PASSED	0.165 s
12	And User Select Red Color	PASSED	0.077 s
13	And User adds the jacket to the cart	PASSED	0.061 s
14	And User click the Shoping Cart	PASSED	5.294 s
15	And User proceeds to checkout	PASSED	3.160 s

| #	Step / Hook Details	Status	Duration
16	When User fills in the mandatory shipping address with the following details	PASSED	3.328 s
17	And User selects the standard shipping method	PASSED	0.051 s
18	And User places the order	PASSED	2.043 s
19	Then User should see a success message "Thank you for your purchase!"	FAILED	20.397 s

	java.lang.AssertionError: ERROR: OCCUR IN THE ASSERT TEXT
	    at org.junit.Assert.fail(Assert.java:89)
	    at com.resuableMethods.Baseclass.assertText(Baseclass.java:183)
	    at com.PageObjectModel.confirmationPagePOM.getSuccessMessage(confirmationPagePOM.java:43)
	    at com.lumaStepDef.LumaStepDef.user_should_see_a_success_message(LumaStepDef.java:135)
	    at ?.User should see a success message "Thank you for your purchase!"(file:///D:/IPD/LumaCucumberFramework/src/test/java/com/featureFiles/Luma.feature:27)
	* Not displayable characters are replaced by '?'.		

20	And User should print the order number	SKIPPED	0.002 s
	AFTER - com.hooks.HooksMethods.afterhooks(io.cucumber.java.Scenario)	FAILED	0.028 s

	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c5a9c4fbe77d3553e0b25fc70a8bcc66, screenshot []] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.99, chrome: {chromedriverVersion: 133.0.6943.98 (da53563ceb66..., userDataDir: C:\Users\surya\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56151}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56151/devtoo..., se:cdpVersion: 133.0.6943.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c5a9c4fbe77d3553e0b25fc70a8bcc66
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:629)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325)
	    at com.hooks.HooksMethods.afterhooks(HooksMethods.java:33)
	Caused by: java.io.UncheckedIOException: java.net.ConnectException: Connection refused: getsockopt: localhost/[0:0:0:0:0:0:0:1]:48523
	    at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:73)
	    at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	    at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)
	    at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:48)
	    at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:96)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:188)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325)		
	at com.hooks.HooksMethods.afterhooks(HooksMethods.java:33)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:47)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:90)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:147)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)		

#	Step / Hook Details	Status	Duration
	at io.cumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:229)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:115)		
	at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42)		
	at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80)		
	at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:198)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:169)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:93)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:58)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:141)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:57)		
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:103)		
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:94)		
	at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:52)		
	at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:70)		
	at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:100)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:530)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:758)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:453)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
	Caused by: java.net.ConnectException: Connection refused: getsockopt: localhost/[0:0:0:0:0:0:0:1]:48523		
	at org.asynchttpclient.netty.channel.NettyConnectListener.onFailure(NettyConnectListener.java:179)		
	at org.asynchttpclient.netty.channel.NettyChannelConnector$1.onFailure(NettyChannelConnector.java:108)		
	at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:28)		
	at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:20)		
	at io.netty.util.concurrent.DefaultPromise.notifyListener0(DefaultPromise.java:590)		
	at io.netty.util.concurrent.DefaultPromise.notifyListeners0(DefaultPromise.java:583)		
	at io.netty.util.concurrent.DefaultPromise.notifyListenersNow(DefaultPromise.java:559)		
	at io.netty.util.concurrent.DefaultPromise.notifyListeners(DefaultPromise.java:492)		
	at io.netty.util.concurrent.DefaultPromise.setValue0(DefaultPromise.java:636)		
	at io.netty.util.concurrent.DefaultPromise.setFailure0(DefaultPromise.java:629)		
	at io.netty.util.concurrent.DefaultPromise.tryFailure(DefaultPromise.java:118)		
	at io.netty.channel.nio.AbstractNioChannel$AbstractNioUnsafe.fulfillConnectPromise(AbstractNioChannel.java:321)		
	at io.netty.channel.nio.AbstractNioChannel$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:337)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650)		

#	Step / Hook Details	Status	Duration
	at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) Caused by: io.netty.channel.AbstractChannel$AnnotatedConnectException: Connection refused: getsockopt: localhost/[0:0:0:0:0:0:0:1]:48523 Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583)		

Purchase a Womens Tshirt

FAILED	DURATION - 48.943 s
/ 12:42:34.092 pm // 12:43:23.035 pm /	
Magento E-commerce Website Testing	

Steps
Total - 20
Pass - 18
Fail - 1
Skip - 1

20

#	Step / Hook Details	Status	Duration
1	Given User Launch the Browser	PASSED	1.259 s
2	Given User Launch the Url	PASSED	3.321 s
3	When User click the Homepage SingIn Button	PASSED	1.162 s
4	Then User navigates to the login page "Customer Login"	PASSED	0.042 s
5	When User enters Username "velandg10@gmail.com" in the Username Field	PASSED	0.099 s

#	Step / Hook Details	Status	Duration
6	And User enters password "Velan@1995" in the Password Field	PASSED	0.080 s
7	And User clicks on the signIn button	PASSED	2.439 s
8	Then User should be redirected to the dashboard "Welcome, Velan Velli!"	PASSED	0.419 s
9	When User select the Mens top Jacket Selection	PASSED	1.703 s
10	And User selects the "Montana Wind Jacket"	PASSED	2.251 s
11	And User Select L size	PASSED	0.186 s
12	And User Select Red Color	PASSED	0.070 s
13	And User adds the jacket to the cart	PASSED	0.041 s
14	And User click the Shoping Cart	PASSED	5.377 s
15	And User proceeds to checkout	PASSED	2.195 s
16	When User fills in the mandatory shipping address with the following details	PASSED	2.335 s
17	And User selects the standard shipping method	PASSED	0.027 s
18	And User places the order	PASSED	2.821 s
19	Then User should see a success message "Thank you for your purchase!"	FAILED	23.081 s

	java.lang.AssertionError: ERROR: OCCUR IN THE ASSERT TEXT
	    at org.junit.Assert.fail(Assert.java:89)
	    at com.resuableMethods.Baseclass.assertText(Baseclass.java:183)
	    at com.PageObjectModel.confirmationPagePOM.getSuccessMessage(confirmationPagePOM.java:43)
	    at com.lumaStepDef.LumaStepDef.user_should_see_a_success_message(LumaStepDef.java:135)
	    at ?.User should see a success message "Thank you for your purchase!"(file:///D:/IPD/LumaCucumberFramework/src/test/java/com/featureFiles/Luma.feature:54)
	* Not displayable characters are replaced by '?'.		

20	And User should print the order number	SKIPPED	0.000 s
	AFTER - com.hooks.HooksMethods.afterhooks(io.cucumber.java.Scenario)	FAILED	0.008 s

	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0d05597acfa59a6928728c97ab5921c5, screenshot []] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.99, chrome: {chromedriverVersion: 133.0.6943.98 (da53563ceb66..., userDataDir: C:\Users\surya\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50724/devtoo..., se:cdpVersion: 133.0.6943.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0d05597acfa59a6928728c97ab5921c5
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:629)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325)		
	at com.hooks.HooksMethods.afterhooks(HooksMethods.java:33)		
	Caused by: java.io.UncheckedIOException: java.net.ConnectException: Connection refused: getsockopt: localhost/[0:0:0:0:0:0:0:1]:28697		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:73)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:48)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:96)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:188)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325)		
	at com.hooks.HooksMethods.afterhooks(HooksMethods.java:33)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:47)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:90)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:147)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:229)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:115)		
	at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42)		
	at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80)		
	at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:198)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:169)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:93)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:58)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:141)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:57)		
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:103)		
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:94)		
	at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:52)		
	at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:70)		
	at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:100)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:530)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:758)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:453)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
	Caused by: java.net.ConnectException: Connection refused: getsockopt: localhost/[0:0:0:0:0:0:0:1]:28697		
	at org.asynchttpclient.netty.channel.NettyConnectListener.onFailure(NettyConnectListener.java:179)		
	at org.asynchttpclient.netty.channel.NettyChannelConnector$1.onFailure(NettyChannelConnector.java:108)		
	at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:28)		

#	Step / Hook Details	Status	Duration
	at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:20)		
	at io.netty.util.concurrent.DefaultPromise.notifyListener0(DefaultPromise.java:590)		
	at io.netty.util.concurrent.DefaultPromise.notifyListeners0(DefaultPromise.java:583)		
	at io.netty.util.concurrent.DefaultPromise.notifyListenersNow(DefaultPromise.java:559)		
	at io.netty.util.concurrent.DefaultPromise.notifyListeners(DefaultPromise.java:492)		
	at io.netty.util.concurrent.DefaultPromise.setValue0(DefaultPromise.java:636)		
	at io.netty.util.concurrent.DefaultPromise.setFailure0(DefaultPromise.java:629)		
	at io.netty.util.concurrent.DefaultPromise.tryFailure(DefaultPromise.java:118)		
	at io.netty.channel.nio.AbstractNioChannel$AbstractNioUnsafe.fulfillConnectPromise(AbstractNioChannel.java:321)		
	at io.netty.channel.nio.AbstractNioChannel$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:337)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650)		
	at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562)		
	at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java:997)		
	at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74)		
	at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		
	Caused by: io.netty.channel.AbstractChannel$AnnotatedConnectException: Connection refused: getsockopt: localhost/[0:0:0:0:0:0:0:1]:28697		
	Caused by: java.net.ConnectException: Connection refused: getsockopt		
	at java.base/sun.nio.ch.Net.pollConnect(Native Method)		
	at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682)		
	at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973)		
	at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337)		
	at io.netty.channel.nio.AbstractNioChannel$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650)		
	at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562)		
	at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java:997)		
	at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74)		
	at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		