FINAL TASK TO-DO LIST

Source code:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>TO-DO LIST</title>
    k rel="stylesheet" type="text/css" href="week4.css">
  </head>
  <body>
    <div class="container">
    <div class="box">
      <h2>TO-DO LIST</h2>
      <input type="text" placeholder="Write Task..." id="inputbx">
      ul id="list">
    </div>
    </div>
    <script>
      let inputbx=document.querySelector('#inputbx');
      let list=document.querySelector('#list');
      inputbx.addEventListener("keyup",function(event){
         if(event.key=="Enter"){
           additem(this.value)
           this.value=""
      })
      let additem=(inputbx)=>{
         let listitem=document.createElement("li");
         listitem.innerHTML=`${inputbx} <i></i>`;
           listitem.addEventListener("click",function(){
             this.classList.toggle('done');
           })
           listitem.querySelector("i").addEventListener("click",function(){
             listitem.remove();
```

```
})
           list.appendChild(listitem);
    </script>
  </body>
</html>
CSS:
*{
 margin: 0;
 padding: 0;
 box-sizing: border-box;
 font-family: Arial, Helvetica, sans-serif;
body{
 display: flex;
 justify-content: center;
 background-image: linear-gradient(to right,rgb(193, 38, 255),rgb(0, 4, 255));
 align-items: center;
 min-height: 100vh;
.box{
 position: relative;
 width: 550px;
 height: 550px;
 border-radius: 30px;
 background: linear-gradient(to right,rgb(4, 0, 255),rgb(161, 0, 224));
 padding: 30px 50px;
 box-shadow: 25px 25px 75px rgb(20, 0, 71),
 10px 10px 70px rgb(10, 0, 60),
 inset 5px 5px 10px rgb(33, 106, 254),
 inset 5px 5px 20px rgb(0, 4, 44),
 inset -5px -5px 15px rgb(22, 0, 63);
h2{
 width: 100%;
 font-weight: 600;
 text-align: center;
 color: aliceblue;
 font-size: 1.75em;
 margin-bottom: 10px;
```

```
#inputbx{
 position: relative;
 width: 100%;
 border: none;
 outline: none;
 padding: 15px 20px;
 border-radius: 30px;
 font-size: 1em;
 box-shadow: 5px 5px 7px black, inset2px 2px 5px black,
 inset -3px -3px 5px black;
.box li {
 position: relative;
 width: calc(90% - 10px); /* Decrease from 100% to 90% */
 display: flex;
 align-items: center;
 background: rgb(149, 0, 255);
 margin: 15px 0;
 padding: 10px 10px 10px 45px;
 min-height: 45px;
 cursor: pointer;
 border-radius: 22.5px;
 color: aliceblue;
 box-shadow:
  5px 5px 7px black,
  inset 2px 2px 5px black,
  inset -3px -3px 5px black; /* Fix: added missing space and commas */
.box li i{
 position: absolute;
 right: -40px;
 width: 30px;
 height: 30px;
 display: flex;
justify-content: center;
 align-items: center;
 background: red;
 border-radius: 50%;
 box-shadow: 5px 5px 7px black,inset 2px 2px 5px black,
 inset -3px -3px 5px black;
```

```
.box li i::before{
 content: ";
 position: absolute;
 width: 15px;
 height: 2px;
 background: white;
 transform: rotate(45deg);
.box li i::after{
 content: ";
 position: absolute;
 width: 15px;
 height: 2px;
 background: white;
 transform: rotate(-45deg);
.box li::before{
 content: ";
 position: absolute;
 left: 8px;
 width: 30px;
 height: 30px;
 background: rgb(255, 255, 255);
 border-radius: 50%;
.box li.done{
 background: rgb(220, 19, 109);
.box li.done::after{
 content: ";
 position: absolute;
 left: 15px;
 width: 12px;
 height: 6px;
 border-left: 5px solid rgb(0, 255, 38);
 border-bottom: 5px solid rgb(13, 255, 0);
 transform: rotate(315deg);
#list{
 position: relative;
 margin-top: 20px;
```

```
height: 350px;
overflow-y: auto;
padding-right: 10px;
}
::-webkit-scrollbar-track
{
  box-shadow: inset 0 0 15px black;
}
::-webkit-scrollbar{
  width: 5px;
}
::-webkit-scrollbar-thumb
{
  background: white;
}
```

Output:





