

Create BM25 Index

Step1: Create BM25 Index

- Select Search Type – Atlas Search
- Index Name – bm25_search
- Select the database and collection - db_testcases->TestCases
- Select the Configuration Method – JSON Editor

Cluster0 Search | Cloud: MongoDB | +

https://cloud.mongodb.com/v2/69f002b941916a57fa15e44b#/clusters/atlasSearch/Cluster0/view=Create

ORGANIZATION: Surya's Org - 2026-0... PROJECT: Project 0 CLUSTER: Cluster0

Search & Vector Search

Search Indexes

AUTO EMBEDDING

Usage

Rate Limits

SHORTCUTS

Cluster Metrics

Data Explorer

Back to Search Indexes

Create a Search Index

1 Setup 2 Configuration 3 Review

Start Your Index Configuration

Search Type
Which Search type should I use?

Atlas Search
Full-text search for relevance-based app features.

Vector Search
For semantic search and AI applications.

Index Name and Data Source
Search indexes are specific to a database and collection.

At this time, search indexes cannot be created for time series collections.

Index Name
bm25_search

Database and Collection
Search for database or collection ...

db_resumes

db_testcases

TestCases

UserStories

Configuration Method
Select how you would like to configure your index. You can also define indexes through the [Atlas Admin API](#), [Atlas CLI](#), [MongoDB Shell](#), or supported [Drivers](#).

Visual Editor
Define index definitions in a more guided experience.


JSON Editor
Edit the raw index definition with an embedded JSON editor.

Cancel Next

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

Give the index definition



Cluster0 Search | Cloud: MongoDB X

https://cloud.mongodb.com/v2/69f002b941916a67fa15e44b#/clusters/atlasSearch/Cluster0/view=Create

ORGANIZATION: Surya's Org - 2026-0... PROJECT: Project 0 CLUSTER: Cluster0

Search & Vector Search

Search Indexes

AUTO EMBEDDING

Usage

Rate Limits

SHORTCUTS

Cluster Metrics

Data Explorer

Create a Search Index

Setup Configuration Review

JSON Editor

[View Atlas Search Docs](#)

Search Index Type: search

Give your search index a name for easy reference, and select the database and collection you want to draw data from. You can also create, edit, and manage search indexes using the [Atlas API](#).


By default, your Atlas Search index will have the following configurations. We recommend starting with this and refining it later if you need to.

```
1 {
2   "mappings": {
3     "dynamic": false,
4     "fields": {
5       "id": {
6         "type": "string",
7         "analyzer": "lucene.keyword"
8       },
9       "module": {
10        "type": "string",
11        "analyzer": "lucene.standard"
12      },
13      "title": {
14        "type": "string",
15        "analyzer": "lucene.standard"
16      }
17    }
18  }
19 }
```

Back Cancel Next

Click Next and then Click Create Search Index

Wait for Ready status in bm25_search index



Cluster0 Search | Cloud: MongoDB X

https://cloud.mongodb.com/v2/69f002b941916a67fa15e44b#/clusters/atlasSearch/Cluster0

ORGANIZATION: Surya's Org - 2026-0... PROJECT: Project 0 CLUSTER: Cluster0

Search & Vector Search

Find a search index

[VIEW COMPOUND QUERY EXAMPLE](#) [+ CREATE SEARCH INDEX](#)

You have reached the 3 search and vector index limit for your M0 free tier cluster. [Upgrade Cluster](#)

Database	Collection	Index Name	Status	Queryable	Type	Index Fields	Documents (Estimated)
db_testcases	TestCases	bm25_search	READY View status details	✓	search	"automationManual", "createdBy", "description", "expectedResults", "id",... 2 more	6,354 (100%) indexed of 6,354
db_testcases	TestCases	vector_index_test_cases	READY View status details	✓	vectorSearch	"embedding", "id", "module", "title", "description",... 2 more	6,354 (100%) indexed of 6,354
db_testcases	UserStories	vector_index_userstories	READY View status details	✓	vectorSearch	"embedding", "projectName", "statusCategory", "priority", "risk",... 1 more	570 (100%) indexed of 570

[Learn more about Atlas Search](#)

[Learn more about Atlas Vector Search](#)

Alert System Status: All Good

©2026 MongoDB, Inc. [Status](#) [Terms](#) [Privacy](#) [Atlas Blog](#) [Contact Sales](#)

RAG Pipeline - UI

The image displays two screenshots of the RAG Pipeline UI, specifically the 'Convert to JSON' section. The interface is divided into a left navigation panel and a main content area.

Navigation Panel (Left):

- Convert to JSON** (Active): Upload and convert Excel files (Test Cases or User Stories)
- Embeddings & Store**: Create and manage embeddings
- Query Preprocessing**: Transform & expand queries
- Vector Search**: Semantic vector search
- BM25 Search**: Keyword-based search
- Hybrid Search**: Combined BM25 + Vector
- Score Fusion**: BM25+Vector fusion reranking
- Summarize & Dedup**: AI summarization & deduplication
- Prompt & Schema**: Configure prompt templates & JSON schemas

Main Content Area (Right):

RAG Pipeline

Home > Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Convert Excel to JSON

Upload Excel files (Test Cases or User Stories) and convert them to JSON format for processing.

Progress Bar:

- 1 Select File
- 2 Configure
- 3 Convert

File Upload Section:

File Upload
Select data type and configure your Excel file

Data Type: **TC Test Cases**

SELECT EXCEL FILE (TEST CASES)

Sheet Name: **testcases**
Name of the Excel sheet to convert (default: testcases)

CONVERT TEST CASES **RESET**

Expected Test Cases Columns

Your Excel file should contain these columns:

- Module
- Test ID
- Pre-Requisites
- Test Title
- Test Case Description
- Test Steps
- Expected Results
- Automation/Manual
- Priority

Second Screenshot (Bottom):

The second screenshot shows the same interface, but the 'Expected Test Cases Columns' list is updated with additional fields:

- Module
- Test ID
- Pre-Requisites
- Test Title
- Test Case Description
- Test Steps
- Expected Results
- Automation/Manual
- Priority
- Created By
- Created Date
- Last modified date
- Risk
- Version
- Type

Query Preprocessing & Search

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Query Preprocessing

Transform & expand queries

Query Preprocessing & Search

Transform your query through normalization, abbreviation expansion, and synonym generation before searching

Enter Your Query

UHID patient login issue OTP not working

Quick Examples:

UHID patient login issue OTP not working

TC_027 merge UHID records

doctor appointment booking IP admission

password reset OTP verification

ER patient registration BP monitoring

PREPROCESS QUERY

PIPELINE STEPS

ABBREVIATIONS

SYNONYM VARIATIONS

Query Transformation Pipeline

ORIGINAL QUERY

"UHID patient login issue OTP not working"

RAG Pipeline

Home > Query Preprocessing

Transform & expand queries

PIPELINE STEPS

ABBREVIATIONS

SYNONYM VARIATIONS

Query Transformation Pipeline

ORIGINAL QUERY

"UHID patient login issue OTP not working"

NORMALIZATION

"uhid patient login issue otp not working"

7 tokens

ABBREVIATION EXPANSION

2 expansions

"unique health id patient login issue one time password not working"

Expanded:

uhid → unique health id

otp → one time password

SYNONYM EXPANSION

5 variations

Multiple query variations generated for comprehensive search coverage

1. "unique health id patient login issue one time password not working"

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Query Preprocessing

Transform & expand queries

unique health id patient login issue one time password not working

Expanded:
uhid → unique health id otp → one time password

3 SYNONYM EXPANSION 5 variations

Multiple query variations generated for comprehensive search coverage

1. "unique health id patient login issue one time password not working"

2. "unique health id customer login issue one time password not working"

3. "unique health id user login issue one time password not working"

+ 2 more variations

Processing Metadata

Processing Time Token Count Abbreviations Synonyms

3ms 7 2 5

How Query Preprocessing Works

1. Normalization: Converts text to lowercase, removes special characters, extracts test case IDs

2. Abbreviation Expansion: Expands healthcare abbreviations (UHID → unique health id, OTP → one time password)

3. Synonym Expansion: Generates multiple query variations using synonyms (patient → customer/user/individual)

4. Search Execution: Uses all variations to perform comprehensive search with better recall

Abbreviations

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Query Preprocessing

Transform & expand queries

PREPROCESS QUERY

PIPELINE STEPS ABBREVIATIONS SYNONYM VARIATIONS

Abbreviation Mappings

Abbreviation	Full Form	Position
UHID	unique health id	-
OTP	one time password	37

Before & After Comparison

BEFORE (with abbreviations)
uhid patient login issue otp not working

AFTER (expanded)
unique health id patient login issue one time password not working

How Query Preprocessing Works

1. Normalization: Converts text to lowercase, removes special characters, extracts test case IDs

2. Abbreviation Expansion: Expands healthcare abbreviations (UHID → unique health id, OTP → one time password)

3. Synonym Expansion: Generates multiple query variations using synonyms (patient → customer/user/individual)

4. Search Execution: Uses all variations to perform comprehensive search with better recall

The image displays two screenshots of the RAG Pipeline interface, specifically the 'Query Preprocessing' step. The interface is divided into a left sidebar with navigation options and a main content area.

Navigation Sidebar (Common to both screenshots):

- Convert to JSON: Upload and convert Excel files (Test Cases or User Stories)
- Embeddings & Store: Create and manage embeddings
- Query Preprocessing**: Transform & expand queries
- Vector Search: Semantic vector search
- BM25 Search: Keyword-based search
- Hybrid Search: Combined BM25 + Vector
- Score Fusion: BM25+Vector fusion reranking
- Summarize & Dedup: AI summarization & deduplication
- Prompt & Schema: Configure prompt templates & JSON schemas

Top Screenshot:

- RAG Pipeline** header with a settings icon.
- Breadcrumb: Home > Query Preprocessing
- Button: PREPROCESS QUERY
- Tab: SYNONYM VARIATIONS
- Generated Query Variations (5)**: These variations will be used to perform comprehensive search across the database.
- Variations:
 - Variation 1 (Primary)**: "unique health id patient login issue one time password not working"
 - Variation 2**: "unique health id customer login issue one time password not working"
 - Variation 3**: "unique health id user login issue one time password not working"
 - Variation 4**: "unique health id individual login issue one time password not working"

Bottom Screenshot:

- RAG Pipeline** header with a settings icon.
- Breadcrumb: Home > Query Preprocessing
- Button: PREPROCESS QUERY
- Tab: SYNONYM VARIATIONS
- Generated Query Variations (5)**: These variations will be used to perform comprehensive search across the database.
- Variations:
 - Variation 2**: "unique health id customer login issue one time password not working"
 - Variation 3**: "unique health id user login issue one time password not working"
 - Variation 4**: "unique health id individual login issue one time password not working"
 - Variation 5**: "unique health id person login issue one time password not working"
- Synonym Mappings (5)**: (Section header, content not visible)
- How Query Preprocessing Works**:
 - 1. Normalization:** Converts text to lowercase, removes special characters, extracts test case IDs
 - 2. Abbreviation Expansion:** Expands healthcare abbreviations (UHRID → unique health id, OTP → one time password)
 - 3. Synonym Expansion:** Generates multiple query variations using synonyms (patient → customer/user/individual)
 - 4. Search Execution:** Uses all variations to perform comprehensive search with better recall

Vector Search

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Vector Search

Semantic vector search

Query Search

Search through your test cases using semantic similarity with AI embeddings.

Search Query

Enter your search terms and find similar test cases

Enter your search query

UHID Patient Login OTP Not working

Use descriptive terms related to test functionality

Advanced Metadata Filters

Active

HIDE FILTERS

Module

AT(Admission Module)

Priority

P1

Risk Level

High

Test Type

Automated

Active Filters

Module: AT(Admission Module)

Priority: P1

Risk: High

Type: Automated

CLEAR ALL

Results Limit

5 Results

SEARCH

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Vector Search

Semantic vector search

Search Results

1 results ranked by semantic similarity

Test Case	Similarity	Description	Source
Admission - IP Admission - Online	86.2%	To Verify the user able to make a IP Admission through Online	AT(Admission Module)

Rows per page: 10 1-1 of 1

Detailed View

Admission - IP Admission - Online

Score: 0.8623

AT(Admission Module)

BM25 Search

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > BM25 Search

Keyword-based search

BM25 Keyword Search

Fast keyword-based search using BM25 algorithm. Best for exact matches, IDs, and specific terms.

Search Query

UHID Patient Login OTP not working

Results Limit

10

SEARCH

SHOW FILTERS

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > BM25 Search

Keyword-based search

BM25 Keyword Search

Fast keyword-based search using BM25 algorithm. Best for exact matches, IDs, and specific terms.

Search Query

UHID Patient Login OTP not working

Results Limit

5

SEARCH

SHOW FILTERS

BM25 Search Results: Found 5 test cases in 118ms

Search Type: bm25

Search Results (5)

#1 TC_2690

Score: 12.84

DynamicQueue->List of AHC Patients->Patients not reported

Module: AHC P3 Risk: Low Manual

Description: Verify Patients not reported tab

Steps: 1.Launch the application 2.Login to the application with valid credentials. 3.Click on Patient Service Tab and select AHC from drop down. 4.Navigate to Functions -> DynamicQueue->List of AHC Patients->Patients not reported tab 5.Select date from calendar and click on "Submit" button.

Expected Results: Patients not reported details should get saved

Created: 6/11/2026

Found 5 results in 118ms

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > BM25 Search

Keyword-based search

Search Results (5)

#1 TC_2690 Score: 12.84

DynamicQueue->List of AHC Patients->Patients not reported

Module: AHC P3 Risk: Low Manual

Description: Verify Patients not reported tab

Steps: 1.Launch the application 2.Login to the application with valid credentials. 3.Click on Patient Service Tab and select AHC from drop down. 4.Navigate to Functions -> DynamicQueue->List of AHC Patients->Patients not reported tab 5.Select date from calendar and click on "Submit" button.

Expected Results: Patients not reported details should get saved

Created: 6/11/2026

#2 TC_027 Score: 11.97

Merge UHID

Module: Registration P1 Risk: Low Automated

Description: Verify user able to Merge Master UHID and Child UHID.

Steps: 1.Launch the application 2.Login to the application with valid credentials. 3.Click on Patient Service Tab and select Registration from the drop down. 4.Functions->Transaction->Merge/Demerge. 5.Enter Master UHID and Click on Go option. 6.Enter Child UHID and Click on Go option. 7.Click on Merge UHID

Expected Results: Selected UHID Merged Successfully with Master UHID Message should be displayed

Created: 6/11/2026

#3 TC_028 Score: 11.79

Demerge UHID

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > BM25 Search

Keyword-based search

Search Results (5)

#4 TC_030 Score: 10.44

Reprint UHID Card

Module: Registration P1 Risk: Critical Automated

Description: Verify User able to Reprint UHID without Payment.

Steps: 1.Launch the application 2.Login to the application with valid credentials. 3.Click on Patient Service Tab and select Registration from the drop down. 4.Go to patient search screen, Enter input values like UHID/First name and last name & gender and Click on Search Button. 5.Check for the availability of Reprint UHID icon in the last column of the grid against UHID. 6.Click on Reprint UHID icon against any UHID. 7.Click on the Print icon.

Expected Results: The UHID Card Should be Reprint Successfully without payment

Created: 6/11/2026

#5 TC_2616 Score: 10.16

Mastersetup->Map Login Counter

Module: AHC P1 Risk: Critical Automated

Description: To verify the user able to create Map Login Counter.

Steps: 1.Launch the application 2.Login to the application with valid credentials. 3.Click on Patient Service Tab and select AHC from drop down. 4.Navigate to Functions -> Mastersetup->Map Login Counter. 5.Click on Map Login Counter. 6.Enter Login ID and select Counter. 7.Click on "ADD" button.

Expected Results: User should able to create Map Login Counter.

Created: 6/11/2026

Hybrid Search

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Hybrid Search

Combined BM25 + Vector

Hybrid Search (BM25 + Vector)

Combines BM25 keyword matching with semantic vector search for best results. Adjust weights to control the balance.

Search Query

UHID Patient Login OTP Not working

Results Limit

5

SEARCH

Search Weights

BM25 Weight: 70%

Vector Weight: 30%

0% 50% 100%0% 50% 100%

BALANCED (50/50)

KEYWORD HEAVY (70/30)

SEMANTIC HEAVY (30/70)

SHOW FILTERS

Hybrid Search Results: Found 5 test cases in 852ms

Stats: 4 in both indexes, 1 BM25 only, 0 vector only

Timing: BM25: 103ms, Vector: 724ms

Cost: \$0.000001 (12 tokens)

Found 5 results (4 in both indexes) in 852ms

Search Results (5)

#1 TC_027 Hybrid: 91.2% Found in: both

Merge UHID

Module: Registration P1 Risk: Low Automated

Description: Verify user able to Merge Master UHID and Child UHID.

Steps: 1.Launch the application 2.Login to the application with valid credentials. 3.Click on Patient Service Tab and select Registration from the drop down. 4.Functions->Transaction->Merge/Demerge. 5.Enter Master UHID and Click on Go option. 6.Enter Child UHID and Click on Go option. 7.Click on Merge UHID

Expected Results: Selected UHID Merged Successfully with Master UHID Message should be displayed

Score Breakdown:

BM25: 93.2% (raw: 11.97) Vector: 86.7% (raw: 0.87) Hybrid: 91.2%

Created: 6/11/2026

#2 TC_030 Hybrid: 83.1% Found in: both

Reprint UHID Card

Module: Registration P1 Risk: Critical Automated

Description: Verify User able to Reprint UHID without Payment.

Steps: 1.Launch the application 2.Login to the application with valid credentials. 3.Click on Patient Service Tab and select Registration from the drop down. 4.Go to patient search screen, Enter input values like UHID/First name and last name & gender and Click on Search Button. 5.Check for the availability of Reprint UHID icon in the last column of the grid against UHID. 6.Click on Reprint UHID icon against any UHID. 7.Click on the Print icon.

Expected Results: The UHID Card Should be Reprint Successfully without payment

Score Breakdown:

BM25: 81.3% (raw: 10.44) Vector: 87.2% (raw: 0.87) Hybrid: 83.1%

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Hybrid Search

Combined BM25 + Vector

#3 TC_044 Hybrid: 80.6% Found in: both

Create UHID without Payment Scenarios

Module: Registration P1 Risk: Critical Automated

Description: Verify if UHID Automatically Deactivated or not when User created UHID without Payment, by Closing Payment screen.

Steps: 1.Launch the application 2.Login to the application with valid credentials. 3.Click on Patient Service Tab and select on Registration from drop-down. 4.Click Functions->Registration 5.Provide the details and click on register button 6.Make a Note of that UHID 7.Close the payment window 8.Search that UHID in patient search 9.Check the Status of UHID

Expected Results: User can able to see the PopUp Message like Role Resourceitem(s) updated successfully.

Score Breakdown:

BM25: 77.8% (raw: 9.99) Vector: 87.0% (raw: 0.87) Hybrid: 80.6%

Created: 6/11/2026

#4 TC_048 Hybrid: 77.3% Found in: both

OLD to New UHID conversion

Module: Registration P1 Risk: Low Automated

Description: Verify OLD to New UHID report

Steps: 1.Launch the application 2.Login to the application with valid credentials. 3.Click on Patient Service Tab and select Registration from the drop down. 4.Navigate to Functions->Reports->OLD to New UHID 5.Provide the input details like From and To Date and click on report and observe the report 6.Click on Export to Excel button (if required)

Expected Results: OLD to New UHID conversion report should get generate

Score Breakdown:

BM25: 73.1% (raw: 9.38) Vector: 87.1% (raw: 0.87) Hybrid: 77.3%

Created: 6/11/2026

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Hybrid Search

Combined BM25 + Vector

#5 TC_2690 Hybrid: 70.0% Found in: bm25

DynamicQueue->List of AHC Patients->Patients not reported

Module: AHC P3 Risk: Low Manual

Description: Verify Patients not reported tab

Steps: 1.Launch the application 2.Login to the application with valid credentials. 3.Click on Patient Service Tab and select AHC from drop down. 4.Navigate to Functions -> DynamicQueue->List of AHC Patients->Patients not reported tab 5.Select date from calendar and click on "Submit" button.

Expected Results: Patients not reported details should get saved

Score Breakdown:

BM25: 100.0% (raw: 12.84) Vector: 0.0% (raw: 0.00) Hybrid: 70.0%

Created: 6/11/2026

Groq AI Reranking Search

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Score Fusion

BM25+Vector fusion reranking

Groq AI Reranking Search

Combines BM25 keyword search and Vector semantic search, then uses Groq AI for intelligent semantic reranking and relevance optimization.

Search Query

UHID Patient Login OTP Not Working

Top-K Can...10

Final Limit5

SEARCH

FILTERS

Groq AI Reranking Results: Found 5 test cases ranked by Groq AI

Timing: Total: 5105ms

Method: BM25 + Vector → Groq AI Semantic Reranking

AFTER RERANKING (FINAL)

BEFORE RERANKING (ORIGINAL)

COMPARISON TABLE

After Groq AI Reranking (5 results)

#1 TC_2616

Rerank Score: 0.4500

Was #5

Mastersetup->Map Login Counter

Module: AHC

P1

Risk: Critical

RAG Pipeline

Home > Score Fusion

BM25+Vector fusion reranking

After Groq AI Reranking (5 results)

#1 TC_2616

Rerank Score: 0.4500

Was #5

Mastersetup->Map Login Counter

Module: AHC

P1

Risk: Critical

Description: To verify the user able to create Map Login Counter.

Ranking Scores:

BM25 Score: 10.1606

Groq Rerank: 0.4500

#2 TC_2617

Rerank Score: 0.4200

Was #9

Mastersetup->Map Login Counter ->Delete

Module: AHC

P1

Risk: Critical

Description: To verify the user able to delete Map Login Counter.

Ranking Scores:

BM25 Score: 9.8854

Groq Rerank: 0.4200

#3 TC_3701

Rerank Score: 0.3800

Was #10

Radiology-Masters-Login Modality Master-Save

Module: Radiology

P1

Risk: Critical

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Score Fusion

BM25+Vector fusion reranking

#3

TC_3701

Rerank Score: 0.3800

Was #10

Radiology-Masters-Login Modality Master-Save

Module: Radiology **P1** Risk: Critical

Description: Verify user is able to Save Login Modality Master

Ranking Scores:

BM25 Score: 9.8502 Groq Rerank: 0.3800

#4

TC_044

Rerank Score: 0.3000

Was #8

Create UHID without Payment Scenarios

Module: Registration **P1** Risk: Critical

Description: Verify if UHID Automatically Deactivated or not when User created UHID without Payment, by Closing Payment screen,

Ranking Scores:

BM25 Score: 9.9868 Groq Rerank: 0.3000

#5

TC_007

Rerank Score: 0.2500

Was #41

Patient Search

Module: Registration **P1** Risk: Low

Description: Verify "Patient Search" functionality

Ranking Scores:

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Score Fusion

BM25+Vector fusion reranking

Ranking Scores:

BM25 Score: 9.8502 Groq Rerank: 0.3800

#4

TC_044

Rerank Score: 0.3000

Was #8

Create UHID without Payment Scenarios

Module: Registration **P1** Risk: Critical

Description: Verify if UHID Automatically Deactivated or not when User created UHID without Payment, by Closing Payment screen,

Ranking Scores:

BM25 Score: 9.9868 Groq Rerank: 0.3000

#5

TC_007

Rerank Score: 0.2500

Was #41

Patient Search

Module: Registration **P1** Risk: Low

Description: Verify "Patient Search" functionality

Ranking Scores:

BM25 Score: 7.1520 Groq Rerank: 0.2500

Comparison table

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Score Fusion

BM25+Vector fusion reranking

FILTERS

Groq AI Reranking Results: Found 5 test cases ranked by Groq AI
Timing: Total: 5105ms
Method: BM25 + Vector → Groq AI Semantic Reranking

AFTER RERANKING (FINAL) BEFORE RERANKING (ORIGINAL) COMPARISON TABLE

Before vs After Comparison

Original Rank (Candidates)	Test Case ID	Title	Vector Score	Groq Rerank Score	Final Rank
#5	TC_2616	Mastersetup->Map Login Counter	0.0000	0.4500	#1
#9	TC_2617	Mastersetup->Map Login Counter ->Delete	0.0000	0.4200	#2
#10	TC_3701	Radiology-Masters-Login Modality Master-Save	0.0000	0.3800	#3
#8	TC_044	Create UHID without Payment Scenarios	0.0000	0.3000	#4
#41	TC_007	Patient Search	0.0000	0.2500	#5

How to read this table:

- Original Rank: Position in the 50-candidate pool
- Vector Score: Semantic similarity (0.0-1.0)
- Groq Rerank Score: AI-based relevance score
- Final Rank: Top-10 position after reranking
- Highlighted rows = Top-3 results by Groq AI
- Compare Original Rank vs Final Rank to see how much Groq reordered each result

Summarize and Dedup

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Summarize & Dedup

AI summarization & deduplication

Search Summarization & Deduplication

Search, remove duplicates, and generate AI-powered summaries of test cases

Search Query

UHID Patient Login OTP Not working

Search Type

Hybrid

Limit

5

Quick Examples:

patient login authentication

merge UHID records

appointment booking

password reset OTP

SEARCH

DEDUPLICATE

SUMMARIZE WITH AI

COPY ALL RESULTS

Dedup Threshold

0.85

Summary Type

Concise

SEARCH RESULTS

DEDUPLICATED

AI SUMMARY

Original Results (5)

TC_027 Score: 0.8994 Merge UHID Verify user able to Merge Master UHID and Child UHID. Registration P1 Priority

TC_030 Score: 0.8424 Reprint UHID Card Verify User able to Reprint UHID without Payment. Registration P1 Priority

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Summarize & Dedup

AI summarization & deduplication

SEARCH RESULTS 5DEDUPLICATEDAI SUMMARY

Original Results (5)COPY ALL

TC_027Score: 0.8994

Merge UHID

Verify user able to Merge Master UHID and Child UHID.

RegistrationP1 Priority

TC_030Score: 0.8424

Reprint UHID Card

Verify User able to Reprint UHID without Payment.

RegistrationP1 Priority

TC_044Score: 0.8241

Create UHID without Payment Scenarios

Verify if UHID Automatically Deactivated or not when User created UHID without Payment, by Closing Payment screen.

RegistrationP1 Priority

TC_048Score: 0.8010

OLD to New UHID conversion

Verify OLD to New UHID report

RegistrationP1 Priority

TC_2690Score: 0.5000

DynamicQueue->List of AHC Patients->Patients not reported

Verify Patients not reported tab

AHCP3 Priority

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Summarize & Dedup

AI summarization & deduplication

Quick Examples:
patient login authenticationmerge UHID recordsappointment bookingpassword reset OTP

SEARCHDEDUPLICATEAI SUMMARY

Summarize with AISUMMARIZE WITH AICOPY ALL RESULTS

Dedup Threshold: 0.85Summary Type: ConciseShow Duplicates

AI-Generated Summary

Search Results Overview - "test cases"

| ID | Title | Module | Core Test Objective |

| **TC_027** | Merge UHID | Registration | Verify that a user can successfully merge a Master UHID with a Child UHID. |

| **TC_030** | Reprint UHID Card | Registration | Verify that a user can re-print a UHID card without needing to make a payment. |

| **TC_044** | Create UHID without Payment Scenarios | Registration | Verify whether a newly created UHID is automatically deactivated when the user closes the payment screen (i.e., creates UHID without completing payment). |

| **TC_048** | OLD to New UHID conversion | Registration | Verify the generation and accuracy of the "OLD to New UHID" conversion report. |

| **TC_2690** | DynamicQueue -> List of AHC Patients -> Patients not reported | AHC | Verify that the "Patients not reported" tab correctly displays patients who have not been reported. |

Key Takeaways

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Summarize & Dedup

AI summarization & deduplication

| **TC_027** | Merge UHID | Registration | Verify that a user can successfully merge a Master UHID with a Child UHID. |

| **TC_030** | Reprint UHID Card | Registration | Verify that a user can re-print a UHID card without needing to make a payment. |

| **TC_044** | Create UHID without Payment Scenarios | Registration | Verify whether a newly created UHID is automatically deactivated when the user closes the payment screen (i.e., creates UHID without completing payment). |

| **TC_048** | OLD to New UHID conversion | Registration | Verify the generation and accuracy of the "OLD to New UHID" conversion report. |

| **TC_2690** | DynamicQueue → List of AHC Patients → Patients not reported | AHC | Verify that the "Patients not reported" tab correctly displays patients who have not been reported. |

Key Takeaways

- Four of the five test cases belong to the **Registration** module and focus on various UHID (Unique Health Identifier) operations: merging, re-printing, creation without payment, and conversion reporting.
- The remaining test case (**TC_2690**) is part of the **AHC** (presumably "Acute Health Care") module and validates the functionality of a dynamic queue view for unreported patients.
- The overall theme is functional verification of UHID handling and patient reporting workflows.

Token Usage & Cost

Model	Prompt Tokens	Completion Tokens	Total Cost
openai/gpt-oss-120b	968	380	\$0.000000
	\$0.000000	\$0.000000	1,348 tokens

Pricing: Free with Groq API (llama-3.3-70b-versatile model)

Deduplication

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Summarize & Dedup

AI summarization & deduplication

Search, remove duplicates, and generate AI-powered summaries of test cases

Search Query

UHID Patient Login OTP Not working

Search Type

Hybrid

Limit

20

Quick Examples:

patient login authentication

merge UHID records

appointment booking

password reset OTP

SEARCH

DEDUPLICATE

SUMMARIZE WITH AI

COPY ALL RESULTS

Dedup Threshold

0.85

Summary Type

Concise

Show Duplicates

SEARCH RESULTS

DEDUPLICATED

AI SUMMARY

Deduplication Statistics

Original Count	After Deduplication	Duplicates Removed	Reduction
20	19	1	5.0%

Unique Results (19)

TC_027

Unique

Score: 0.8994

TC_028

Unique

Score: 0.8895

COPY ALL UNIQUE

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Summarize & Dedup

AI summarization & deduplication

Unique Results (19)

COPY ALL UNIQUE

TC_027 ✓ Unique Score: 0.8994

Merge UHID

Verify user able to Merge Master UHID and Child UHID.

Registration P1 Priority 0

TC_028 ✓ Unique Score: 0.8895

Demerge UHID

Verify user able to Demerge Master UHID and Child UHID.

Registration P1 Priority 0

TC_030 ✓ Unique Score: 0.8424

Reprint UHID Card

Verify User able to Reprint UHID without Payment.

Registration P1 Priority 0

TC_047 ✓ Unique Score: 0.8267

Converted to UHID

Verify Converted to UHID report

Registration P1 Priority 0

TC_044 ✓ Unique Score: 0.8241

Create UHID without Payment Scenarios

Verify if UHID Automatically Deactivated or not when User created UHID without Payment, by Closing Payment screen,

Registration P1 Priority 0

TC_067 ✓ Unique Score: 0.8215

International Patient Registration

Verify Normal registration (International patient - No Possess Passport - Yes)

Registration P1 Priority 0

TC_043 ✓ Unique Score: 0.8020

Enterprise Search UHID its Functionality

Verify user able to search Region specific UHID

Registration P1 Priority 0

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

RAG Pipeline

Home > Summarize & Dedup

AI summarization & deduplication

TC_1123 ✓ Unique Score: 0.7315

Reissue UHID

Verify User able to Reissue UHID Card

Registration P1 Priority 0

TC_2559 ✓ Unique Score: 0.7406

Dashboards -->Common/LandingDashBoard -->Search Patient

To verify the user able to search the Patient records.

OT (Operation Theatre) & Cath P3 Priority 0

TC_1123 ✓ Unique Score: 0.7315

Consult an patient for which appointment is not available

Verify Consultation of an patient for which appointment is not available

Digital OP P2 Priority 0

TC_007 ✓ Unique Score: 0.7081

Patient Search

Verify "Patient Search" functionality

Registration P1 Priority 0

TC_021 ✓ Unique Score: 0.7063

Update Insurance details

Verify updating Insurance details to UHID

Registration P1 Priority 0

Removed Duplicates (1)

TC_006 Duplicate of TC_048 100.0% similar

OLD to New UHID conversion