



Random Data Distribution

[< Previous](#)[Next >](#)

What is Data Distribution?

Data Distribution is a list of all possible values, and how often each value occurs.

Such lists are important when working with statistics and data science.

The random module offer methods that returns randomly generated data distributions.

Random Distribution

A random distribution is a set of random numbers that follow a certain *probability density function*.

Probability Density Function: A function that describes a continuous probability. i.e. probability of all values in an array.

We can generate random numbers based on defined probabilities using the `choice()` method of the `random` module.

The `choice()` method allows us to specify the probability for each value.

The probability is set by a number between 0 and 1, where 0 means that the value will never occur and 1 means that the value will always occur.

Example

Generate a 1-D array containing 100 values, where each value has to be 3, 5, 7 or 9.

The probability for the value to be 3 is set to be 0.1

The probability for the value to be 5 is set to be 0.3

The probability for the value to be 7 is set to be 0.6

The probability for the value to be 9 is set to be 0

```
from numpy import random

x = random.choice([3, 5, 7, 9], p=[0.1, 0.3, 0.6, 0.0], size=(100))

print(x)
```

Try it Yourself »

The sum of all probability numbers should be 1.

Even if you run the example above 100 times, the value 9 will never occur.

You can return arrays of any shape and size by specifying the shape in the `size` parameter.

Example

Same example as above, but return a 2-D array with 3 rows, each containing 5 values.

```
from numpy import random

x = random.choice([3, 5, 7, 9], p=[0.1, 0.3, 0.6, 0.0], size=(3, 5))

print(x)
```


◀ Previous

Next ▶



NEW

We just launched
W3Schools videos



Explore now

COLOR PICKER



Get certified
by completing
a Python
course today!



Get started

CODE GAME



Play Game



Report Error

Spaces

Pro

Get Certified

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie](#) and [privacy policy](#).

Copyright 1999-2022 by Refsnes Data. All Rights Reserved.

W3Schools is Powered by W3.CSS.

