







HTML CSS







Python Numbers

< Previous</p>

Next >

Python Numbers

There are three numeric types in Python:

- int
- float
- complex

Variables of numeric types are created when you assign a value to them:

Example

```
x = 1  # int
y = 2.8  # float
z = 1j  # complex
```

To verify the type of any object in Python, use the type() function:

Example

```
print(type(x))
print(type(y))
print(type(z))
```

Int

Int, or integer, is a whole number, positive or negative, without decimals, of unlimited length.

Example

Integers:

```
x = 1
y = 35656222554887711
z = -3255522

print(type(x))
print(type(y))
print(type(z))
```

Try it Yourself »

Float

Float, or "floating point number" is a number, positive or negative, containing one or more decimals.

Example

Floats:

```
x = 1.10
y = 1.0
z = -35.59
print(type(x))
```

```
print(type(y))
  print(type(z))
  Try it Yourself »
Float can also be scientific numbers with an "e" to indicate the power of 10.
Example
Floats:
  x = 35e3
  y = 12E4
  z = -87.7e100
  print(type(x))
  print(type(y))
  print(type(z))
  Try it Yourself »
                                    ADVERTISEMENT
```

Complex

Complex numbers are written with a "j" as the imaginary part:

Example

Complex:

```
x = 3+5j
y = 5j
z = -5j

print(type(x))
print(type(y))
print(type(z))
```

Try it Yourself »

Type Conversion

You can convert from one type to another with the int(), float(), and complex()
methods:

Example

Convert from one type to another:

```
x = 1  # int
y = 2.8  # float
z = 1j  # complex

#convert from int to float:
a = float(x)

#convert from float to int:
b = int(y)

#convert from int to complex:
c = complex(x)

print(a)
print(b)
print(c)
```

```
print(type(a))
print(type(b))
print(type(c))
```

Try it Yourself »

Note: You cannot convert complex numbers into another number type.

Random Number

Python does not have a random() function to make a random number, but Python has a built-in module called random that can be used to make random numbers:

Example

Import the random module, and display a random number between 1 and 9:

```
import random
print(random.randrange(1, 10))
Try it Yourself »
```

In our Random Module Reference you will learn more about the Random module.

Test Yourself With Exercises

Exercise:

Insert the correct syntax to convert x into a floating point number.

$$x = 5$$

$$x = (x)$$

Submit Answer »

Start the Exercise

Previous

Next >



ADVERTISEMENT

NEW

We just launched W3Schools videos



Explore now

COLOR PICKER











Get certified by completing a Python course today!




Get started

CODE GAME



Play Game

ADVERTISEMENT



Report Error

Spaces

Pro

Get Certified

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
c++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM | ABOUT

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2022 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

