







HTML CSS







# NumPy Array Shape

Previous

Next >

## Shape of an Array

The shape of an array is the number of elements in each dimension.

## Get the Shape of an Array

NumPy arrays have an attribute called **shape** that returns a tuple with each index having the number of corresponding elements.

### Example

Print the shape of a 2-D array:

```
import numpy as np
arr = np.array([[1, 2, 3, 4], [5, 6, 7, 8]])
print(arr.shape)
```

Try it Yourself »

The example above returns (2, 4), which means that the array has 2 dimensions, where the first dimension has 2 elements and the second has 4.

## Example

Create an array with 5 dimensions using ndmin using a vector with values 1,2,3,4 and verify that last dimension has value 4:

```
import numpy as np
arr = np.array([1, 2, 3, 4], ndmin=5)
print(arr)
print('shape of array :', arr.shape)
```

Try it Yourself »

## What does the shape tuple represent?

Integers at every index tells about the number of elements the corresponding dimension has.

In the example above at index-4 we have value 4, so we can say that 5th (4 + 1 th) dimension has 4 elements.

## Test Yourself With Exercises

## **Exercise:**

Use the correct NumPy syntax to check the shape of an array.

```
arr = np.array([1, 2, 3, 4, 5])
print(arr. )
```

#### Start the Exercise

Previous

Next >



#### NEW

We just launched W3Schools videos



**Explore** now

## **COLOR PICKER**











Get certified by completing a Python course today!



**Get started** 

## CODE GAME



Play Game

1

Report Error

•

Spaces

#### **Top Tutorials**

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

#### **Top References**

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

#### **Top Examples**

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

#### **Get Certified**

HTML Certificate CSS Certificate JavaScript Certificate Front End Certificate SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM | ABOUT

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2022 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

