



# Python - Add Set Items

[< Previous](#)[Next >](#)

## Add Items

Once a set is created, you cannot change its items, but you can add new items.

To add one item to a set use the `add()` method.

## Example

Add an item to a set, using the `add()` method:

```
thisset = {"apple", "banana", "cherry"}  
  
thisset.add("orange")  
  
print(thisset)
```

[Try it Yourself »](#)

## Add Sets

To add items from another set into the current set, use the `update()` method.

## Example

Add elements from `tropical` into `thisset` :

```
thisset = {"apple", "banana", "cherry"}
tropical = {"pineapple", "mango", "papaya"}

thisset.update(tropical)

print(thisset)
```

[Try it Yourself »](#)

---

## Add Any Iterable

The object in the `update()` method does not have to be a set, it can be any iterable object (tuples, lists, dictionaries etc.).

## Example

Add elements of a list to at set:

```
thisset = {"apple", "banana", "cherry"}
mylist = ["kiwi", "orange"]

thisset.update(mylist)

print(thisset)
```


[Try it Yourself »](#)

---

[< Previous](#)[Next >](#)

NEW

We just launched  
W3Schools videos



Explore now

COLOR PICKER



Get certified  
by completing  
a Python  
course today!



Get started

## CODE GAME



Play Game



Report Error

Spaces

Pro

Get Certified

## Top Tutorials

HTML Tutorial  
CSS Tutorial  
JavaScript Tutorial  
How To Tutorial  
SQL Tutorial  
Python Tutorial  
W3.CSS Tutorial  
Bootstrap Tutorial  
PHP Tutorial  
Java Tutorial

[C++ Tutorial](#)  
[jQuery Tutorial](#)

## Top References

[HTML Reference](#)  
[CSS Reference](#)  
[JavaScript Reference](#)  
[SQL Reference](#)  
[Python Reference](#)  
[W3.CSS Reference](#)  
[Bootstrap Reference](#)  
[PHP Reference](#)  
[HTML Colors](#)  
[Java Reference](#)  
[Angular Reference](#)  
[jQuery Reference](#)

## Top Examples

[HTML Examples](#)  
[CSS Examples](#)  
[JavaScript Examples](#)  
[How To Examples](#)  
[SQL Examples](#)  
[Python Examples](#)  
[W3.CSS Examples](#)  
[Bootstrap Examples](#)  
[PHP Examples](#)  
[Java Examples](#)  
[XML Examples](#)  
[jQuery Examples](#)

## Get Certified

[HTML Certificate](#)  
[CSS Certificate](#)  
[JavaScript Certificate](#)  
[Front End Certificate](#)  
[SQL Certificate](#)  
[Python Certificate](#)  
[PHP Certificate](#)  
[jQuery Certificate](#)  
[Java Certificate](#)  
[C++ Certificate](#)  
[C# Certificate](#)  
[XML Certificate](#)

---

[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

