





HTML CSS







Python Tuples

Previous

Next >

```
mytuple = ("apple", "banana", "cherry")
```

Tuple

Tuples are used to store multiple items in a single variable.

Tuple is one of 4 built-in data types in Python used to store collections of data, the other 3 are <u>List</u>, <u>Set</u>, and <u>Dictionary</u>, all with different qualities and usage.

A tuple is a collection which is ordered and **unchangeable**.

Tuples are written with round brackets.

Example

Create a Tuple:

```
thistuple = ("apple", "banana", "cherry")
print(thistuple)
```

Try it Yourself »

Tuple Items

Tuple items are ordered, unchangeable, and allow duplicate values.

Tuple items are indexed, the first item has index [0], the second item has index [1] etc.

Ordered

When we say that tuples are ordered, it means that the items have a defined order, and that order will not change.

Unchangeable

Tuples are unchangeable, meaning that we cannot change, add or remove items after the tuple has been created.

Allow Duplicates

Since tuples are indexed, they can have items with the same value:

Example

Tuples allow duplicate values:

```
thistuple = ("apple", "banana", "cherry", "apple", "cherry")
print(thistuple)
```

Try it Yourself »

ADVERTISEMENT

Tuple Length

To determine how many items a tuple has, use the len() function:

Example

Print the number of items in the tuple:

```
thistuple = ("apple", "banana", "cherry")
print(len(thistuple))

Try it Yourself »
```

Create Tuple With One Item

To create a tuple with only one item, you have to add a comma after the item, otherwise Python will not recognize it as a tuple.

Example

One item tuple, remember the comma:

```
thistuple = ("apple",)
print(type(thistuple))
#NOT a tuple
```

```
thistuple = ("apple")
print(type(thistuple))

Try it Yourself »
```

Tuple Items - Data Types

Tuple items can be of any data type:

Example

String, int and boolean data types:

```
tuple1 = ("apple", "banana", "cherry")
tuple2 = (1, 5, 7, 9, 3)
tuple3 = (True, False, False)

Try it Yourself »
```

A tuple can contain different data types:

Example

A tuple with strings, integers and boolean values:

```
tuple1 = ("abc", 34, True, 40, "male")
Try it Yourself »
```

type()

From Python's perspective, tuples are defined as objects with the data type 'tuple':

```
<class 'tuple'>
```

Example

What is the data type of a tuple?

```
mytuple = ("apple", "banana", "cherry")
print(type(mytuple))

Try it Yourself »
```

The tuple() Constructor

It is also possible to use the tuple() constructor to make a tuple.

Example

Using the tuple() method to make a tuple:

```
thistuple = tuple(("apple", "banana", "cherry")) # note the double round-
brackets
print(thistuple)
```

Try it Yourself »

Python Collections (Arrays)

There are four collection data types in the Python programming language:

- **<u>List</u>** is a collection which is ordered and changeable. Allows duplicate members.
- **Tuple** is a collection which is ordered and unchangeable. Allows duplicate members.
- **Set** is a collection which is unordered, unchangeable*, and unindexed. No duplicate members.
- <u>Dictionary</u> is a collection which is ordered** and changeable. No duplicate members.

- *Set *items* are unchangeable, but you can remove and/or add items whenever you like.
- **As of Python version 3.7, dictionaries are *ordered*. In Python 3.6 and earlier, dictionaries are *unordered*.

When choosing a collection type, it is useful to understand the properties of that type. Choosing the right type for a particular data set could mean retention of meaning, and, it could mean an increase in efficiency or security.

Previous

Next >



ADVERTISEMENT

NEW

We just launched W3Schools videos



Explore now

COLOR PICKER











Get certified by completing a Python course today!



Get started

CODE GAME



Play Game

ADVERTISEMENT

-	ADVERTISEMENT	ADVERTISEMENT	

Report Error

Pro

Get Certified

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate CSS Certificate

JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM | ABOUT

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2022 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

