



Python While Loops

[< Previous](#)[Next >](#)

Python Loops

Python has two primitive loop commands:

- `while` loops
- `for` loops

The while Loop

With the `while` loop we can execute a set of statements as long as a condition is true.

Example

Print i as long as i is less than 6:

```
i = 1
while i < 6:
    print(i)
    i += 1
```

[Try it Yourself »](#)

Note: remember to increment `i`, or else the loop will continue forever.

The `while` loop requires relevant variables to be ready, in this example we need to define an indexing variable, `i`, which we set to 1.

The break Statement

With the `break` statement we can stop the loop even if the while condition is true:

Example

Exit the loop when `i` is 3:

```
i = 1
while i < 6:
    print(i)
    if i == 3:
        break
    i += 1
```

[Try it Yourself »](#)

The continue Statement

With the `continue` statement we can stop the current iteration, and continue with the next:

Example

Continue to the next iteration if `i` is 3:

```
i = 0
while i < 6:
```

```
i += 1
if i == 3:
    continue
print(i)
```

Try it Yourself »

The else Statement

With the `else` statement we can run a block of code once when the condition no longer is true:

Example

Print a message once the condition is false:

```
i = 1
while i < 6:
    print(i)
    i += 1
else:
    print("i is no longer less than 6")
```

Try it Yourself »

Test Yourself With Exercises

Exercise:

Print `i` as long as `i` is less than 6.

```
i = 1
    i < 6
print(i)
i += 1
```

[Submit Answer »](#)

[Start the Exercise](#)


[◀ Previous](#)

[Next ▶](#)



NEW

We just launched
W3Schools videos



[Explore now](#)

COLOR PICKER



Get certified
by completing
a Python
course today!



Get started

CODE GAME



Play Game

[Report Error](#)

[Spaces](#)

[Pro](#)

[Get Certified](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)

[XML Examples](#)
[jQuery Examples](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)

[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2022 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

