







HTML CSS







Python - Access Tuple Items

Previous

Next >

Access Tuple Items

You can access tuple items by referring to the index number, inside square brackets:

Example

Print the second item in the tuple:

```
thistuple = ("apple", "banana", "cherry")
print(thistuple[1])
```

Try it Yourself »

Note: The first item has index 0.

Negative Indexing

Negative indexing means start from the end.

-1 refers to the last item, -2 refers to the second last item etc.

Example

Print the last item of the tuple:

```
thistuple = ("apple", "banana", "cherry")
print(thistuple[-1])

Try it Yourself »
```

Range of Indexes

You can specify a range of indexes by specifying where to start and where to end the range.

When specifying a range, the return value will be a new tuple with the specified items.

Example

Return the third, fourth, and fifth item:

```
thistuple = ("apple", "banana", "cherry", "orange", "kiwi", "melon",
    "mango")
print(thistuple[2:5])
```

Try it Yourself »

Note: The search will start at index 2 (included) and end at index 5 (not included).

Remember that the first item has index 0.

By leaving out the start value, the range will start at the first item:

Example

This example returns the items from the beginning to, but NOT included, "kiwi":

```
thistuple = ("apple", "banana", "cherry", "orange", "kiwi", "melon",
    "mango")
print(thistuple[:4])

Try it Yourself »
```

By leaving out the end value, the range will go on to the end of the list:

Example

This example returns the items from "cherry" and to the end:

```
thistuple = ("apple", "banana", "cherry", "orange", "kiwi", "melon",
    "mango")
print(thistuple[2:])

Try it Yourself »
```

Range of Negative Indexes

Specify negative indexes if you want to start the search from the end of the tuple:

Example

This example returns the items from index -4 (included) to index -1 (excluded)

```
thistuple = ("apple", "banana", "cherry", "orange", "kiwi", "melon",
    "mango")
print(thistuple[-4:-1])
```

Check if Item Exists

To determine if a specified item is present in a tuple use the **in** keyword:

Example

Check if "apple" is present in the tuple:

```
thistuple = ("apple", "banana", "cherry")
if "apple" in thistuple:
   print("Yes, 'apple' is in the fruits tuple")
```

Try it Yourself »

Previous

Next >



NEW

We just launched W3Schools videos



Explore now

COLOR PICKER





Get certified by completing a Python course today!



Get started

CODE GAME



Play Game

Report Error

Spaces

Pro

Get Certified

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
c++ Tutorial
jQuery Tutorial

Top References

HTML Reference CSS Reference JavaScript Reference SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM | ABOUT

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2022 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

