Dynamic Traffic control system using Internet of things

S Ponmani, Associate Professor
Department of Computer
Science and Engineering,
Rajalakshmi Engineering
College,
Chennai - 602105.
ponmani.s@rajalakshmi.edu.in

Suryaa KS
Department of Computer
Science and Engineering,
Rajalakshmi Engineering
College,
Chennai - 602105.
210701273@rajalakshmi.edu.in

Syed Javith R
Department of Computer
Science and Engineering,
Rajalakshmi Engineering
College,
Chennai - 602105.
210701278@rajalakshmi.edu.in

ABSTRACT : In urban areas, traffic congestion remains a persistent challenge, leading to increased travel times, and environmental pollution. Traditional traffic control systems rely on fixed-time signals, often resulting in inefficient use of road capacity and unnecessary delays for the public. To address these issues, we propose a Dynamic Traffic Control System using IoT technology and IR sensors for real-time traffic monitoring and signal adjustment . It employs IR sensors placed along roadways to detect the presence of vehicles. Using this data, the system dynamically adjusts traffic signal timings to prioritize roads with higher vehicle density, effectively optimizing traffic flow and reducing congestion. When a buildup of vehicles occurs on one side of an intersection, the system responds by clearing that direction with a green signal while signaling red for other directions, ensuring efficient traffic movement. Furthermore , it adapts to changing traffic conditions by continuously monitoring vehicle density and adjusting signal timings accordingly. This dynamic approach minimizes unnecessary wait times at traffic signals, improving overall traffic efficiency and enhancing the driving experience for commuters .

I. INTRODUCTION

Urban traffic congestion has grown to be a serious problem that contributes to longer travel times, more fuel use, and higher pollution levels in the environment. The conventional method of traffic control, which depends on fixed-time traffic signals, frequently causes needless delays and poor use of the available road capacity. These fixed-time solutions worsen traffic during peak hours and cause longer wait times since they are unable to adjust to real-time traffic circumstances.An intelligent and adaptable traffic control system that can react to current traffic circumstances is desperately needed to address these issues. Technological developments in the Internet of Things (IoT) provide a possible remedy for this issue.By integrating IoT with infrared (IR) sensors for traffic monitoring, it is possible to develop a dynamic traffic control system that adjusts signal timings based on actual traffic flow.

In order to monitor and control traffic in real-time, this proposal suggests a dynamic traffic control system that makes use of IR sensors and Internet of Things technologies. By dynamically modifying traffic signals to

give priority to roadways with larger vehicle densities, the system seeks to improve traffic flow. The technology reacts to a build-up of cars on one side of an intersection by turning on the green light in that direction, allowing for quicker and more efficient traffic flow. Through constant traffic condition monitoring and adjustment of signal timings, this system aims to reduce needless delays and enhance the overall effectiveness of urban traffic control.The initiative aims to improve commuter driving experiences, lessen environmental impact, and make better use of the current road infrastructure by implementing this dynamic strategy. This creative approach may be able to greatly lessen the detrimental consequences of traffic congestion in cities, opening the door for more intelligent and environmentally friendly metropolitan environments.

Intelligent Urban Traffic Management System Based on Cloud Computing and Internet of Things [1] outlines a framework for an intelligent traffic management system that leverages cloud computing and IoT technology. The proposed architecture includes components for information monitoring, calculation, intelligent modeling, and knowledge matching. By utilizing cloud computing for mass calculation, the system aims to achieve intelligent monitoring and management of urban traffic, ultimately improving traffic flow efficiency.

Internet of Smart-Cameras for Traffic Lights Optimization in Smart Cities [2] The proposed approach leverages smart cameras at intersections equipped with image understanding capabilities for real-time traffic monitoring and assessment. These cameras not only analyze traffic flow but also detect and track special vehicles, such as emergency vehicles, to prioritize their passage. Additionally, the system can identify traffic violations and collect traffic statistics.

Traffic congestion monitoring using an improved kNN strategy [3] The paper introduces a systematic approach for monitoring road traffic congestion, aiming to enhance safety and traffic management. It proposes an improved observer that combines the benefits of a piecewise switched linear traffic (PWSL) modeling approach and a Kalman filter (KF). This observer, termed PWSL-KF, functions as a virtual sensor to simulate traffic evolution in free-flow conditions.

Smart traffic management system using Internet of Things [4]The paper proposes a smart traffic management system leveraging the Internet of Things (IoT) to address the challenges of traffic congestion in metropolitan cities. A hybrid approach, combining centralized and decentralized elements, is employed to optimize traffic flow on roads. An algorithm is developed to efficiently manage various traffic scenarios, utilizing traffic density data collected from cameras and sensors.

Automated vehicle density estimation from raw surveillance videos [5] The paper presents a state-of-the-art algorithm for measuring road traffic density using video surveillance systems. Unlike existing

methods, which may be susceptible to noise or rely on manually provided data, the proposed algorithm automatically extracts traffic data from surveillance videos obtained under various conditions.

B. van Arem and M. Dougherty, "Global Design and Information Requirements: Dynamic Traffic Monitoring System." 1992[6]This paper discusses the fundamental design and information requirements for implementing a dynamic traffic monitoring system. It explores how real-time traffic data can be utilized to improve traffic flow and reduce congestion. The study highlights the importance of accurate data collection and processing in developing effective traffic management solutions. It also addresses the challenges of integrating various data sources and ensuring reliable communication across the system. The authors provide insights into the early concepts and frameworks for dynamic traffic control systems.

A. G. Grilliot, "Using Dynamic Traffic Assignment in the Development of a Congestion Management System." 1998 [7] This work focuses on the application of dynamic traffic assignment techniques to develop a congestion management system. It emphasizes the use of real-time traffic data to adjust traffic signal timings and optimize road usage. The study demonstrates how dynamic traffic assignment can alleviate congestion by redistributing traffic flow based on current conditions. Grilliot also discusses the benefits of such systems in improving travel times and reducing environmental impact. The paper serves as a foundational reference for traffic engineers and urban planners.

F. Masood, W. U. Khan, S. U. Jan, and J. Ahmad, "AI-Enabled Traffic Control Prioritization in Software-Defined IoT Networks for Smart Agriculture," Sensors, vol. 23, no. 19, Oct. 2023, [8] This study explores the integration of AI-enabled traffic control within software-defined IoT networks, specifically focusing on smart agriculture applications. The authors propose a system that prioritizes traffic control based on real-time data, enhancing the efficiency of agricultural logistics. The paper highlights the role of AI in making dynamic adjustments to traffic signals to optimize vehicle movement. It provides insights into how smart IoT networks can be leveraged to support sector-specific traffic management. The research underscores the potential of combining AI with IoT for specialized traffic solutions.

F. Muzzini and M. Montangero, "Exploiting Traffic Light Coordination and Auctions for Intersection and Emergency Vehicle Management in a Smart City Mixed Scenario," Sensors, vol. 24, no. 7, Mar. 2024 [9] Muzzini and Montangero's paper investigates the use of traffic light coordination and auction-based mechanisms to manage intersections and prioritize emergency vehicles in smart cities. The study proposes a novel approach where traffic signal timings are dynamically adjusted through auction systems, ensuring efficient intersection management. The research also addresses the critical need for timely emergency vehicle response and how coordinated traffic lights can facilitate this.

The findings suggest significant improvements in traffic flow and emergency response times in mixed urban scenarios.

N. Bagheri, S. Yousefi, and G. Ferrari, "Software-defined traffic light preemption for faster emergency medical service response in smart cities, [10] This article presents a software-defined approach to traffic light preemption aimed at improving emergency medical service (EMS) response times in smart cities. The authors propose a system where traffic lights are preemptively adjusted to create clear paths for EMS vehicles. The study highlights the technical and practical benefits of software-defined traffic control in urgent situations. It provides evidence of reduced response times and increased survival rates due to faster EMS access. The research contributes to the ongoing development of smart city infrastructure focused on public safety.

II. MATERIALS AND METHODS
Hardware Requirements:
- Arduino UNO
- IR Sensor
- Bread Board
- Jumper wires
- LED Lights

Software Requirements: Arduino IDE

III. EXISTING ALGORITHM
For the most part, the current traffic management systems use fixed-time signal cycles to manage traffic at crossings. These systems function according to pre-established schedules for green, yellow, and red signals, independent of actual traffic patterns. Although these systems have had some success, they frequently result in inefficiencies and traffic jams during rush hours and in locations where traffic patterns are erratic.Furthermore, conventional traffic control systems are unable to dynamically adjust to shifting traffic demands. Due to their inability to prioritize roads or intersections based on the present density of vehicles, commuters must endure longer journey times and less-than-ideal traffic flow. Furthermore, a failure to react quickly to problems or changes in traffic can exacerbate traffic and aggravate drivers.

IV. PROPOSED SYSTEM
Due to the addition of adaptive signal adjustments and real-time monitoring, our suggested system significantly improves upon current traffic control systems. It continuously tracks the presence and movement of vehicles on roads using Infrared (IR) sensors and Internet of Things (IoT) technologies, giving a thorough picture of traffic conditions.Its traffic signal timings are constantly adjusted depending on data acquired by infrared sensors, in contrast to typical systems that depend on fixed-time signal cycles. The method maximizes traffic flow and reduces congestion by giving priority to highways and intersections with higher vehicle densities. In order to effectively clear the backlog, it allots green signal time during peak traffic hours or when congestion accumulates on one side of an intersection. In addition, the suggested system is affordable and scalable, which qualifies it for implementation.

V. METHODOLOGY

1. Sensor Deployment

1.1 Sensor Selection

The first step in the application is to choose an IR sensor that can accurately detect traffic and traffic density. These sensors must be able to work well under different environmental conditions, such as different light and weather conditions. Selection criteria also include sensor level, reliability and data accuracy. Additionally, it takes into account user-friendliness and ease of integration with existing infrastructure.

1.2 Installation and Calibration

The sensors are carefully placed after they have been chosen. Every sensor is arranged to optimize its detection accuracy and minimize any possible external interference by positioning it at the ideal heights and angles. As part of the installation procedure, the sensors must be mounted firmly and placed such that they cover every traffic lane. Each sensor is calibrated after installation to optimize its parameters for accurate data collection and precise vehicle detection.

2. Data Acquisition and Communication

2.1 Data Logging and Storage

Setting up reliable data storage systems that can manage massive volumes of data over lengthy periods of time is necessary for this logging procedure. The system's decision-making algorithms and predictive models both benefit greatly from the stored data. Additionally, backup procedures are set up to protect against data loss.

3. Data Processing and Analysis

3.1 Real-Time Data Processing

At each intersection, the CPU uses sophisticated algorithms to interpret incoming data from IR sensors in order to estimate the vehicle density and traffic flow patterns. These algorithms use real-time data analysis to spot patterns and forecast impeding traffic jams. For the processing unit to guarantee timely traffic signal modifications, it must be able to handle massive datasets and quickly complete complex computations.

3.2 Predictive Analytics

The system uses predictive analytics in addition to real-time processing to forecast future traffic situations based on past data and present patterns. In order to forecast congestion points, machine learning algorithms that are trained on historical traffic patterns are used. By enhancing the system's ability to anticipate and modify signal timings, the predictive component helps to improve traffic flow and minimize potential delays.

4. Dynamic Signal Adjustment

4.2 Real-Time Signal Adjustment

The traffic signal timings are dynamically adjusted by the system using predictive analytics and processed data. By lengthening the duration of green lights and shortening the duration of red lights, it gives priority to roads with a larger vehicle density. In order to ensure that traffic moves smoothly and effectively through intersections, modifications are made in real-time to address current traffic circumstances.

5. System Testing and Evaluation

5.1 Pilot Testing

To assess the system's functionality in actual use, a series of pilot tests are conducted at certain intersections. The system's effect on wait times, traffic movement, and general congestion is continuously observed during this phase. Before a full-scale deployment, pilot testing helps find any problems or potential areas for improvement.

5.2 Performance Assessment

Key performance indicators (KPIs) like average vehicle wait time, traffic throughput, and congestion reduction are used to evaluate how effective the system is. These metrics are measured and the system's success is determined by analyzing data that was gathered during the pilot phase. We also collect feedback from commuters and traffic officials to get more information on how well the system is working.

VI RESULTS

Traffic flow and congestion levels in metropolitan areas have significantly improved as a result of the deployment of the IoT traffic control system. By modifying signal timings in response to prevailing traffic conditions, autonomous signal control methods and real-time traffic detection efficiently managed traffic flow. Because of the system's dynamic structure, it was possible to respond adaptably to shifting traffic patterns, which led to more efficient traffic operations and fewer hotspots for congestion. This result emphasizes how the system might transform urban mobility and lessen the negative impacts of traffic congestion on city dwellers' quality of life.The circuit diagram and the system architecture is displayed below.

VII DISCUSSION

The suggested approach differs from conventional fixed-time traffic control techniques in that it is dynamic. Roads with higher vehicle densities can be given priority by the system by dynamically adjusting signal timings through the use of infrared sensors to monitor real-time traffic conditions. As a result, road capacity is used more effectively, resulting in fewer needless delays and an improvement in traffic flow overall.

The potential for smart city applications is highlighted by the integration of IoT technologies with the current traffic infrastructure. The system's capacity to gather, handle, and evaluate data in real time is evidence of the Internet of Things' potential to improve urban living circumstances. Furthermore, the advantages of merging data science and traffic management are demonstrated by the application of predictive analytics to forecast traffic trends and proactively modify signal timings.

Advanced machine learning techniques will be integrated into the Dynamic Traffic Control System in the future to increase anomaly identification and predictive analytics.The system can be extended to include multi-modal traffic management by identifying and giving priority to bikes, pedestrians, and public transportation. Furthermore, tools for traffic management dashboard will enhance system monitoring and decision-making. The architecture of the system should provide easy extension and conform to interoperability standards in order to guarantee scalability and wider use.

VIII CONCLUSION

Thus,an important step toward improving traffic management and easing congestion in metropolitan areas is the creation of an Internet of Things system for traffic detection and autonomous signal control. The system can continually analyze traffic conditions in real-time and dynamically alter traffic lights to optimize traffic flow by utilizing Internet of Things technology, such as sensors and communication networks. By lowering car emissions, this may shorten travel times, increase road safety, and have a minimal negative influence on the environment.

IX REFERENCES

[1] B. van Arem and M. Dougherty, *Global Design and Information Requirements: Dynamic Traffic Monitoring System*. 1992.

[2] A. G. Grilliot, *Using Dynamic Traffic Assignment in the Development of a Congestion Management System*. 1998.

[3] F. Masood, W. U. Khan, S. U. Jan, and J. Ahmad, "AI-Enabled Traffic Control Prioritization in Software-Defined IoT Networks for Smart Agriculture," *Sensors* , vol. 23, no. 19, Oct. 2023, doi: 10.3390/s23198218.

[4] F. Muzzini and M. Montangero, "Exploiting Traffic Light Coordination and Auctions for Intersection and Emergency Vehicle Management in a Smart City Mixed Scenario," *Sensors* , vol. 24, no. 7, Mar. 2024, doi: 10.3390/s24072036.

[5] N. Bagheri, S. Yousefi, and G. Ferrari, "Software-defined traffic light preemption for faster emergency medical service response in smart cities," *Accid. Anal. Prev.*, vol. 196, p. 107425, Mar. 2024.

[6] X. Yu et al. Intelligent urban traffic management system based on cloud computing and internet of things

[7] W.C. Tchuitcheu et al. Internet of smart-cameras for traffic lights optimization in smart cities.

[8] F. Harrou et al.Traffic Congestion Monitoring using kNN statergy (May 2020)

[9] Sabeen Javaid et al. Smart traffic management system using Internet of Things (2021)

[10] Fozia Mehboob et al. Automated vehicle density estimation from raw surveillance videos