



**CLOUD SIMULATION MODEL CLOUD ENVIRONMENT USING CLOUD SIM****AIM:**

To model the cloud environment using cloud sim tools.


**PROCEDURE:**

1. Now within the Eclipse window navigate the menu: File -> New -> Project, to open the new project wizard.
2. Select the 'Java Project' from the window popup and click Next.
3. Unselect the 'Use default location' option and then click on 'Browse' to open the path where you have unzipped the Cloudsim project and finally click Next to set project settings.
4. Now select the example program from folder examples from the unzipped folder.
5. Run the sample program

**OUTPUT:**



```
1 package org.cloudbus.cloudsim.examples;
2
3
4 * Title: CloudSim Toolkit
5
6
7
8
9
10
11
12 import java.text.DecimalFormat;
13
14
15
16
17 /**
18  * A simple example showing how to create a datacenter with one host and run one
19  * cloudlet on it.
20  */
21 public class CloudSimExample1 {
22
23     /** The cloudlet list. */
24     private static List<Cloudlet> cloudletList;
25
26     /** The vmList. */
27     private static List<Vm> vmList;
28
29     /**
30      * Creates main() to run this example.
31      *
32      * @param args the args
33      */
34     public static void main(String[] args) {
35
36         Log.println(Log.INFO, "Starting CloudSimExample1...");
37
38         try {
39             // First step: Initialize the CloudSim package. It should be called
40             // before creating any entities.
41             int num_user = 1; // number of cloud users
42             Calendar calendar = Calendar.getInstance();
43             boolean trace_flag = false; // mean trace events
44
45             // Initialize the CloudSim library
46             CloudSim.init(num_user, calendar, trace_flag);
47
48             // Second step: Create Datacenters
49             // Datacenters are the resource providers in CloudSim. We need at
50             // least one of them to run a CloudSim simulation
51             Datacenter datacenter0 = createDatacenter("Datacenter_0");
52
53             // Third step: Create Broker
```



## RESULT:

Thus, the cloud environment was modeled using the cloud sim tool and eclipse.