

Error Code Reference

article_id: kb-errors-006 | product_area: general | last_updated: 2026-06-20

Error Code Reference

Overview

This article consolidates all error codes that may appear across the Nimbus desktop, web, and mobile applications. It is intended for support agents to quickly locate the meaning, typical cause, and recommended remediation for each code. The codes are grouped by functional area (Sync, Authentication, Sharing, Upload, etc.) and are **not** interchangeable between areas.

How to Use This Document

- Identify the error banner shown to the user and note the exact code (e.g., NB-SYNC-101).
- Locate the corresponding table section for the product area.
- Review the *Common Cause* and *Recommended Resolution* columns.
- If the resolution does not resolve the issue, follow the escalation guidance at the end of the article.

Common Customer Symptoms

- Unexpected error banner with an alphanumeric code.
- Operation fails silently after an error appears.
- User reports the same error repeatedly despite following suggested steps.

Troubleshooting Tables

Sync and Upload Errors

Code	Meaning	Common Cause	Recommended Resolution
NB-SYNC-101	Local file changed while previous upload still in flight	Concurrent edit on the same device	Wait for the current upload to finish; the app will automatically sync the newer version
NB-SYNC-204	Folder deleted in cloud before local sync completed	Remote deletion from another device	Move the file out of the missing folder locally, then re-add it to a valid folder and sync
NB-UP-330	Upload exceeds 2 GB single-file limit	Large file size	Compress into a zip archive or split into smaller parts before uploading

NB-UP-317	Upload interrupted by network change	Switching from Wi-Fi to cellular mid-upload	Re-connect to a stable network; the app will resume the upload from where it stopped
-----------	--------------------------------------	---	--

Account and Sign-In Errors

Code	Meaning	Common Cause	Recommended Resolution
NB-AUTH-410	Password reset link expired	Link older than 30 minutes	Request a new reset link from the sign-in screen
NB-AUTH-423	Too many incorrect 2FA codes entered	Brute-force attempts or user typo	Wait 15 minutes before retrying or use a backup code
NB-AUTH-500	Account locked due to suspicious activity	Multiple failed sign-in attempts	Unlock via admin console or advise user to contact security team

Sharing Errors

Code	Meaning	Common Cause	Recommended Resolution
NB-SHARE-512	Share link opened after owner disabled link sharing	Owner changed sharing settings to "Invited people only"	Ask the owner to re-create a new share link or send a direct invite
NB-SHARE-600	Permission denied when accessing shared file	User lacks sufficient role (Viewer/Commenter/Editor)	Verify the user's role in the sharing settings and adjust if needed

Reporting Undocumented Codes

If a user encounters a code not listed here, collect the following information and forward to the engineering team:

- Exact error code as displayed.
- Action the user was performing when the error appeared.
- Timestamp and device type (desktop, web, mobile).
- Any relevant logs from the client console.

Frequently Asked Questions (FAQs)

- **Why do I see different error codes for the same issue on desktop vs mobile?** Each platform has its own error namespace (NB-SYNC- for desktop sync, MB-SYNC- for mobile sync). The underlying problem is often the same, but the code differs.
- **Can I ignore an error code if the operation eventually succeeds?** No. Errors indicate a failure that may have caused data loss or inconsistency. Verify the final state before closing the case.
- **What does NB-UP-317 mean and how do I fix it?** It means the upload was interrupted by a network change. Re-connect to a stable network; the app will resume the upload.
- **How often are new error codes added?** New codes are introduced with major releases. Review the release notes for updates to this article.
- **When should I escalate an error code issue?** Escalate if the recommended resolution does not resolve the problem after two attempts, or if the error appears repeatedly across multiple users.

Escalation Guidance

- **Trigger A:** The error persists after following the *Recommended Resolution* steps twice.
- **Trigger B:** Multiple users in the same organization report the same undocumented code.
- **Trigger C:** The error code is associated with data loss (e.g., NB-UP-330).

Create a **Technical Escalation Ticket** with:

- User ID and environment details.
- Full error code and description.
- Steps already taken and outcomes.
- Relevant client logs (found in Help -> Show Logs).

Cross-Article References

- See **File Sync Issues** for deeper troubleshooting of sync-related error codes.
- Refer to **Account Access** for authentication-related error handling.
- Consult **Sharing Permissions** for permission-related error codes.

Support Notes (Internal)

- Known false positive: NB-SYNC-101 may appear briefly during rapid file edits but resolves automatically.
- Workaround for intermittent NB-UP-317 on flaky Wi-Fi: advise users to switch to a wired connection for large uploads.
- Ensure all agents have the latest error-code reference PDF (linked in the internal wiki).

Last updated: 2026-06-20