Experiment: -7

Student Name: Suryansh Gehlot UID: 22BCS10900

Branch: BE-CSE Section/Group: KRG 2B

Semester: 6th Date of Performance: 19/03/2025

Subject Name: Advanced Programming Lab-2 Subject Code: 22CSP-351

Problem -1

1. Aim: Climbing Stairs

2. Objective:

- **Understanding the Problem:** To understand how to solve the staircase problem using a simple mathematical pattern based on previous steps.
- Using Fibonacci Sequence: To learn how the Fibonacci sequence helps calculate the number of ways to climb stairs.
- **Practicing Code Efficiency:** To practice using loops and variables to write efficient and clean code by updating values and avoiding repetitive calculations, which improves performance.
- **Handling Edge Cases:** To understand how to handle edge cases like small values and ensure correct output.
- **Improving Problem-Solving:** To improve problem-solving skills by applying dynamic programming concepts

3. Implementation/Code:

```
class Solution {
  public:
    int climbStairs(int n) {
       if (n==1) return 1;
       int a=1,b=2;
       for (int i=3;i<=n;i++) {
          int temp =a+b;
          a=b;
          b=temp;
       }
       return b;
    }
}</pre>
```



4. Output:



Figure 1

5. Learning Outcome:

- **Pattern Recognition:** You will understand how to find patterns and use them to solve coding problems.
- **Applying Fibonacci:** You will learn how to apply the Fibonacci sequence in real-life scenarios.
- Enhancing Coding Skills: You will improve your coding skills by practicing loops and updating variables.
- **Simplifying Problems:** You will understand how to simplify problems by breaking them into smaller steps.
- **Building Confidence:** You will become more confident in solving mathematical problems using code.

Problem-2

1. Aim: Maximum Subarray

2. Objectives:

- **Understanding the Problem:** To understand how to find the subarray with the largest sum from a given integer array using a logical approach.
- Using Kadane's Algorithm: To learn how Kadane's algorithm helps find the maximum subarray sum by efficiently updating current and maximum sums.
- **Practicing Efficient Coding:** To practice using loops and conditions to update the sum quickly and avoid unnecessary calculations.
- **Handling Negative Numbers:** To understand how to handle both positive and negative values while calculating the maximum sum.
- **Exploring Advanced Approaches:** To explore the divide and conquer method for solving the problem more efficiently with deeper understanding.



3. Implementation/Code:

```
class Solution {
public:
  int maxSubArray(vector<int>& nums) {
     int maxSum = nums[0], currentSum = nums[0];
    for (int i = 1; i < nums.size(); ++i) {
       currentSum = max(nums[i], currentSum + nums[i]);
       maxSum = max(maxSum, currentSum);
    return maxSum;
};
```

4. Output:



Figure 2

5. Learning Outcomes

- Better Problem-Solving Skills: You will learn how to analyze array problems and develop a logical approach to find the largest sum.
- Understanding Kadane's Algorithm: You will understand how Kadane's algorithm works and why it is effective for finding maximum subarray sums.
- Writing Clean and Fast Code: You will improve your ability to write efficient code by properly using loops and conditions.
- Handling Edge Cases: You will be able to handle cases with mixed positive and negative numbers confidently.
- Applying Advanced Methods: You will gain experience in using the divide and conquer approach to solve complex array problems.

Problem: -3

1. Aim: Jump Game

2. Objectives:

- Understanding the Problem: To understand how to check if you can reach the last index using jump values in the array.
- **Using Greedy Approach:** To learn how the greedy approach helps in finding the maximum reachable index at each step.
- **Practicing Efficient Code:** To practice writing efficient code using loops and conditions to reduce calculations.
- **Handling Stuck Positions:** To understand how to handle cases where progress is blocked due to zero jump value.
- **Optimizing Performance:** To improve performance by stopping early once the last index is reachable.

3. Implementation/Code:

```
class Solution {
  public:
  bool canJump(vector<int>& nums) {
    int maxReach=0;
    for (int i=0; i<nums.size();i++) {
       if (i > maxReach) return false;
       maxReach=max(maxReach,i+nums[i]);
       if (maxReach>=nums.size()-1) return true;
    }
    return false;
  }
};
```

4. Output:



Figure 3



Discover. Learn. Empower.

5. LearningOutcomes:

- **Better Problem Solving:** You will learn how to solve array-based movement problems step-by-step.
- **Understanding Greedy Method:** You will understand how the greedy approach helps in making the best jump decision.
- Writing Clean Code: You will improve your coding skills by writing simple and optimized code.
- **Handling Edge Cases:** You will know how to handle cases where movement is blocked by zero jump value.
- **Improving Efficiency:** You will learn to write faster solutions by reducing unnecessary calculations.