


### PIZZA SALES



 These are the 4 tables used in this project and relationship between them pizza\_types, pizzas, orders, order\_details





#### 1. Retrieve the total number of orders placed?


```
SELECT


COUNT(order_id) AS total_orders

FROM

orders;
```







# 2.Calculate the total revenue generated from pizza sales.?

```
SELECT

ROUND(SUM(order_details.quantity * pizzas.price),

2) AS total_sales

FROM

order_details

JOIN

pizzas ON order_details.pizza_id = pizzas.pizza_id
```









#### 3. Identify the highest-priced pizza.?









#### 4. Identify the most common pizza size ordered.?










## 5.List the top 5 most ordered pizza types along with their quantities.?

```
SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```









# 6.Join the necessary tables to find the total quantity of each pizza category ordered.?

```
SELECT
    pizza_types.category, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```








#### 7. Determine the distribution of orders by hour of the day.?

```
SELECT
   HOUR(order_time) AS hour, COUNT(order_id) AS order_count
FROM
   orders
GROUP BY HOUR(order_time);
```








# 8.Join relevant tables to find the category-wise distribution of pizzas.?


```
category, COUNT(name)

FROM

pizza_types

GROUP BY category;
```







# 9.Group the orders by date and calculate the average number of pizzas ordered per day.?

```
SELECT

ROUND(AVG(quantity), 0) as avg_pizza_ordered_per_day

FROM

(SELECT

orders.order_date, SUM(order_details.quantity) AS quantity


FROM


orders

JOIN order_details ON orders.order_id = order_details.order_id

GROUP BY orders.order_date) AS order_quantity;
```








#### 10.Determine the top 3 most ordered pizza types based on revenue.?

```
SELECT
    pizza_types.name,
    SUM(pizzas.price * order_details.quantity) A5 revenue
FROM
    pizzas
        JOIN
   order_details ON pizzas.pizza_id = order_details.pizza_id
        JOIN
    pizza_types ON pizza_types.pizza_type_id = pizzas.pizza_type_id
GROUP BY pizza types.name
ORDER BY revenue DESC
LIMIT 3;
```







#### 11. Calculate the percentage contribution of each pizza type to total revenue.?

```
SELECT
    pizza_types.category AS category,
    ROUND(SUM(pizzas.price * order_details.quantity) / (SELECT
                    ROUND(SUM(order_details.quantity * pizzas.price),
                                2) AS total_sales
                FROM
                    order_details
                        JOIN
                    pizzas ON order_details.pizza_id = pizzas.pizza_id) * 100,
            2) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
   order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue DESC;
```

Result Grid 🔢 🙌 Filter			
	category	revenue	
<b>•</b>	Classic	26.91	
	Supreme	25.46	
	Chicken	23.96	
	Veggie	23.68	




#### 12. Analyze the cumulative revenue generated over time.?

```
select order_date,
sum(revenue) over(order by order_date) as cum_revenue
from

(select orders.order_date,sum(pizzas.price * order_details.quantity) as revenue from
pizzas join order_details
on pizzas.pizza_id = order_details.pizza_id
join orders
on orders.order_id = order_details.order_id
group by orders.order_date) as sales;
```



Result Grid		
	order_date	cum_revenue
•	2015-01-01	2713.850000000004
	2015-01-02	5445.75
	2015-01-03	8108.15
	2015-01-04	9863.6
	2015-01-05	11929.55



## 13.Determine the top 3 most ordered pizza types based on revenue for each pizza category.?

```
select category,name,revenue from
(select category,name,revenue,
  rank() over(partition by category order by revenue desc) as rn
  from
(select pizza_types.category,pizza_types.name,sum(pizzas.price * order_details.quantity) as revenue from
  pizza_types join pizzas
  on pizza_types.pizza_type_id = pizzas.pizza_type_id
  join order_details
  on order_details.pizza_id = pizzas.pizza_id
  group by pizza_types.category,pizza_types.name) as a) as b
  where rn <= 3;</pre>
```







# THANKYOU!

