



**Smart
Internz**


An Android Application for Keeping Up with the Latest Headlines

Project Based Experiential Learning Program

An Android Application for Keeping Up with the Latest Headlines :

The app's main feature is displaying a list of news articles, each with a title, image, and brief description. Users can scroll through the list of articles and tap on an article to view more details. The app uses the Jetpack Compose UI toolkit to build the UI and it uses the coil library to load images. The app fetches data from a remote server using Retrofit library and demonstrates how to use the Jetpack Compose UI toolkit for Android development.

Architecture



Learning Outcomes :

By end of this project:

- You'll be able to work on Android studio and build an app.
- You'll be able to integrate the database accordingly.
- You'll be able to integrate the API's accordingly.

Project Workflow:

- Users register into the application.
- After registration , user logs into the application.
- User enters into the main page

Tasks:

1. Creating a new project.
2. Adding required dependencies.
3. Adding permissions
4. Creating the database classes.
5. Creating API Service and required classes for integrating API
6. Building application UI and connecting to database.
7. Modifying AndroidManifest.xml
8. Running the application

Task 1 : Creating a new project.


Step 1 : Android studio > File > New > New Project > Empty Compose Activity

Step 2 : Click on Next button.

Step 3 : Give name to the new project.

Step 4 : Give the Minimum SDK value

Step 5 : Click Finish



Task 2 : Adding required dependencies.

Step 1 : Gradle scripts > build.gradle(Module :app)

Step 2 : Adding room dependencies.

Step 3 : Adding Retrofit dependencies

Step 4 : Adding Coil dependencies

Step 5 : Click on Sync now

```
49
50 dependencies {
51
52     implementation 'androidx.core:core-ktx:1.7.0'
53     implementation 'androidx.lifecycle:lifecycle-runtime-ktx:2.3.1'
54     implementation 'androidx.activity:activity-compose:1.3.1'
55     implementation "androidx.compose.ui:ui:$compose_ui_version"
56     implementation "androidx.compose.ui:ui-tooling-preview:$compose_ui_version"
57     implementation 'androidx.compose.material:material:1.2.0'
58     implementation 'androidx.room:room-common:2.5.0'
59     implementation 'androidx.room:room-ktx:2.5.0'
60     implementation 'com.google.firebase:firebase-auth-ktx:22.1.0'
61     testImplementation 'junit:junit:4.13.2'
62     androidTestImplementation 'androidx.test.ext:junit:1.1.5'
63     androidTestImplementation 'androidx.test.espresso:espresso-core:3.5.1'
64     androidTestImplementation "androidx.compose.ui:ui-test-junit4:$compose_ui_version"
65     debugImplementation "androidx.compose.ui:ui-tooling:$compose_ui_version"
66     debugImplementation "androidx.compose.ui:ui-test-manifest:$compose_ui_version"
67
68
69     // Retrofit
70     implementation 'com.squareup.retrofit2:retrofit:2.9.0'
71     implementation "com.squareup.okhttp3:okhttp:5.0.0-alpha.2"
72     implementation 'com.squareup.retrofit2:converter-gson:2.9.0'
73
74
75     implementation("io.coil-kt:coil-compose:1.4.0")
76
77 }
```

Task 3: Adding permissions



Step 1: Open AndroidManifest.xml

Step 2: Add permission to access wifi and internet

```
<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools">
    <uses-permission android:name="android.permission.INTERNET"/>
    <uses-permission android:name="android.permission.ACCESS_WIFI_STATE"/>
    <application
        android:allowBackup="true"
        android:dataExtractionRules="@xml/data_extraction_rules"
        android:fullBackupContent="@xml/backup_rules"
        android:icon="@drawable/newsappiconmy"
        android:label="News Headlines"
        android:supportsRtl="true"
        android:theme="@style/Theme.NewsHeadlines"
        tools:targetApi="31">
        <activity
            android:name=".DisplayNews"
            android:exported="false"
            android:label="DisplayNews"
            android:theme="@style/Theme.NewsHeadlines" />
        <activity
            android:name=".RegistrationActivity"
            android:exported="false"
            android:label="RegistrationActivity"
            android:theme="@style/Theme.NewsHeadlines" />
        <activity
            android:name=".MainPage"
            android:exported="false"
            android:label="MainPage"
            android:theme="@style/Theme.NewsHeadlines" />
        <activity
            android:name=".LoginActivity"
```

Task 4: Creating the database classes



Step 1 : Create User data class



User class code:

<https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/java/com/example/newsheadlines/User.kt>



Step 2 : Create an UserDao interface



UserDao interface code:

<https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/java/com/example/newsheadlines/UserDao.kt>



Step 3 : Create an UserDatabase class



UserDatabase class code:

<https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/java/com/example/newsheadlines/UserDatabase.kt>

Step 4 : Create an UserDatabaseHelper class:




UserDatabaseHelper class code :

<https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/java/com/example/newsheadlines/UserDatabaseHelper.kt>

Task 6 :Creating API Service and required classes for integrating API

Step 1: Create a API key for the required API




Code which is needed to be copied:

<https://newsapi.org/v2/top-headlines?country=in&apiKey=41dc7d2dab4741b09c097d47a35e42ff>

Database for news integration into project

Step 3: Create ApiService interface





```
1 package com.example.newsHeadLines
2
3 import ...
4
5 interface ApiService {
6
7     //GET("newsList.json")
8
9     //GET("https://newsapi.org/v2/top-headlines?country=in&apiKey=41dc7d2dab4741b09c097d47a35e42ff")
10    //GET("search?query=tesla")
11    suspend fun getNews() : News
12
13 }
14
15 companion object {
16     var apiService: ApiService? = null
17     fun getInstance() : ApiService {
18         if (apiService == null) {
19             apiService = Retrofit.Builder().baseUrl("https://newsapi.org/v2/")
20             .addConverterFactory(GsonConverterFactory.create())
21             .build().create(ApiService::class.java)
22         }
23         return apiService!!
24     }
25 }
26
27
28
29
30
31
```

ApiService interface code:

[https://github.com/Suryatiruveedula/News-Headlines-](https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/java/com/example/newsheadlines/ApiService.kt)

[App/blob/master/app/src/main/java/com/example/newsheadlines/ApiService.kt](https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/java/com/example/newsheadlines/ApiService.kt)



Step 4: Create Model data class



Model class code:

<https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/java/com/example/newsheadlines/Model.kt>



Step 5: Create News data class



News Data Class Code:

<https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/java/com/example/newsheadlines/News.kt>



Step 6: Create Source data class:



Source data class code:

<https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/java/com/example/newsheadlines/Source.kt>



Step 7: Create Articles data class



Articles data code:

<https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/java/com/example/newsheadlines/Articles.kt>

Step 8: Create MainViewModel class



```
package com.example.newsheadlines

import ...


class MainViewModel : ViewModel() {
    var movieListResponse: List<Articles> by mutableStateOf(listOf())
    var errorMessage: String by mutableStateOf( value: "")
    fun getMovieList() {
        viewModelScope.launch { this: CoroutineScope
            val apiService = ApiService.getInstance()
            try {
                val movieList = apiService.getMovies()
                movieListResponse = movieList.articles
            }
            catch (e: Exception) {
                errorMessage = e.message.toString()
            }
        }
    }
}
```

Main view model class code:

<https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/java/com/example/newsheadlines/MainViewModel.kt>

Task 7: Building application UI and connecting to database.

Step 1: Creating LoginActivity.kt with database



```
package com.example.newsheadlines

import ...

class LoginActivity : ComponentActivity() {
    private lateinit var databaseHelper: UserDatabaseHelper
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        databaseHelper = UserDatabaseHelper(context = this)
        setContent {
            LoginScreen(context = this, databaseHelper)
        }
    }
}


@Composable
fun LoginScreen(context: Context, databaseHelper: UserDatabaseHelper) {
    var username by remember { mutableStateOf<String>{ "" } }
    var password by remember { mutableStateOf<String>{ "" } }
    var error by remember { mutableStateOf<String>{ "" } }

    Column(
        Modifier
            .fillMaxHeight()
            .fillMaxWidth()
            .padding(28.dp),
        horizontalAlignment = Alignment.CenterHorizontally,
        verticalArrangement = Arrangement.Center
    ) {
        this ColumnScope
    }
}
```

Loginactivity code:

<https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/java/com/example/newsheadlines/LoginActivity.kt>

Step 2 : Creating RegistrationActivity.kt with database



```
package com.example.newsheadlines

import ...

class RegistrationActivity : ComponentActivity() {
    private lateinit var dbHelper: UserDatabaseHelper
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        dbHelper = UserDatabaseHelper(context, this)
        setContent {
            RegistrationScreen(context, dbHelper)
        }
    }
}

@Composable
fun RegistrationScreen(context: Context, dbHelper: UserDatabaseHelper) {
    var username by remember { mutableStateOf<String>("") }
    var password by remember { mutableStateOf<String>("") }
    var email by remember { mutableStateOf<String>("") }
    var error by remember { mutableStateOf<String>("") }

    Column {
        Modifier
            .background(Color.White)
            .fillMaxHeight()
            .fillMaxWidth()
            .horizontalAlignment = Alignment.CenterHorizontally,
```

Registration Activity code:

[https://github.com/Suryatiruveedula/News-Headlines-](https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/java/com/example/newsheadlines/RegistrationActivity.kt)

[App/blob/master/app/src/main/java/com/example/newsheadlines/RegistrationActivity.kt](https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/java/com/example/newsheadlines/RegistrationActivity.kt)

Step 3 : Creating MainActivity.kt file

In MainActivity.kt file the main application is developed

```
package com.example.newsheadlines

import ...

class MainPage : ComponentActivity() {
    val mainViewModel by viewModels<MainViewModel>()
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView {
            NewsHeadlinesTheme {
                // A surface container using the 'background' color from the theme
                Surface(color = MaterialTheme.colors.background) {
                    Column() { this: ColumnScope
                        Text(text = "Latest NEWS", fontSize = 32.sp, modifier = Modifier.fillMaxWidth(), textAlign = TextAlign.Center)
                        MovieList(applicationContext, movieList = mainViewModel.movieListResponse)
                        mainViewModel.getMovieList()
                    }
                }
            }
        }
    }
}

@Composable
fun MovieList(context: Context, movieList: List<Articles>) {
    var selectedIndex by remember { mutableStateOf<Int>(-1) }
    LazyColumn { this: LazyListScope
        itemsIndexed(items = movieList) { this: LazyItemScope
```

Main page activity code:

<https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/java/com/example/newsheadlines/MainPage.kt>

Step 4 : Creating DisplayNews.kt file

```
package com.example.newsheadlines

import ...

class DisplayNews : ComponentActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView {
            NewsHeadlinesTheme {
                // A surface container using the 'background' color from the theme
                Surface(
                    modifier = Modifier.fillMaxSize(),
                    color = MaterialTheme.colors.secondaryVariant
                ) {
                    var desk = getIntent().getStringExtra("desk")
                    var title = getIntent().getStringExtra("title")
                    var urlImage = getIntent().getStringExtra("urlToImage")
                    Log.i("tag", "test123abc", mapOf("MovieItem" to desk))

                    Column(modifier = Modifier.background(Color.LightGray).padding(20.dp), horizontalAlignment = HorizontalAlignment.Center) {
                        Text(text = title, fontSize = 32.sp)
                        HtmlText(Html = desk.toString())
                        /* AsyncImage(
                            model = "https://example.com/image.jpg",
                            contentDescription = "Translated description of what the image contains"
                        )*/
                        Image(
                            painter = rememberImagePainter(urlImage),
                            contentDescription = "My content description",
                        )
                    }
                }
            }
        }
    }
}
```

Display news code:

<https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/java/com/example/newsheadlines/DisplayNews.kt>

Task 8: Modifying AndroidManifest.xml

```

<application
    android:allowBackup="true"
    android:dataExtractionRules="@xml/data_extraction_rules"
    android:fullBackupContent="@xml/backup_rules"
    android:icon="@drawable/newsappiconmy"
    android:label="News Headlines"
    android:supportRtl="true"
    android:theme="@style/Theme.NewsHeadlines"
    tools:targetApi="31">
    <activity
        android:name=".DisplayNews"
        android:exported="false"
        android:label="DisplayNews"
        android:theme="@style/Theme.NewsHeadlines" />
    <activity
        android:name=".RegistrationActivity"
        android:exported="false"
        android:label="RegistrationActivity"
        android:theme="@style/Theme.NewsHeadlines" />
    <activity
        android:name=".MainPage"
        android:exported="false"
        android:label="@string/title_activity_main_page"
        android:theme="@style/Theme.NewsHeadlines" />
    <activity
        android:name=".LoginActivity"
        android:exported="true"
        android:label="News Headlines"
        android:theme="@style/Theme.NewsHeadlines">
        <intent-filter>
            <action android:name="android.intent.action.MAIN" />

```

Complete Code is given:

<https://github.com/Suryatiruveedula/News-Headlines-App/blob/master/app/src/main/AndroidManifest.xml>

Task 9 : Running app on the hardware

For the tutorial click the below link:

<https://developer.android.com/studio/run/device>


Run Application on the emulator:




For Complete Project Link:


<https://github.com/Suryatiruveedula/News-Headlines-App>

Login Page:



Login

 username

 password


Log In


Sign up


Forgot password ?


Signup Page:

Sign Up



 username


 password

 email

Register

Have an account? [Log in](#)

Main Page:



News View Page:



Submitted By:

Team ID : LTVIP2023TMID04358

Team Size : 4

Team Leader : Tiruveedhula Surya

Team member : Tirupati Sureshgirishkumar

Team member : T.Vineetha

Team member : Valluri Pavankumar