

University Exams Previous Year Practice 2018 (2018)

Subject: General | Topic: React.js

1. Which statement best describes controlled inputs in React.js? (variation 75)
2. Which option is a correct use case for memoization in React.js? (variation 98)
3. Which statement best describes controlled inputs in React.js? (variation 85)
4. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
5. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
6. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
7. Which statement best describes components in React.js?
8. What is the most accurate beginner-level explanation of state? (variation 102)
9. When working with React.js, why would a developer use props? (variation 101)
10. What is the most accurate beginner-level explanation of context? (variation 77)
11. When working with React.js, why would a developer use props? (variation 91)
12. Which option is a correct use case for memoization in React.js?
13. Which option is a correct use case for memoization in React.js? (variation 358)
14. Which option is a correct use case for memoization in React.js? (variation 88)
15. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
16. Which statement best describes components in React.js? (variation 350)
17. Which option is a correct use case for useEffect in React.js? (variation 353)

18. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
19. What is the most accurate beginner-level explanation of state? (variation 352)
20. What is the most accurate beginner-level explanation of context? (variation 97)
21. Which statement best describes components in React.js? (variation 80)
22. When working with React.js, why would a developer use conditional rendering? (variation 86)
23. Which statement best describes controlled inputs in React.js? (variation 95)
24. Which statement best describes controlled inputs in React.js?
25. Which statement best describes controlled inputs in React.js? (variation 355)
26. Which statement best describes components in React.js? (variation 100)
27. Which option is a correct use case for useEffect in React.js? (variation 103)
28. Which option is a correct use case for useEffect in React.js? (variation 73)
29. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
30. What is the most accurate beginner-level explanation of context?
31. What is the most accurate beginner-level explanation of state? (variation 92)
32. Which statement best describes components in React.js? (variation 70)
33. Which statement best describes controlled inputs in React.js? (variation 105)
34. What is the most accurate beginner-level explanation of state?
35. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
36. What is the most accurate beginner-level explanation of context? (variation 107)

37. Which option is a correct use case for memoization in React.js? (variation 108)
38. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
39. When working with React.js, why would a developer use conditional rendering? (variation 106)
40. When working with React.js, why would a developer use conditional rendering? (variation 76)
41. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
42. Which option is a correct use case for useEffect in React.js? (variation 93)
43. When working with React.js, why would a developer use conditional rendering? (variation 96)
44. A student says 'client routing' is not relevant to real projects. What is the best correction?
45. What is the most accurate beginner-level explanation of state? (variation 82)
46. Which option is a correct use case for useEffect in React.js? (variation 83)
47. Which option is a correct use case for useEffect in React.js?
48. When working with React.js, why would a developer use props?
49. What is the most accurate beginner-level explanation of context? (variation 357)
50. Which option is a correct use case for memoization in React.js? (variation 78)
51. When working with React.js, why would a developer use props? (variation 81)
52. When working with React.js, why would a developer use props? (variation 71)
53. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
54. What is the most accurate beginner-level explanation of state? (variation 72)
55. What is the most accurate beginner-level explanation of context? (variation 87)

56. When working with React.js, why would a developer use conditional rendering? (variation 356)

57. A student says 'keys' is not relevant to real projects. What is the best correction?

58. When working with React.js, why would a developer use conditional rendering?

59. When working with React.js, why would a developer use props? (variation 351)

60. Which statement best describes components in React.js? (variation 90)