

University Exams Previous Year Practice 2021 (2021)

Subject: General | Topic: React.js

1. Which statement best describes controlled inputs in React.js? (variation 85)
2. Which statement best describes components in React.js? (variation 100)
3. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
4. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
5. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
6. Which statement best describes components in React.js? (variation 80)
7. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
8. When working with React.js, why would a developer use conditional rendering? (variation 76)
9. What is the most accurate beginner-level explanation of state? (variation 102)
10. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
11. When working with React.js, why would a developer use props? (variation 81)
12. Which statement best describes components in React.js?
13. Which option is a correct use case for useEffect in React.js? (variation 103)
14. Which option is a correct use case for useEffect in React.js? (variation 73)
15. Which option is a correct use case for useEffect in React.js? (variation 353)
16. When working with React.js, why would a developer use conditional rendering? (variation 96)
17. Which option is a correct use case for useEffect in React.js?

18. When working with React.js, why would a developer use props?
19. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
20. When working with React.js, why would a developer use conditional rendering?
21. When working with React.js, why would a developer use conditional rendering? (variation 356)
22. Which option is a correct use case for useEffect in React.js? (variation 83)
23. Which statement best describes controlled inputs in React.js? (variation 355)
24. What is the most accurate beginner-level explanation of state? (variation 72)
25. What is the most accurate beginner-level explanation of context? (variation 77)
26. Which statement best describes components in React.js? (variation 90)
27. Which statement best describes controlled inputs in React.js?
28. Which statement best describes controlled inputs in React.js? (variation 105)
29. When working with React.js, why would a developer use props? (variation 91)
30. Which option is a correct use case for memoization in React.js? (variation 88)
31. What is the most accurate beginner-level explanation of state? (variation 92)
32. What is the most accurate beginner-level explanation of context? (variation 97)
33. When working with React.js, why would a developer use conditional rendering? (variation 106)
34. When working with React.js, why would a developer use props? (variation 101)
35. What is the most accurate beginner-level explanation of state? (variation 352)
36. What is the most accurate beginner-level explanation of context? (variation 107)

37. A student says 'keys' is not relevant to real projects. What is the best correction?
38. Which option is a correct use case for `useEffect` in `React.js`? (variation 93)
39. When working with `React.js`, why would a developer use props? (variation 71)
40. What is the most accurate beginner-level explanation of context?
41. A student says 'client routing' is not relevant to real projects. What is the best correction?
42. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
43. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
44. Which option is a correct use case for memoization in `React.js`? (variation 78)
45. Which option is a correct use case for memoization in `React.js`? (variation 98)
46. When working with `React.js`, why would a developer use props? (variation 351)
47. Which option is a correct use case for memoization in `React.js`?
48. Which option is a correct use case for memoization in `React.js`? (variation 358)
49. When working with `React.js`, why would a developer use conditional rendering? (variation 86)
50. Which option is a correct use case for memoization in `React.js`? (variation 108)
51. What is the most accurate beginner-level explanation of context? (variation 357)
52. What is the most accurate beginner-level explanation of state? (variation 82)
53. What is the most accurate beginner-level explanation of context? (variation 87)
54. Which statement best describes controlled inputs in `React.js`? (variation 95)
55. Which statement best describes components in `React.js`? (variation 350)

56. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)

57. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)

58. What is the most accurate beginner-level explanation of state?

59. Which statement best describes controlled inputs in React.js? (variation 75)

60. Which statement best describes components in React.js? (variation 70)