

University Exams Previous Year Practice 2024 (2024)

Subject: General | Topic: React.js

1. When working with React.js, why would a developer use conditional rendering? (variation 76)
2. A student says 'keys' is not relevant to real projects. What is the best correction?
3. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
4. When working with React.js, why would a developer use props? (variation 71)
5. What is the most accurate beginner-level explanation of state? (variation 72)
6. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
7. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
8. When working with React.js, why would a developer use conditional rendering? (variation 356)
9. Which option is a correct use case for memoization in React.js?
10. What is the most accurate beginner-level explanation of state? (variation 102)
11. Which option is a correct use case for useEffect in React.js? (variation 93)
12. Which statement best describes components in React.js? (variation 90)
13. What is the most accurate beginner-level explanation of context? (variation 87)
14. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
15. What is the most accurate beginner-level explanation of context? (variation 77)
16. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
17. Which statement best describes components in React.js? (variation 350)

18. Which option is a correct use case for `useEffect` in `React.js`?
19. Which option is a correct use case for `useEffect` in `React.js`? (variation 83)
20. Which statement best describes components in `React.js`?
21. When working with `React.js`, why would a developer use conditional rendering? (variation 86)
22. When working with `React.js`, why would a developer use props? (variation 91)
23. Which option is a correct use case for memoization in `React.js`? (variation 78)
24. Which statement best describes components in `React.js`? (variation 100)
25. Which option is a correct use case for memoization in `React.js`? (variation 88)
26. What is the most accurate beginner-level explanation of context?
27. Which statement best describes controlled inputs in `React.js`? (variation 95)
28. Which statement best describes components in `React.js`? (variation 70)
29. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
30. When working with `React.js`, why would a developer use props? (variation 351)
31. When working with `React.js`, why would a developer use conditional rendering? (variation 96)
32. When working with `React.js`, why would a developer use props? (variation 101)
33. What is the most accurate beginner-level explanation of context? (variation 97)
34. When working with `React.js`, why would a developer use conditional rendering? (variation 106)
35. Which option is a correct use case for `useEffect` in `React.js`? (variation 103)
36. Which statement best describes controlled inputs in `React.js`? (variation 105)

37. What is the most accurate beginner-level explanation of state? (variation 352)
38. When working with React.js, why would a developer use props? (variation 81)
39. Which option is a correct use case for useEffect in React.js? (variation 73)
40. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
41. What is the most accurate beginner-level explanation of context? (variation 357)
42. Which statement best describes controlled inputs in React.js?
43. Which option is a correct use case for useEffect in React.js? (variation 353)
44. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
45. A student says 'client routing' is not relevant to real projects. What is the best correction?
46. Which statement best describes components in React.js? (variation 80)
47. When working with React.js, why would a developer use props?
48. What is the most accurate beginner-level explanation of state? (variation 82)
49. What is the most accurate beginner-level explanation of state?
50. What is the most accurate beginner-level explanation of context? (variation 107)
51. Which option is a correct use case for memoization in React.js? (variation 108)
52. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
53. Which statement best describes controlled inputs in React.js? (variation 85)
54. What is the most accurate beginner-level explanation of state? (variation 92)
55. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)

56. Which option is a correct use case for memoization in React.js? (variation 358)

57. When working with React.js, why would a developer use conditional rendering?

58. Which option is a correct use case for memoization in React.js? (variation 98)

59. Which statement best describes controlled inputs in React.js? (variation 75)

60. Which statement best describes controlled inputs in React.js? (variation 355)