

CBSE Previous Year Practice 2019 (2019)

Subject: General | Topic: DevOps

1. Which statement best describes continuous integration in DevOps?
2. What is the most accurate beginner-level explanation of blue-green deployments? (variation 92)
3. When working with DevOps, why would a developer use infrastructure as code? (variation 111)
4. A student says 'infrastructure as code' is not relevant to real projects. What is the best correction? (variation 354)
5. Which option is a correct use case for continuous delivery in DevOps? (variation 98)
6. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 104)
7. Which statement best describes blue-green deployments in DevOps?
8. What is the most accurate beginner-level explanation of blue-green deployments? (variation 112)
9. What is the most accurate beginner-level explanation of metrics? (variation 357)
10. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 79)
11. When working with DevOps, why would a developer use rollback? (variation 106)
12. Which statement best describes alerts in DevOps? (variation 95)
13. What is the most accurate beginner-level explanation of blue-green deployments? (variation 82)
14. Which statement best describes alerts in DevOps? (variation 115)
15. When working with DevOps, why would a developer use logs?
16. Which statement best describes Kubernetes deployments in DevOps? (variation 90)
17. Which statement best describes Kubernetes deployments in DevOps? (variation 100)

18. What is the most accurate beginner-level explanation of Docker images? (variation 352)
19. What is the most accurate beginner-level explanation of Docker images?
20. What is the most accurate beginner-level explanation of metrics?
21. A student says 'rollback' is not relevant to real projects. What is the best correction? (variation 359)
22. Which statement best describes blue-green deployments in DevOps? (variation 355)
23. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 114)
24. What is the most accurate beginner-level explanation of continuous integration? (variation 107)
25. When working with DevOps, why would a developer use rollback? (variation 96)
26. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 109)
27. When working with DevOps, why would a developer use logs? (variation 356)
28. Which option is a correct use case for Kubernetes deployments in DevOps?
29. A student says 'rollback' is not relevant to real projects. What is the best correction?
30. When working with DevOps, why would a developer use continuous delivery? (variation 351)
31. Which option is a correct use case for alerts in DevOps? (variation 358)
32. Which option is a correct use case for continuous delivery in DevOps? (variation 78)
33. Which option is a correct use case for continuous delivery in DevOps? (variation 108)
34. Which statement best describes continuous integration in DevOps? (variation 350)
35. When working with DevOps, why would a developer use infrastructure as code? (variation 81)
36. Which statement best describes alerts in DevOps? (variation 105)

37. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 84)
38. Which option is a correct use case for logs in DevOps? (variation 83)
39. Which statement best describes Kubernetes deployments in DevOps? (variation 80)
40. Which option is a correct use case for logs in DevOps? (variation 103)
41. What is the most accurate beginner-level explanation of blue-green deployments? (variation 102)
42. A student says 'infrastructure as code' is not relevant to real projects. What is the best correction?
43. Which option is a correct use case for alerts in DevOps?
44. What is the most accurate beginner-level explanation of continuous integration? (variation 77)
45. When working with DevOps, why would a developer use infrastructure as code? (variation 101)
46. What is the most accurate beginner-level explanation of continuous integration? (variation 97)
47. [AI_TEST_DB_SAVE] What is 2+2?
48. When working with DevOps, why would a developer use continuous delivery?
49. Which option is a correct use case for logs in DevOps? (variation 113)
50. When working with DevOps, why would a developer use rollback? (variation 86)
51. What is the most accurate beginner-level explanation of continuous integration? (variation 87)
52. Which option is a correct use case for continuous delivery in DevOps? (variation 88)
53. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 94)
54. Which option is a correct use case for logs in DevOps? (variation 93)
55. Which statement best describes alerts in DevOps? (variation 85)

56. Which option is a correct use case for Kubernetes deployments in DevOps? (variation 353)
57. When working with DevOps, why would a developer use infrastructure as code? (variation 91)
58. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 89)
59. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 99)
60. Which statement best describes Kubernetes deployments in DevOps? (variation 110)