

NEET Previous Year Practice 2017 (2017)

Subject: General | Topic: DevOps

1. When working with DevOps, why would a developer use infrastructure as code? (variation 101)
2. Which statement best describes Kubernetes deployments in DevOps? (variation 80)
3. [AI_TEST_DB_SAVE] What is 2+2?
4. Which option is a correct use case for alerts in DevOps? (variation 358)
5. What is the most accurate beginner-level explanation of continuous integration? (variation 107)
6. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 94)
7. When working with DevOps, why would a developer use infrastructure as code? (variation 81)
8. What is the most accurate beginner-level explanation of continuous integration? (variation 87)
9. Which option is a correct use case for alerts in DevOps?
10. Which option is a correct use case for Kubernetes deployments in DevOps?
11. When working with DevOps, why would a developer use logs? (variation 356)
12. Which statement best describes blue-green deployments in DevOps?
13. When working with DevOps, why would a developer use continuous delivery?
14. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 114)
15. When working with DevOps, why would a developer use rollback? (variation 86)
16. Which option is a correct use case for continuous delivery in DevOps? (variation 98)
17. Which statement best describes Kubernetes deployments in DevOps? (variation 90)

18. When working with DevOps, why would a developer use infrastructure as code? (variation 111)
19. What is the most accurate beginner-level explanation of continuous integration? (variation 97)
20. A student says 'infrastructure as code' is not relevant to real projects. What is the best correction? (variation 354)
21. A student says 'rollback' is not relevant to real projects. What is the best correction?
22. When working with DevOps, why would a developer use rollback? (variation 106)
23. Which statement best describes Kubernetes deployments in DevOps? (variation 110)
24. Which option is a correct use case for logs in DevOps? (variation 83)
25. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 84)
26. Which option is a correct use case for logs in DevOps? (variation 103)
27. Which statement best describes Kubernetes deployments in DevOps? (variation 100)
28. Which statement best describes blue-green deployments in DevOps? (variation 355)
29. Which statement best describes continuous integration in DevOps?
30. Which statement best describes continuous integration in DevOps? (variation 350)
31. Which statement best describes alerts in DevOps? (variation 95)
32. What is the most accurate beginner-level explanation of blue-green deployments? (variation 92)
33. When working with DevOps, why would a developer use infrastructure as code? (variation 91)
34. When working with DevOps, why would a developer use rollback? (variation 96)
35. A student says 'infrastructure as code' is not relevant to real projects. What is the best correction?
36. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 99)

37. What is the most accurate beginner-level explanation of metrics?
38. Which option is a correct use case for logs in DevOps? (variation 93)
39. What is the most accurate beginner-level explanation of blue-green deployments? (variation 102)
40. What is the most accurate beginner-level explanation of continuous integration? (variation 77)
41. When working with DevOps, why would a developer use logs?
42. Which option is a correct use case for Kubernetes deployments in DevOps? (variation 353)
43. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 79)
44. What is the most accurate beginner-level explanation of Docker images? (variation 352)
45. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 109)
46. Which option is a correct use case for continuous delivery in DevOps? (variation 108)
47. Which statement best describes alerts in DevOps? (variation 115)
48. What is the most accurate beginner-level explanation of blue-green deployments? (variation 112)
49. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 89)
50. Which option is a correct use case for continuous delivery in DevOps? (variation 78)
51. Which statement best describes alerts in DevOps? (variation 105)
52. What is the most accurate beginner-level explanation of Docker images?
53. A student says 'rollback' is not relevant to real projects. What is the best correction? (variation 359)
54. What is the most accurate beginner-level explanation of metrics? (variation 357)
55. Which option is a correct use case for continuous delivery in DevOps? (variation 88)

56. What is the most accurate beginner-level explanation of blue-green deployments? (variation 82)

57. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 104)

58. Which option is a correct use case for logs in DevOps? (variation 113)

59. When working with DevOps, why would a developer use continuous delivery? (variation 351)

60. Which statement best describes alerts in DevOps? (variation 85)