

NEET Previous Year Practice 2018 (2018)

Subject: General | Topic: DevOps

1. Which option is a correct use case for continuous delivery in DevOps? (variation 98)
2. Which statement best describes continuous integration in DevOps?
3. What is the most accurate beginner-level explanation of metrics?
4. What is the most accurate beginner-level explanation of continuous integration? (variation 97)
5. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 99)
6. When working with DevOps, why would a developer use infrastructure as code? (variation 111)
7. A student says 'rollback' is not relevant to real projects. What is the best correction? (variation 359)
8. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 94)
9. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 109)
10. Which option is a correct use case for logs in DevOps? (variation 103)
11. A student says 'infrastructure as code' is not relevant to real projects. What is the best correction?
12. Which option is a correct use case for continuous delivery in DevOps? (variation 108)
13. Which option is a correct use case for logs in DevOps? (variation 113)
14. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 104)
15. What is the most accurate beginner-level explanation of blue-green deployments? (variation 82)
16. When working with DevOps, why would a developer use infrastructure as code? (variation 91)
17. Which statement best describes blue-green deployments in DevOps?

18. When working with DevOps, why would a developer use logs? (variation 356)
19. Which statement best describes Kubernetes deployments in DevOps? (variation 100)
20. When working with DevOps, why would a developer use infrastructure as code? (variation 81)
21. Which statement best describes Kubernetes deployments in DevOps? (variation 80)
22. Which statement best describes alerts in DevOps? (variation 115)
23. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 89)
24. When working with DevOps, why would a developer use infrastructure as code? (variation 101)
25. What is the most accurate beginner-level explanation of continuous integration? (variation 107)
26. Which option is a correct use case for logs in DevOps? (variation 83)
27. Which statement best describes blue-green deployments in DevOps? (variation 355)
28. A student says 'rollback' is not relevant to real projects. What is the best correction?
29. Which option is a correct use case for continuous delivery in DevOps? (variation 78)
30. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 84)
31. Which option is a correct use case for alerts in DevOps?
32. Which option is a correct use case for alerts in DevOps? (variation 358)
33. Which option is a correct use case for logs in DevOps? (variation 93)
34. Which statement best describes alerts in DevOps? (variation 105)
35. What is the most accurate beginner-level explanation of blue-green deployments? (variation 112)
36. Which statement best describes continuous integration in DevOps? (variation 350)

37. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 79)
38. Which option is a correct use case for continuous delivery in DevOps? (variation 88)
39. [AI_TEST_DB_SAVE] What is 2+2?
40. What is the most accurate beginner-level explanation of metrics? (variation 357)
41. A student says 'infrastructure as code' is not relevant to real projects. What is the best correction? (variation 354)
42. When working with DevOps, why would a developer use continuous delivery?
43. What is the most accurate beginner-level explanation of continuous integration? (variation 77)
44. What is the most accurate beginner-level explanation of Docker images?
45. Which statement best describes Kubernetes deployments in DevOps? (variation 90)
46. Which option is a correct use case for Kubernetes deployments in DevOps? (variation 353)
47. When working with DevOps, why would a developer use rollback? (variation 96)
48. What is the most accurate beginner-level explanation of continuous integration? (variation 87)
49. Which statement best describes alerts in DevOps? (variation 95)
50. Which statement best describes alerts in DevOps? (variation 85)
51. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 114)
52. What is the most accurate beginner-level explanation of Docker images? (variation 352)
53. When working with DevOps, why would a developer use rollback? (variation 106)
54. When working with DevOps, why would a developer use continuous delivery? (variation 351)
55. Which statement best describes Kubernetes deployments in DevOps? (variation 110)

56. Which option is a correct use case for Kubernetes deployments in DevOps?
57. What is the most accurate beginner-level explanation of blue-green deployments? (variation 102)
58. When working with DevOps, why would a developer use logs?
59. What is the most accurate beginner-level explanation of blue-green deployments? (variation 92)
60. When working with DevOps, why would a developer use rollback? (variation 86)