

NEET Previous Year Practice 2019 (2019)

Subject: General | Topic: DevOps

1. What is the most accurate beginner-level explanation of Docker images?
2. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 109)
3. What is the most accurate beginner-level explanation of blue-green deployments? (variation 102)
4. Which statement best describes blue-green deployments in DevOps? (variation 355)
5. Which option is a correct use case for Kubernetes deployments in DevOps?
6. A student says 'rollback' is not relevant to real projects. What is the best correction? (variation 359)
7. Which option is a correct use case for continuous delivery in DevOps? (variation 78)
8. Which option is a correct use case for continuous delivery in DevOps? (variation 88)
9. When working with DevOps, why would a developer use infrastructure as code? (variation 91)
10. What is the most accurate beginner-level explanation of blue-green deployments? (variation 92)
11. Which statement best describes continuous integration in DevOps? (variation 350)
12. When working with DevOps, why would a developer use continuous delivery?
13. When working with DevOps, why would a developer use infrastructure as code? (variation 111)
14. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 79)
15. Which statement best describes alerts in DevOps? (variation 85)
16. Which statement best describes Kubernetes deployments in DevOps? (variation 100)
17. Which statement best describes Kubernetes deployments in DevOps? (variation 110)

18. A student says 'infrastructure as code' is not relevant to real projects. What is the best correction? (variation 354)
19. When working with DevOps, why would a developer use logs? (variation 356)
20. Which option is a correct use case for logs in DevOps? (variation 93)
21. When working with DevOps, why would a developer use rollback? (variation 86)
22. What is the most accurate beginner-level explanation of Docker images? (variation 352)
23. Which option is a correct use case for logs in DevOps? (variation 113)
24. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 114)
25. When working with DevOps, why would a developer use continuous delivery? (variation 351)
26. What is the most accurate beginner-level explanation of blue-green deployments? (variation 82)
27. What is the most accurate beginner-level explanation of continuous integration? (variation 77)
28. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 89)
29. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 104)
30. What is the most accurate beginner-level explanation of blue-green deployments? (variation 112)
31. Which statement best describes continuous integration in DevOps?
32. [AI_TEST_DB_SAVE] What is 2+2?
33. Which option is a correct use case for logs in DevOps? (variation 83)
34. What is the most accurate beginner-level explanation of continuous integration? (variation 97)
35. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 99)
36. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 84)

37. When working with DevOps, why would a developer use infrastructure as code? (variation 101)
38. Which statement best describes blue-green deployments in DevOps?
39. What is the most accurate beginner-level explanation of continuous integration? (variation 87)
40. Which statement best describes alerts in DevOps? (variation 95)
41. Which statement best describes alerts in DevOps? (variation 105)
42. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 94)
43. Which statement best describes Kubernetes deployments in DevOps? (variation 80)
44. When working with DevOps, why would a developer use rollback? (variation 106)
45. Which option is a correct use case for continuous delivery in DevOps? (variation 98)
46. What is the most accurate beginner-level explanation of metrics?
47. Which statement best describes Kubernetes deployments in DevOps? (variation 90)
48. What is the most accurate beginner-level explanation of continuous integration? (variation 107)
49. Which option is a correct use case for alerts in DevOps?
50. What is the most accurate beginner-level explanation of metrics? (variation 357)
51. When working with DevOps, why would a developer use logs?
52. Which statement best describes alerts in DevOps? (variation 115)
53. When working with DevOps, why would a developer use infrastructure as code? (variation 81)
54. A student says 'infrastructure as code' is not relevant to real projects. What is the best correction?
55. Which option is a correct use case for Kubernetes deployments in DevOps? (variation 353)

56. Which option is a correct use case for logs in DevOps? (variation 103)

57. Which option is a correct use case for alerts in DevOps? (variation 358)

58. A student says 'rollback' is not relevant to real projects. What is the best correction?

59. Which option is a correct use case for continuous delivery in DevOps? (variation 108)

60. When working with DevOps, why would a developer use rollback? (variation 96)