

NEET Previous Year Practice 2022 (2022)

Subject: General | Topic: DevOps

1. A student says 'infrastructure as code' is not relevant to real projects. What is the best correction?
2. Which option is a correct use case for logs in DevOps? (variation 113)
3. What is the most accurate beginner-level explanation of continuous integration? (variation 97)
4. [AI_TEST_DB_SAVE] What is 2+2?
5. Which option is a correct use case for Kubernetes deployments in DevOps?
6. What is the most accurate beginner-level explanation of metrics? (variation 357)
7. Which option is a correct use case for logs in DevOps? (variation 83)
8. Which statement best describes Kubernetes deployments in DevOps? (variation 90)
9. When working with DevOps, why would a developer use rollback? (variation 106)
10. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 109)
11. When working with DevOps, why would a developer use continuous delivery?
12. Which option is a correct use case for logs in DevOps? (variation 103)
13. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 94)
14. When working with DevOps, why would a developer use infrastructure as code? (variation 81)
15. Which statement best describes continuous integration in DevOps? (variation 350)
16. What is the most accurate beginner-level explanation of continuous integration? (variation 77)
17. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 89)

18. Which statement best describes alerts in DevOps? (variation 85)
19. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 79)
20. What is the most accurate beginner-level explanation of blue-green deployments? (variation 92)
21. Which statement best describes Kubernetes deployments in DevOps? (variation 100)
22. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 114)
23. When working with DevOps, why would a developer use rollback? (variation 96)
24. Which statement best describes alerts in DevOps? (variation 95)
25. What is the most accurate beginner-level explanation of metrics?
26. When working with DevOps, why would a developer use continuous delivery? (variation 351)
27. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 84)
28. A student says 'rollback' is not relevant to real projects. What is the best correction? (variation 359)
29. Which option is a correct use case for continuous delivery in DevOps? (variation 78)
30. Which option is a correct use case for continuous delivery in DevOps? (variation 98)
31. Which option is a correct use case for alerts in DevOps? (variation 358)
32. Which statement best describes alerts in DevOps? (variation 115)
33. Which statement best describes blue-green deployments in DevOps?
34. Which option is a correct use case for logs in DevOps? (variation 93)
35. When working with DevOps, why would a developer use logs?
36. Which option is a correct use case for continuous delivery in DevOps? (variation 108)

37. What is the most accurate beginner-level explanation of blue-green deployments? (variation 102)
38. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 104)
39. What is the most accurate beginner-level explanation of blue-green deployments? (variation 112)
40. A student says 'infrastructure as code' is not relevant to real projects. What is the best correction? (variation 354)
41. When working with DevOps, why would a developer use rollback? (variation 86)
42. Which statement best describes Kubernetes deployments in DevOps? (variation 110)
43. When working with DevOps, why would a developer use infrastructure as code? (variation 91)
44. Which statement best describes alerts in DevOps? (variation 105)
45. What is the most accurate beginner-level explanation of continuous integration? (variation 87)
46. Which option is a correct use case for alerts in DevOps?
47. Which option is a correct use case for Kubernetes deployments in DevOps? (variation 353)
48. A student says 'rollback' is not relevant to real projects. What is the best correction?
49. When working with DevOps, why would a developer use infrastructure as code? (variation 101)
50. Which option is a correct use case for continuous delivery in DevOps? (variation 88)
51. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 99)
52. Which statement best describes continuous integration in DevOps?
53. What is the most accurate beginner-level explanation of Docker images?
54. When working with DevOps, why would a developer use infrastructure as code? (variation 111)
55. Which statement best describes Kubernetes deployments in DevOps? (variation 80)

56. When working with DevOps, why would a developer use logs? (variation 356)
57. What is the most accurate beginner-level explanation of continuous integration? (variation 107)
58. What is the most accurate beginner-level explanation of Docker images? (variation 352)
59. Which statement best describes blue-green deployments in DevOps? (variation 355)
60. What is the most accurate beginner-level explanation of blue-green deployments? (variation 82)