

CBSE Previous Year Practice 2018 (2018)

Subject: General | Topic: React.js

1. When working with React.js, why would a developer use conditional rendering? (variation 356)
2. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
3. Which option is a correct use case for memoization in React.js? (variation 98)
4. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
5. When working with React.js, why would a developer use conditional rendering? (variation 106)
6. Which option is a correct use case for useEffect in React.js? (variation 93)
7. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
8. Which option is a correct use case for memoization in React.js? (variation 88)
9. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
10. Which statement best describes controlled inputs in React.js?
11. When working with React.js, why would a developer use conditional rendering? (variation 86)
12. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
13. Which statement best describes components in React.js? (variation 70)
14. What is the most accurate beginner-level explanation of state? (variation 92)
15. When working with React.js, why would a developer use props? (variation 71)
16. What is the most accurate beginner-level explanation of state?
17. When working with React.js, why would a developer use conditional rendering? (variation 96)

18. What is the most accurate beginner-level explanation of state? (variation 72)
19. Which statement best describes controlled inputs in React.js? (variation 355)
20. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
21. Which statement best describes controlled inputs in React.js? (variation 95)
22. What is the most accurate beginner-level explanation of state? (variation 352)
23. Which option is a correct use case for useEffect in React.js?
24. Which option is a correct use case for memoization in React.js? (variation 358)
25. What is the most accurate beginner-level explanation of state? (variation 102)
26. Which option is a correct use case for memoization in React.js? (variation 78)
27. Which statement best describes components in React.js? (variation 80)
28. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
29. Which statement best describes controlled inputs in React.js? (variation 75)
30. Which option is a correct use case for useEffect in React.js? (variation 83)
31. A student says 'keys' is not relevant to real projects. What is the best correction?
32. Which statement best describes controlled inputs in React.js? (variation 105)
33. Which statement best describes components in React.js? (variation 100)
34. A student says 'client routing' is not relevant to real projects. What is the best correction?
35. When working with React.js, why would a developer use props? (variation 101)
36. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)

37. Which statement best describes components in React.js? (variation 350)
38. What is the most accurate beginner-level explanation of context?
39. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
40. Which statement best describes controlled inputs in React.js? (variation 85)
41. What is the most accurate beginner-level explanation of context? (variation 87)
42. What is the most accurate beginner-level explanation of state? (variation 82)
43. Which option is a correct use case for useEffect in React.js? (variation 103)
44. When working with React.js, why would a developer use conditional rendering?
45. What is the most accurate beginner-level explanation of context? (variation 357)
46. Which option is a correct use case for useEffect in React.js? (variation 353)
47. What is the most accurate beginner-level explanation of context? (variation 97)
48. When working with React.js, why would a developer use props?
49. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
50. When working with React.js, why would a developer use props? (variation 91)
51. Which option is a correct use case for memoization in React.js?
52. When working with React.js, why would a developer use props? (variation 81)
53. What is the most accurate beginner-level explanation of context? (variation 77)
54. When working with React.js, why would a developer use conditional rendering? (variation 76)
55. Which statement best describes components in React.js?

56. What is the most accurate beginner-level explanation of context? (variation 107)

57. Which option is a correct use case for memoization in React.js? (variation 108)

58. Which option is a correct use case for useEffect in React.js? (variation 73)

59. When working with React.js, why would a developer use props? (variation 351)

60. Which statement best describes components in React.js? (variation 90)