

CBSE Previous Year Practice 2019 (2019)

Subject: General | Topic: React.js

1. When working with React.js, why would a developer use conditional rendering?
2. Which statement best describes controlled inputs in React.js? (variation 95)
3. What is the most accurate beginner-level explanation of context? (variation 357)
4. Which statement best describes controlled inputs in React.js? (variation 355)
5. Which option is a correct use case for memoization in React.js? (variation 358)
6. Which option is a correct use case for memoization in React.js? (variation 108)
7. Which option is a correct use case for memoization in React.js? (variation 98)
8. When working with React.js, why would a developer use conditional rendering? (variation 96)
9. Which statement best describes components in React.js?
10. When working with React.js, why would a developer use conditional rendering? (variation 106)
11. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
12. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
13. When working with React.js, why would a developer use props? (variation 91)
14. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
15. When working with React.js, why would a developer use props?
16. When working with React.js, why would a developer use props? (variation 81)
17. What is the most accurate beginner-level explanation of context? (variation 97)

18. Which statement best describes components in React.js? (variation 70)
19. A student says 'client routing' is not relevant to real projects. What is the best correction?
20. Which statement best describes controlled inputs in React.js? (variation 105)
21. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
22. Which statement best describes controlled inputs in React.js? (variation 85)
23. When working with React.js, why would a developer use conditional rendering? (variation 76)
24. Which statement best describes controlled inputs in React.js?
25. What is the most accurate beginner-level explanation of state? (variation 352)
26. What is the most accurate beginner-level explanation of state? (variation 92)
27. What is the most accurate beginner-level explanation of state? (variation 102)
28. When working with React.js, why would a developer use props? (variation 101)
29. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
30. Which option is a correct use case for memoization in React.js?
31. Which option is a correct use case for useEffect in React.js? (variation 83)
32. Which option is a correct use case for memoization in React.js? (variation 88)
33. What is the most accurate beginner-level explanation of context? (variation 77)
34. When working with React.js, why would a developer use conditional rendering? (variation 356)
35. What is the most accurate beginner-level explanation of state?
36. When working with React.js, why would a developer use props? (variation 71)

37. What is the most accurate beginner-level explanation of context? (variation 87)
38. Which option is a correct use case for memoization in React.js? (variation 78)
39. What is the most accurate beginner-level explanation of state? (variation 72)
40. Which option is a correct use case for useEffect in React.js? (variation 103)
41. Which option is a correct use case for useEffect in React.js? (variation 73)
42. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
43. Which option is a correct use case for useEffect in React.js?
44. Which statement best describes components in React.js? (variation 100)
45. Which statement best describes components in React.js? (variation 90)
46. Which statement best describes components in React.js? (variation 350)
47. What is the most accurate beginner-level explanation of context?
48. Which statement best describes controlled inputs in React.js? (variation 75)
49. Which statement best describes components in React.js? (variation 80)
50. What is the most accurate beginner-level explanation of context? (variation 107)
51. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
52. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
53. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
54. Which option is a correct use case for useEffect in React.js? (variation 93)
55. When working with React.js, why would a developer use conditional rendering? (variation 86)

56. A student says 'keys' is not relevant to real projects. What is the best correction?

57. What is the most accurate beginner-level explanation of state? (variation 82)

58. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)

59. When working with React.js, why would a developer use props? (variation 351)

60. Which option is a correct use case for useEffect in React.js? (variation 353)