

CBSE Previous Year Practice 2020 (2020)

Subject: General | Topic: React.js

1. Which option is a correct use case for memoization in React.js? (variation 98)
2. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
3. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
4. When working with React.js, why would a developer use props? (variation 71)
5. When working with React.js, why would a developer use props? (variation 81)
6. When working with React.js, why would a developer use props? (variation 351)
7. What is the most accurate beginner-level explanation of state? (variation 82)
8. What is the most accurate beginner-level explanation of context? (variation 77)
9. A student says 'client routing' is not relevant to real projects. What is the best correction?
10. Which statement best describes controlled inputs in React.js? (variation 75)
11. What is the most accurate beginner-level explanation of context? (variation 357)
12. When working with React.js, why would a developer use props?
13. Which option is a correct use case for useEffect in React.js? (variation 83)
14. Which statement best describes controlled inputs in React.js?
15. Which statement best describes components in React.js? (variation 90)
16. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
17. Which statement best describes components in React.js? (variation 70)

18. What is the most accurate beginner-level explanation of state? (variation 72)
19. When working with React.js, why would a developer use conditional rendering? (variation 96)
20. When working with React.js, why would a developer use conditional rendering?
21. When working with React.js, why would a developer use conditional rendering? (variation 356)
22. What is the most accurate beginner-level explanation of state?
23. Which statement best describes controlled inputs in React.js? (variation 355)
24. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
25. Which option is a correct use case for memoization in React.js? (variation 358)
26. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
27. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
28. Which statement best describes components in React.js? (variation 80)
29. When working with React.js, why would a developer use conditional rendering? (variation 106)
30. Which option is a correct use case for useEffect in React.js? (variation 73)
31. What is the most accurate beginner-level explanation of context? (variation 97)
32. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
33. Which option is a correct use case for useEffect in React.js? (variation 353)
34. Which option is a correct use case for useEffect in React.js? (variation 103)
35. Which statement best describes controlled inputs in React.js? (variation 105)
36. When working with React.js, why would a developer use props? (variation 101)

37. What is the most accurate beginner-level explanation of state? (variation 352)
38. When working with React.js, why would a developer use conditional rendering? (variation 76)
39. What is the most accurate beginner-level explanation of context? (variation 87)
40. Which option is a correct use case for memoization in React.js? (variation 108)
41. Which option is a correct use case for memoization in React.js?
42. What is the most accurate beginner-level explanation of context?
43. Which statement best describes controlled inputs in React.js? (variation 95)
44. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
45. Which option is a correct use case for memoization in React.js? (variation 78)
46. Which statement best describes components in React.js?
47. Which option is a correct use case for useEffect in React.js?
48. Which statement best describes controlled inputs in React.js? (variation 85)
49. What is the most accurate beginner-level explanation of state? (variation 102)
50. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
51. Which option is a correct use case for memoization in React.js? (variation 88)
52. When working with React.js, why would a developer use conditional rendering? (variation 86)
53. A student says 'keys' is not relevant to real projects. What is the best correction?
54. What is the most accurate beginner-level explanation of state? (variation 92)
55. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)

56. Which statement best describes components in React.js? (variation 100)
57. When working with React.js, why would a developer use props? (variation 91)
58. Which option is a correct use case for useEffect in React.js? (variation 93)
59. Which statement best describes components in React.js? (variation 350)
60. What is the most accurate beginner-level explanation of context? (variation 107)