

CBSE Previous Year Practice 2021 (2021)

Subject: General | Topic: React.js

1. What is the most accurate beginner-level explanation of state?
2. Which statement best describes controlled inputs in React.js? (variation 355)
3. Which option is a correct use case for memoization in React.js? (variation 88)
4. What is the most accurate beginner-level explanation of state? (variation 82)
5. When working with React.js, why would a developer use props? (variation 351)
6. What is the most accurate beginner-level explanation of context? (variation 357)
7. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
8. What is the most accurate beginner-level explanation of context?
9. Which statement best describes components in React.js? (variation 70)
10. Which statement best describes components in React.js? (variation 350)
11. When working with React.js, why would a developer use props? (variation 101)
12. Which statement best describes components in React.js? (variation 80)
13. Which statement best describes components in React.js? (variation 90)
14. A student says 'keys' is not relevant to real projects. What is the best correction?
15. Which option is a correct use case for memoization in React.js? (variation 358)
16. Which option is a correct use case for useEffect in React.js? (variation 103)
17. When working with React.js, why would a developer use conditional rendering? (variation 106)

18. What is the most accurate beginner-level explanation of context? (variation 77)
19. Which option is a correct use case for `useEffect` in React.js? (variation 353)
20. Which option is a correct use case for memoization in React.js? (variation 98)
21. Which statement best describes controlled inputs in React.js? (variation 95)
22. What is the most accurate beginner-level explanation of state? (variation 352)
23. What is the most accurate beginner-level explanation of state? (variation 92)
24. Which statement best describes controlled inputs in React.js? (variation 105)
25. When working with React.js, why would a developer use props? (variation 91)
26. A student says 'client routing' is not relevant to real projects. What is the best correction?
27. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
28. What is the most accurate beginner-level explanation of context? (variation 97)
29. Which statement best describes controlled inputs in React.js?
30. When working with React.js, why would a developer use conditional rendering? (variation 76)
31. Which option is a correct use case for memoization in React.js? (variation 108)
32. When working with React.js, why would a developer use conditional rendering? (variation 86)
33. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
34. Which option is a correct use case for `useEffect` in React.js? (variation 93)
35. What is the most accurate beginner-level explanation of state? (variation 72)
36. Which statement best describes controlled inputs in React.js? (variation 75)

37. When working with React.js, why would a developer use props? (variation 81)
38. When working with React.js, why would a developer use props?
39. Which option is a correct use case for useEffect in React.js? (variation 73)
40. When working with React.js, why would a developer use props? (variation 71)
41. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
42. Which option is a correct use case for useEffect in React.js? (variation 83)
43. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
44. Which option is a correct use case for memoization in React.js? (variation 78)
45. Which option is a correct use case for useEffect in React.js?
46. When working with React.js, why would a developer use conditional rendering? (variation 356)
47. What is the most accurate beginner-level explanation of context? (variation 87)
48. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
49. When working with React.js, why would a developer use conditional rendering? (variation 96)
50. Which statement best describes controlled inputs in React.js? (variation 85)
51. Which statement best describes components in React.js?
52. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
53. What is the most accurate beginner-level explanation of state? (variation 102)
54. Which option is a correct use case for memoization in React.js?
55. Which statement best describes components in React.js? (variation 100)

56. When working with React.js, why would a developer use conditional rendering?

57. What is the most accurate beginner-level explanation of context? (variation 107)

58. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)

59. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)

60. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)