

CBSE Previous Year Practice 2022 (2022)

Subject: General | Topic: React.js

1. When working with React.js, why would a developer use props? (variation 71)
2. When working with React.js, why would a developer use conditional rendering? (variation 86)
3. When working with React.js, why would a developer use conditional rendering?
4. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
5. Which option is a correct use case for memoization in React.js? (variation 358)
6. When working with React.js, why would a developer use props? (variation 101)
7. What is the most accurate beginner-level explanation of context? (variation 107)
8. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
9. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
10. Which statement best describes controlled inputs in React.js?
11. Which option is a correct use case for memoization in React.js? (variation 78)
12. Which option is a correct use case for useEffect in React.js? (variation 73)
13. A student says 'client routing' is not relevant to real projects. What is the best correction?
14. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
15. When working with React.js, why would a developer use conditional rendering? (variation 106)
16. When working with React.js, why would a developer use conditional rendering? (variation 356)
17. What is the most accurate beginner-level explanation of state? (variation 352)

18. Which option is a correct use case for `useEffect` in `React.js`?
19. What is the most accurate beginner-level explanation of context?
20. What is the most accurate beginner-level explanation of state? (variation 72)
21. What is the most accurate beginner-level explanation of context? (variation 97)
22. When working with `React.js`, why would a developer use props?
23. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
24. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
25. What is the most accurate beginner-level explanation of state? (variation 92)
26. Which statement best describes components in `React.js`? (variation 90)
27. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
28. Which statement best describes components in `React.js`? (variation 100)
29. What is the most accurate beginner-level explanation of context? (variation 87)
30. Which option is a correct use case for `useEffect` in `React.js`? (variation 103)
31. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
32. Which statement best describes components in `React.js`? (variation 70)
33. What is the most accurate beginner-level explanation of state? (variation 102)
34. Which option is a correct use case for `useEffect` in `React.js`? (variation 93)
35. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
36. Which option is a correct use case for `useEffect` in `React.js`? (variation 353)

37. When working with React.js, why would a developer use conditional rendering? (variation 76)
38. Which statement best describes components in React.js?
39. What is the most accurate beginner-level explanation of state?
40. What is the most accurate beginner-level explanation of context? (variation 77)
41. Which statement best describes components in React.js? (variation 350)
42. What is the most accurate beginner-level explanation of state? (variation 82)
43. Which option is a correct use case for useEffect in React.js? (variation 83)
44. What is the most accurate beginner-level explanation of context? (variation 357)
45. Which statement best describes controlled inputs in React.js? (variation 85)
46. When working with React.js, why would a developer use props? (variation 81)
47. When working with React.js, why would a developer use props? (variation 351)
48. Which statement best describes controlled inputs in React.js? (variation 355)
49. Which statement best describes controlled inputs in React.js? (variation 105)
50. When working with React.js, why would a developer use props? (variation 91)
51. When working with React.js, why would a developer use conditional rendering? (variation 96)
52. Which statement best describes controlled inputs in React.js? (variation 95)
53. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
54. Which statement best describes components in React.js? (variation 80)
55. Which option is a correct use case for memoization in React.js?

56. Which statement best describes controlled inputs in React.js? (variation 75)
57. Which option is a correct use case for memoization in React.js? (variation 98)
58. A student says 'keys' is not relevant to real projects. What is the best correction?
59. Which option is a correct use case for memoization in React.js? (variation 88)
60. Which option is a correct use case for memoization in React.js? (variation 108)