

CBSE Previous Year Practice 2023 (2023)

Subject: General | Topic: React.js

1. When working with React.js, why would a developer use props? (variation 71)
2. When working with React.js, why would a developer use conditional rendering?
3. When working with React.js, why would a developer use conditional rendering? (variation 356)
4. Which statement best describes controlled inputs in React.js? (variation 95)
5. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
6. When working with React.js, why would a developer use conditional rendering? (variation 76)
7. When working with React.js, why would a developer use props? (variation 101)
8. Which statement best describes components in React.js? (variation 90)
9. What is the most accurate beginner-level explanation of context? (variation 107)
10. Which option is a correct use case for useEffect in React.js? (variation 103)
11. What is the most accurate beginner-level explanation of state? (variation 72)
12. Which option is a correct use case for useEffect in React.js? (variation 83)
13. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
14. Which statement best describes components in React.js? (variation 350)
15. When working with React.js, why would a developer use props?
16. What is the most accurate beginner-level explanation of context? (variation 97)
17. When working with React.js, why would a developer use conditional rendering? (variation 96)

18. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
19. When working with React.js, why would a developer use conditional rendering? (variation 106)
20. Which option is a correct use case for useEffect in React.js? (variation 93)
21. Which option is a correct use case for memoization in React.js?
22. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
23. Which statement best describes controlled inputs in React.js? (variation 355)
24. Which option is a correct use case for memoization in React.js? (variation 358)
25. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
26. Which option is a correct use case for memoization in React.js? (variation 78)
27. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
28. When working with React.js, why would a developer use conditional rendering? (variation 86)
29. What is the most accurate beginner-level explanation of state?
30. A student says 'client routing' is not relevant to real projects. What is the best correction?
31. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
32. Which option is a correct use case for useEffect in React.js? (variation 353)
33. Which statement best describes components in React.js? (variation 70)
34. Which option is a correct use case for memoization in React.js? (variation 88)
35. What is the most accurate beginner-level explanation of context? (variation 357)
36. Which statement best describes components in React.js?

37. What is the most accurate beginner-level explanation of context?
38. What is the most accurate beginner-level explanation of state? (variation 92)
39. A student says 'keys' is not relevant to real projects. What is the best correction?
40. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
41. What is the most accurate beginner-level explanation of context? (variation 87)
42. What is the most accurate beginner-level explanation of state? (variation 102)
43. What is the most accurate beginner-level explanation of context? (variation 77)
44. When working with React.js, why would a developer use props? (variation 351)
45. Which statement best describes components in React.js? (variation 80)
46. What is the most accurate beginner-level explanation of state? (variation 352)
47. Which statement best describes controlled inputs in React.js? (variation 105)
48. Which statement best describes controlled inputs in React.js?
49. Which option is a correct use case for memoization in React.js? (variation 108)
50. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
51. What is the most accurate beginner-level explanation of state? (variation 82)
52. Which option is a correct use case for useEffect in React.js? (variation 73)
53. Which option is a correct use case for useEffect in React.js?
54. Which statement best describes controlled inputs in React.js? (variation 85)
55. When working with React.js, why would a developer use props? (variation 91)

56. When working with React.js, why would a developer use props? (variation 81)

57. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)

58. Which option is a correct use case for memoization in React.js? (variation 98)

59. Which statement best describes controlled inputs in React.js? (variation 75)

60. Which statement best describes components in React.js? (variation 100)