

CBSE Previous Year Practice 2024 (2024)

Subject: General | Topic: React.js

1. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
2. Which statement best describes components in React.js? (variation 100)
3. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
4. What is the most accurate beginner-level explanation of state? (variation 82)
5. When working with React.js, why would a developer use conditional rendering? (variation 106)
6. Which option is a correct use case for useEffect in React.js? (variation 73)
7. What is the most accurate beginner-level explanation of state? (variation 102)
8. When working with React.js, why would a developer use conditional rendering? (variation 76)
9. Which option is a correct use case for useEffect in React.js? (variation 103)
10. What is the most accurate beginner-level explanation of context? (variation 357)
11. Which statement best describes controlled inputs in React.js? (variation 105)
12. Which statement best describes controlled inputs in React.js? (variation 85)
13. When working with React.js, why would a developer use props? (variation 91)
14. Which option is a correct use case for useEffect in React.js?
15. Which statement best describes components in React.js? (variation 90)
16. What is the most accurate beginner-level explanation of state? (variation 352)
17. Which option is a correct use case for memoization in React.js? (variation 358)

18. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
19. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
20. When working with React.js, why would a developer use conditional rendering? (variation 356)
21. Which statement best describes components in React.js? (variation 70)
22. What is the most accurate beginner-level explanation of context? (variation 107)
23. When working with React.js, why would a developer use conditional rendering?
24. Which option is a correct use case for useEffect in React.js? (variation 93)
25. A student says 'client routing' is not relevant to real projects. What is the best correction?
26. Which option is a correct use case for useEffect in React.js? (variation 353)
27. When working with React.js, why would a developer use props?
28. When working with React.js, why would a developer use props? (variation 81)
29. Which option is a correct use case for memoization in React.js? (variation 108)
30. What is the most accurate beginner-level explanation of context? (variation 97)
31. Which statement best describes components in React.js? (variation 80)
32. Which option is a correct use case for memoization in React.js?
33. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
34. What is the most accurate beginner-level explanation of state? (variation 72)
35. What is the most accurate beginner-level explanation of context? (variation 77)
36. Which statement best describes components in React.js?

37. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
38. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
39. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
40. When working with React.js, why would a developer use conditional rendering? (variation 86)
41. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
42. When working with React.js, why would a developer use props? (variation 71)
43. What is the most accurate beginner-level explanation of state?
44. Which option is a correct use case for memoization in React.js? (variation 88)
45. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
46. Which option is a correct use case for memoization in React.js? (variation 78)
47. Which statement best describes components in React.js? (variation 350)
48. What is the most accurate beginner-level explanation of context?
49. Which statement best describes controlled inputs in React.js? (variation 75)
50. When working with React.js, why would a developer use props? (variation 351)
51. What is the most accurate beginner-level explanation of context? (variation 87)
52. Which statement best describes controlled inputs in React.js?
53. When working with React.js, why would a developer use props? (variation 101)
54. Which option is a correct use case for memoization in React.js? (variation 98)
55. Which statement best describes controlled inputs in React.js? (variation 355)

56. Which statement best describes controlled inputs in React.js? (variation 95)

57. When working with React.js, why would a developer use conditional rendering? (variation 96)

58. What is the most accurate beginner-level explanation of state? (variation 92)

59. A student says 'keys' is not relevant to real projects. What is the best correction?

60. Which option is a correct use case for `useEffect` in React.js? (variation 83)