

ICSE Previous Year Practice 2020 (2020)

Subject: General | Topic: React.js

1. Which statement best describes controlled inputs in React.js? (variation 95)
2. Which option is a correct use case for useEffect in React.js? (variation 83)
3. Which option is a correct use case for useEffect in React.js? (variation 103)
4. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
5. Which statement best describes controlled inputs in React.js? (variation 75)
6. Which statement best describes controlled inputs in React.js? (variation 85)
7. Which statement best describes components in React.js? (variation 70)
8. What is the most accurate beginner-level explanation of state?
9. Which option is a correct use case for memoization in React.js? (variation 98)
10. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
11. A student says 'keys' is not relevant to real projects. What is the best correction?
12. What is the most accurate beginner-level explanation of state? (variation 72)
13. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
14. When working with React.js, why would a developer use conditional rendering? (variation 86)
15. What is the most accurate beginner-level explanation of state? (variation 92)
16. When working with React.js, why would a developer use conditional rendering?
17. Which option is a correct use case for useEffect in React.js? (variation 353)

18. Which option is a correct use case for `useEffect` in React.js? (variation 93)
19. Which statement best describes components in React.js?
20. When working with React.js, why would a developer use props? (variation 71)
21. Which statement best describes controlled inputs in React.js? (variation 105)
22. Which option is a correct use case for memoization in React.js? (variation 78)
23. When working with React.js, why would a developer use conditional rendering? (variation 356)
24. When working with React.js, why would a developer use conditional rendering? (variation 106)
25. What is the most accurate beginner-level explanation of context? (variation 97)
26. What is the most accurate beginner-level explanation of context? (variation 357)
27. When working with React.js, why would a developer use props? (variation 351)
28. What is the most accurate beginner-level explanation of context?
29. Which option is a correct use case for `useEffect` in React.js? (variation 73)
30. Which option is a correct use case for memoization in React.js? (variation 88)
31. When working with React.js, why would a developer use props? (variation 101)
32. What is the most accurate beginner-level explanation of state? (variation 102)
33. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
34. Which statement best describes components in React.js? (variation 100)
35. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
36. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)

37. What is the most accurate beginner-level explanation of state? (variation 82)
38. When working with React.js, why would a developer use props?
39. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
40. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
41. What is the most accurate beginner-level explanation of context? (variation 87)
42. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
43. Which statement best describes components in React.js? (variation 80)
44. Which option is a correct use case for memoization in React.js? (variation 358)
45. Which option is a correct use case for memoization in React.js? (variation 108)
46. When working with React.js, why would a developer use props? (variation 91)
47. Which option is a correct use case for useEffect in React.js?
48. What is the most accurate beginner-level explanation of state? (variation 352)
49. Which option is a correct use case for memoization in React.js?
50. When working with React.js, why would a developer use conditional rendering? (variation 96)
51. Which statement best describes components in React.js? (variation 90)
52. Which statement best describes components in React.js? (variation 350)
53. A student says 'client routing' is not relevant to real projects. What is the best correction?
54. Which statement best describes controlled inputs in React.js? (variation 355)
55. When working with React.js, why would a developer use props? (variation 81)

56. When working with React.js, why would a developer use conditional rendering? (variation 76)
57. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
58. What is the most accurate beginner-level explanation of context? (variation 107)
59. What is the most accurate beginner-level explanation of context? (variation 77)
60. Which statement best describes controlled inputs in React.js?