

ICSE Previous Year Practice 2022 (2022)

Subject: General | Topic: React.js

1. What is the most accurate beginner-level explanation of state? (variation 92)
2. Which statement best describes controlled inputs in React.js? (variation 75)
3. Which statement best describes components in React.js? (variation 70)
4. A student says 'keys' is not relevant to real projects. What is the best correction?
5. Which statement best describes components in React.js?
6. Which option is a correct use case for useEffect in React.js? (variation 83)
7. When working with React.js, why would a developer use conditional rendering? (variation 356)
8. When working with React.js, why would a developer use conditional rendering? (variation 106)
9. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
10. What is the most accurate beginner-level explanation of state? (variation 82)
11. When working with React.js, why would a developer use conditional rendering?
12. Which option is a correct use case for memoization in React.js? (variation 98)
13. A student says 'client routing' is not relevant to real projects. What is the best correction?
14. Which statement best describes controlled inputs in React.js? (variation 95)
15. What is the most accurate beginner-level explanation of state? (variation 72)
16. Which statement best describes controlled inputs in React.js?
17. Which option is a correct use case for useEffect in React.js? (variation 93)

18. When working with React.js, why would a developer use props? (variation 101)
19. Which statement best describes components in React.js? (variation 80)
20. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
21. Which option is a correct use case for useEffect in React.js? (variation 103)
22. Which option is a correct use case for memoization in React.js? (variation 108)
23. What is the most accurate beginner-level explanation of context? (variation 77)
24. What is the most accurate beginner-level explanation of context? (variation 107)
25. When working with React.js, why would a developer use props? (variation 81)
26. Which option is a correct use case for memoization in React.js?
27. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
28. What is the most accurate beginner-level explanation of context? (variation 97)
29. What is the most accurate beginner-level explanation of context?
30. Which statement best describes components in React.js? (variation 100)
31. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
32. When working with React.js, why would a developer use conditional rendering? (variation 76)
33. Which option is a correct use case for useEffect in React.js? (variation 73)
34. Which statement best describes controlled inputs in React.js? (variation 85)
35. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
36. When working with React.js, why would a developer use props? (variation 91)

37. Which option is a correct use case for `useEffect` in `React.js`? (variation 353)
38. What is the most accurate beginner-level explanation of state? (variation 102)
39. When working with `React.js`, why would a developer use props? (variation 71)
40. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
41. When working with `React.js`, why would a developer use conditional rendering? (variation 96)
42. Which statement best describes components in `React.js`? (variation 90)
43. Which statement best describes controlled inputs in `React.js`? (variation 355)
44. Which option is a correct use case for memoization in `React.js`? (variation 358)
45. When working with `React.js`, why would a developer use props? (variation 351)
46. What is the most accurate beginner-level explanation of context? (variation 87)
47. Which option is a correct use case for `useEffect` in `React.js`?
48. Which statement best describes controlled inputs in `React.js`? (variation 105)
49. Which option is a correct use case for memoization in `React.js`? (variation 78)
50. What is the most accurate beginner-level explanation of state?
51. What is the most accurate beginner-level explanation of context? (variation 357)
52. Which statement best describes components in `React.js`? (variation 350)
53. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
54. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
55. When working with `React.js`, why would a developer use props?

56. What is the most accurate beginner-level explanation of state? (variation 352)

57. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)

58. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)

59. Which option is a correct use case for memoization in React.js? (variation 88)

60. When working with React.js, why would a developer use conditional rendering? (variation 86)