

State Board Previous Year Practice 2017 (2017)

Subject: General | Topic: React.js

1. What is the most accurate beginner-level explanation of context? (variation 357)
2. Which option is a correct use case for useEffect in React.js? (variation 83)
3. Which statement best describes components in React.js?
4. Which option is a correct use case for memoization in React.js? (variation 78)
5. Which statement best describes components in React.js? (variation 90)
6. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
7. Which statement best describes controlled inputs in React.js? (variation 85)
8. Which option is a correct use case for useEffect in React.js? (variation 93)
9. Which option is a correct use case for memoization in React.js? (variation 358)
10. Which statement best describes controlled inputs in React.js? (variation 355)
11. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
12. When working with React.js, why would a developer use conditional rendering? (variation 106)
13. When working with React.js, why would a developer use props? (variation 101)
14. What is the most accurate beginner-level explanation of state? (variation 102)
15. Which statement best describes controlled inputs in React.js? (variation 95)
16. Which statement best describes controlled inputs in React.js? (variation 105)
17. Which statement best describes controlled inputs in React.js? (variation 75)

18. What is the most accurate beginner-level explanation of state? (variation 352)
19. When working with React.js, why would a developer use conditional rendering? (variation 86)
20. Which statement best describes components in React.js? (variation 80)
21. When working with React.js, why would a developer use props? (variation 91)
22. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
23. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
24. Which option is a correct use case for memoization in React.js? (variation 108)
25. Which option is a correct use case for memoization in React.js? (variation 88)
26. Which option is a correct use case for useEffect in React.js? (variation 103)
27. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
28. Which option is a correct use case for memoization in React.js?
29. What is the most accurate beginner-level explanation of state? (variation 82)
30. When working with React.js, why would a developer use props?
31. What is the most accurate beginner-level explanation of context? (variation 87)
32. What is the most accurate beginner-level explanation of context?
33. A student says 'keys' is not relevant to real projects. What is the best correction?
34. Which option is a correct use case for useEffect in React.js?
35. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
36. What is the most accurate beginner-level explanation of state? (variation 92)

37. What is the most accurate beginner-level explanation of context? (variation 77)
38. A student says 'client routing' is not relevant to real projects. What is the best correction?
39. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
40. What is the most accurate beginner-level explanation of context? (variation 97)
41. Which statement best describes components in React.js? (variation 350)
42. What is the most accurate beginner-level explanation of state? (variation 72)
43. Which statement best describes components in React.js? (variation 100)
44. When working with React.js, why would a developer use conditional rendering? (variation 356)
45. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
46. What is the most accurate beginner-level explanation of state?
47. Which statement best describes controlled inputs in React.js?
48. When working with React.js, why would a developer use props? (variation 81)
49. Which option is a correct use case for useEffect in React.js? (variation 73)
50. When working with React.js, why would a developer use conditional rendering? (variation 76)
51. When working with React.js, why would a developer use props? (variation 71)
52. Which statement best describes components in React.js? (variation 70)
53. Which option is a correct use case for useEffect in React.js? (variation 353)
54. When working with React.js, why would a developer use props? (variation 351)
55. When working with React.js, why would a developer use conditional rendering? (variation 96)

56. What is the most accurate beginner-level explanation of context? (variation 107)

57. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)

58. When working with React.js, why would a developer use conditional rendering?

59. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)

60. Which option is a correct use case for memoization in React.js? (variation 98)