

State Board Previous Year Practice 2018 (2018)

Subject: General | Topic: React.js

1. Which statement best describes components in React.js?
2. Which statement best describes components in React.js? (variation 70)
3. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
4. Which statement best describes components in React.js? (variation 100)
5. When working with React.js, why would a developer use props? (variation 71)
6. When working with React.js, why would a developer use props? (variation 101)
7. What is the most accurate beginner-level explanation of state? (variation 102)
8. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
9. Which statement best describes controlled inputs in React.js? (variation 95)
10. When working with React.js, why would a developer use conditional rendering? (variation 96)
11. Which option is a correct use case for useEffect in React.js? (variation 103)
12. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
13. When working with React.js, why would a developer use conditional rendering? (variation 356)
14. When working with React.js, why would a developer use conditional rendering? (variation 106)
15. What is the most accurate beginner-level explanation of state? (variation 92)
16. What is the most accurate beginner-level explanation of context? (variation 87)
17. What is the most accurate beginner-level explanation of state? (variation 72)

18. Which statement best describes controlled inputs in React.js? (variation 75)
19. What is the most accurate beginner-level explanation of state?
20. Which statement best describes components in React.js? (variation 80)
21. When working with React.js, why would a developer use conditional rendering? (variation 76)
22. Which option is a correct use case for memoization in React.js? (variation 108)
23. When working with React.js, why would a developer use props? (variation 81)
24. Which option is a correct use case for memoization in React.js?
25. Which statement best describes controlled inputs in React.js? (variation 85)
26. When working with React.js, why would a developer use conditional rendering?
27. What is the most accurate beginner-level explanation of state? (variation 352)
28. Which option is a correct use case for memoization in React.js? (variation 78)
29. Which option is a correct use case for useEffect in React.js? (variation 93)
30. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
31. A student says 'client routing' is not relevant to real projects. What is the best correction?
32. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
33. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
34. Which option is a correct use case for useEffect in React.js? (variation 73)
35. Which statement best describes controlled inputs in React.js? (variation 105)
36. Which option is a correct use case for useEffect in React.js? (variation 353)

37. What is the most accurate beginner-level explanation of context?
38. A student says 'keys' is not relevant to real projects. What is the best correction?
39. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
40. What is the most accurate beginner-level explanation of state? (variation 82)
41. Which option is a correct use case for memoization in React.js? (variation 358)
42. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
43. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
44. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
45. Which option is a correct use case for memoization in React.js? (variation 88)
46. When working with React.js, why would a developer use props? (variation 91)
47. Which option is a correct use case for memoization in React.js? (variation 98)
48. Which statement best describes controlled inputs in React.js? (variation 355)
49. Which statement best describes controlled inputs in React.js?
50. Which statement best describes components in React.js? (variation 90)
51. Which statement best describes components in React.js? (variation 350)
52. When working with React.js, why would a developer use props? (variation 351)
53. Which option is a correct use case for useEffect in React.js? (variation 83)
54. When working with React.js, why would a developer use props?
55. What is the most accurate beginner-level explanation of context? (variation 77)

56. When working with React.js, why would a developer use conditional rendering? (variation 86)

57. What is the most accurate beginner-level explanation of context? (variation 357)

58. What is the most accurate beginner-level explanation of context? (variation 107)

59. What is the most accurate beginner-level explanation of context? (variation 97)

60. Which option is a correct use case for useEffect in React.js?