

State Board Previous Year Practice 2019 (2019)

Subject: General | Topic: React.js

1. Which option is a correct use case for useEffect in React.js?
2. Which statement best describes controlled inputs in React.js? (variation 95)
3. Which option is a correct use case for memoization in React.js? (variation 108)
4. Which option is a correct use case for memoization in React.js? (variation 88)
5. When working with React.js, why would a developer use conditional rendering? (variation 96)
6. What is the most accurate beginner-level explanation of state? (variation 352)
7. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
8. Which statement best describes controlled inputs in React.js?
9. What is the most accurate beginner-level explanation of state? (variation 82)
10. Which option is a correct use case for useEffect in React.js? (variation 83)
11. Which statement best describes controlled inputs in React.js? (variation 75)
12. Which statement best describes components in React.js? (variation 350)
13. Which option is a correct use case for useEffect in React.js? (variation 353)
14. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
15. Which option is a correct use case for memoization in React.js? (variation 78)
16. Which option is a correct use case for useEffect in React.js? (variation 103)
17. Which statement best describes controlled inputs in React.js? (variation 105)

18. When working with React.js, why would a developer use props? (variation 351)
19. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
20. What is the most accurate beginner-level explanation of context? (variation 87)
21. When working with React.js, why would a developer use conditional rendering? (variation 86)
22. A student says 'keys' is not relevant to real projects. What is the best correction?
23. What is the most accurate beginner-level explanation of context? (variation 97)
24. When working with React.js, why would a developer use props? (variation 91)
25. When working with React.js, why would a developer use props?
26. When working with React.js, why would a developer use conditional rendering? (variation 356)
27. Which statement best describes components in React.js? (variation 100)
28. Which statement best describes controlled inputs in React.js? (variation 85)
29. When working with React.js, why would a developer use conditional rendering? (variation 76)
30. Which statement best describes components in React.js? (variation 80)
31. When working with React.js, why would a developer use conditional rendering? (variation 106)
32. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
33. What is the most accurate beginner-level explanation of state? (variation 102)
34. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
35. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
36. When working with React.js, why would a developer use conditional rendering?

37. When working with React.js, why would a developer use props? (variation 71)
38. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
39. What is the most accurate beginner-level explanation of state? (variation 72)
40. Which statement best describes controlled inputs in React.js? (variation 355)
41. Which statement best describes components in React.js? (variation 70)
42. When working with React.js, why would a developer use props? (variation 101)
43. What is the most accurate beginner-level explanation of state? (variation 92)
44. What is the most accurate beginner-level explanation of context? (variation 107)
45. What is the most accurate beginner-level explanation of context? (variation 77)
46. Which option is a correct use case for memoization in React.js? (variation 98)
47. Which statement best describes components in React.js? (variation 90)
48. Which option is a correct use case for memoization in React.js? (variation 358)
49. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
50. Which option is a correct use case for useEffect in React.js? (variation 93)
51. What is the most accurate beginner-level explanation of state?
52. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
53. When working with React.js, why would a developer use props? (variation 81)
54. Which statement best describes components in React.js?
55. Which option is a correct use case for memoization in React.js?

56. Which option is a correct use case for `useEffect` in `React.js`? (variation 73)

57. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)

58. A student says 'client routing' is not relevant to real projects. What is the best correction?

59. What is the most accurate beginner-level explanation of context?

60. What is the most accurate beginner-level explanation of context? (variation 357)