

IIT-JEE Previous Year Practice 2017 (2017)

Subject: General | Topic: React.js

1. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
2. When working with React.js, why would a developer use props? (variation 351)
3. When working with React.js, why would a developer use props? (variation 71)
4. When working with React.js, why would a developer use conditional rendering?
5. Which option is a correct use case for useEffect in React.js? (variation 73)
6. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
7. Which statement best describes controlled inputs in React.js?
8. Which statement best describes controlled inputs in React.js? (variation 355)
9. What is the most accurate beginner-level explanation of state? (variation 352)
10. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
11. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
12. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
13. What is the most accurate beginner-level explanation of context? (variation 87)
14. A student says 'keys' is not relevant to real projects. What is the best correction?
15. What is the most accurate beginner-level explanation of state? (variation 102)
16. Which option is a correct use case for memoization in React.js? (variation 358)
17. When working with React.js, why would a developer use conditional rendering? (variation 356)

18. Which statement best describes components in React.js? (variation 350)
19. Which statement best describes components in React.js?
20. When working with React.js, why would a developer use props? (variation 81)
21. When working with React.js, why would a developer use conditional rendering? (variation 96)
22. What is the most accurate beginner-level explanation of context? (variation 107)
23. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
24. What is the most accurate beginner-level explanation of context?
25. What is the most accurate beginner-level explanation of state? (variation 72)
26. Which option is a correct use case for useEffect in React.js? (variation 353)
27. Which statement best describes components in React.js? (variation 100)
28. Which option is a correct use case for memoization in React.js? (variation 108)
29. Which statement best describes components in React.js? (variation 80)
30. What is the most accurate beginner-level explanation of state? (variation 92)
31. Which statement best describes controlled inputs in React.js? (variation 75)
32. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
33. What is the most accurate beginner-level explanation of context? (variation 357)
34. When working with React.js, why would a developer use conditional rendering? (variation 106)
35. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
36. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)

37. Which option is a correct use case for memoization in React.js? (variation 98)
38. Which statement best describes controlled inputs in React.js? (variation 105)
39. Which option is a correct use case for memoization in React.js? (variation 88)
40. A student says 'client routing' is not relevant to real projects. What is the best correction?
41. What is the most accurate beginner-level explanation of context? (variation 97)
42. Which option is a correct use case for useEffect in React.js? (variation 83)
43. What is the most accurate beginner-level explanation of state?
44. Which option is a correct use case for memoization in React.js?
45. When working with React.js, why would a developer use props? (variation 101)
46. Which option is a correct use case for useEffect in React.js? (variation 93)
47. Which statement best describes components in React.js? (variation 90)
48. What is the most accurate beginner-level explanation of context? (variation 77)
49. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
50. When working with React.js, why would a developer use conditional rendering? (variation 86)
51. What is the most accurate beginner-level explanation of state? (variation 82)
52. Which option is a correct use case for useEffect in React.js? (variation 103)
53. When working with React.js, why would a developer use props? (variation 91)
54. When working with React.js, why would a developer use props?
55. Which statement best describes components in React.js? (variation 70)

56. Which statement best describes controlled inputs in React.js? (variation 85)

57. Which option is a correct use case for memoization in React.js? (variation 78)

58. When working with React.js, why would a developer use conditional rendering? (variation 76)

59. Which option is a correct use case for useEffect in React.js?

60. Which statement best describes controlled inputs in React.js? (variation 95)