

IIT-JEE Previous Year Practice 2018 (2018)

Subject: General | Topic: React.js

1. Which option is a correct use case for memoization in React.js? (variation 78)
2. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
3. Which option is a correct use case for memoization in React.js? (variation 98)
4. When working with React.js, why would a developer use props? (variation 71)
5. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
6. When working with React.js, why would a developer use conditional rendering?
7. What is the most accurate beginner-level explanation of context? (variation 87)
8. A student says 'keys' is not relevant to real projects. What is the best correction?
9. What is the most accurate beginner-level explanation of context? (variation 97)
10. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
11. When working with React.js, why would a developer use props? (variation 81)
12. A student says 'client routing' is not relevant to real projects. What is the best correction?
13. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
14. When working with React.js, why would a developer use conditional rendering? (variation 76)
15. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
16. Which statement best describes components in React.js? (variation 100)
17. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)

18. Which option is a correct use case for `useEffect` in `React.js`? (variation 93)
19. Which option is a correct use case for `useEffect` in `React.js`?
20. What is the most accurate beginner-level explanation of context? (variation 357)
21. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
22. Which option is a correct use case for memoization in `React.js`?
23. When working with `React.js`, why would a developer use props? (variation 101)
24. What is the most accurate beginner-level explanation of state? (variation 102)
25. Which statement best describes components in `React.js`? (variation 90)
26. What is the most accurate beginner-level explanation of context?
27. Which option is a correct use case for memoization in `React.js`? (variation 358)
28. When working with `React.js`, why would a developer use props?
29. Which statement best describes controlled inputs in `React.js`? (variation 85)
30. What is the most accurate beginner-level explanation of state? (variation 92)
31. What is the most accurate beginner-level explanation of state? (variation 82)
32. When working with `React.js`, why would a developer use conditional rendering? (variation 86)
33. Which statement best describes controlled inputs in `React.js`? (variation 95)
34. What is the most accurate beginner-level explanation of context? (variation 77)
35. Which statement best describes controlled inputs in `React.js`? (variation 355)
36. When working with `React.js`, why would a developer use props? (variation 91)

37. When working with React.js, why would a developer use conditional rendering? (variation 96)
38. Which option is a correct use case for useEffect in React.js? (variation 73)
39. Which statement best describes controlled inputs in React.js? (variation 75)
40. What is the most accurate beginner-level explanation of context? (variation 107)
41. When working with React.js, why would a developer use conditional rendering? (variation 356)
42. Which statement best describes components in React.js? (variation 80)
43. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
44. Which statement best describes controlled inputs in React.js? (variation 105)
45. Which option is a correct use case for useEffect in React.js? (variation 103)
46. Which option is a correct use case for useEffect in React.js? (variation 83)
47. Which option is a correct use case for memoization in React.js? (variation 88)
48. Which statement best describes components in React.js? (variation 350)
49. Which statement best describes components in React.js? (variation 70)
50. Which statement best describes components in React.js?
51. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
52. When working with React.js, why would a developer use props? (variation 351)
53. What is the most accurate beginner-level explanation of state?
54. What is the most accurate beginner-level explanation of state? (variation 72)
55. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)

56. Which option is a correct use case for memoization in React.js? (variation 108)
57. What is the most accurate beginner-level explanation of state? (variation 352)
58. When working with React.js, why would a developer use conditional rendering? (variation 106)
59. Which statement best describes controlled inputs in React.js?
60. Which option is a correct use case for useEffect in React.js? (variation 353)