

# IIT-JEE Previous Year Practice 2026 (2026)

Subject: General | Topic: React.js

1. What is the most accurate beginner-level explanation of state? (variation 102)
2. Which option is a correct use case for useEffect in React.js? (variation 93)
3. Which option is a correct use case for useEffect in React.js? (variation 353)
4. When working with React.js, why would a developer use props?
5. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
6. What is the most accurate beginner-level explanation of context? (variation 107)
7. Which statement best describes controlled inputs in React.js?
8. Which statement best describes components in React.js? (variation 350)
9. Which option is a correct use case for memoization in React.js? (variation 78)
10. Which statement best describes components in React.js? (variation 70)
11. When working with React.js, why would a developer use props? (variation 91)
12. Which statement best describes components in React.js? (variation 90)
13. When working with React.js, why would a developer use conditional rendering? (variation 76)
14. Which statement best describes components in React.js? (variation 100)
15. Which option is a correct use case for useEffect in React.js? (variation 103)
16. Which option is a correct use case for useEffect in React.js? (variation 73)
17. What is the most accurate beginner-level explanation of context? (variation 357)

18. Which statement best describes controlled inputs in React.js? (variation 85)
19. What is the most accurate beginner-level explanation of state? (variation 72)
20. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
21. A student says 'client routing' is not relevant to real projects. What is the best correction?
22. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
23. When working with React.js, why would a developer use conditional rendering?
24. Which option is a correct use case for useEffect in React.js?
25. What is the most accurate beginner-level explanation of context? (variation 97)
26. Which statement best describes controlled inputs in React.js? (variation 95)
27. Which statement best describes controlled inputs in React.js? (variation 355)
28. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
29. When working with React.js, why would a developer use conditional rendering? (variation 106)
30. Which statement best describes components in React.js?
31. Which option is a correct use case for useEffect in React.js? (variation 83)
32. Which option is a correct use case for memoization in React.js? (variation 88)
33. Which option is a correct use case for memoization in React.js? (variation 108)
34. When working with React.js, why would a developer use props? (variation 81)
35. When working with React.js, why would a developer use props? (variation 351)
36. What is the most accurate beginner-level explanation of state? (variation 352)

37. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
38. When working with React.js, why would a developer use conditional rendering? (variation 356)
39. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
40. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
41. What is the most accurate beginner-level explanation of state?
42. Which option is a correct use case for memoization in React.js? (variation 358)
43. When working with React.js, why would a developer use props? (variation 71)
44. When working with React.js, why would a developer use conditional rendering? (variation 86)
45. When working with React.js, why would a developer use props? (variation 101)
46. A student says 'keys' is not relevant to real projects. What is the best correction?
47. Which statement best describes components in React.js? (variation 80)
48. Which statement best describes controlled inputs in React.js? (variation 75)
49. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
50. What is the most accurate beginner-level explanation of context?
51. What is the most accurate beginner-level explanation of context? (variation 87)
52. Which option is a correct use case for memoization in React.js?
53. Which statement best describes controlled inputs in React.js? (variation 105)
54. What is the most accurate beginner-level explanation of context? (variation 77)
55. Which option is a correct use case for memoization in React.js? (variation 98)

56. When working with React.js, why would a developer use conditional rendering? (variation 96)
57. What is the most accurate beginner-level explanation of state? (variation 92)
58. What is the most accurate beginner-level explanation of state? (variation 82)
59. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
60. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)