

NEET Previous Year Practice 2017 (2017)

Subject: General | Topic: React.js

1. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
2. Which option is a correct use case for memoization in React.js? (variation 98)
3. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
4. When working with React.js, why would a developer use conditional rendering? (variation 356)
5. What is the most accurate beginner-level explanation of state?
6. A student says 'client routing' is not relevant to real projects. What is the best correction?
7. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
8. When working with React.js, why would a developer use props? (variation 351)
9. What is the most accurate beginner-level explanation of context?
10. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
11. Which statement best describes controlled inputs in React.js? (variation 355)
12. When working with React.js, why would a developer use props? (variation 91)
13. What is the most accurate beginner-level explanation of context? (variation 97)
14. Which option is a correct use case for memoization in React.js? (variation 88)
15. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
16. Which statement best describes components in React.js?
17. When working with React.js, why would a developer use props?

18. Which statement best describes controlled inputs in React.js? (variation 85)
19. Which option is a correct use case for useEffect in React.js?
20. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
21. When working with React.js, why would a developer use props? (variation 81)
22. Which statement best describes components in React.js? (variation 70)
23. Which option is a correct use case for useEffect in React.js? (variation 353)
24. When working with React.js, why would a developer use props? (variation 71)
25. When working with React.js, why would a developer use conditional rendering? (variation 106)
26. Which statement best describes controlled inputs in React.js? (variation 105)
27. What is the most accurate beginner-level explanation of context? (variation 357)
28. Which option is a correct use case for useEffect in React.js? (variation 73)
29. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
30. When working with React.js, why would a developer use conditional rendering? (variation 96)
31. Which option is a correct use case for useEffect in React.js? (variation 83)
32. Which statement best describes components in React.js? (variation 90)
33. What is the most accurate beginner-level explanation of state? (variation 82)
34. What is the most accurate beginner-level explanation of state? (variation 72)
35. What is the most accurate beginner-level explanation of context? (variation 87)
36. What is the most accurate beginner-level explanation of context? (variation 77)

37. Which statement best describes controlled inputs in React.js?
38. When working with React.js, why would a developer use conditional rendering? (variation 86)
39. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
40. When working with React.js, why would a developer use conditional rendering?
41. When working with React.js, why would a developer use props? (variation 101)
42. Which option is a correct use case for memoization in React.js?
43. Which option is a correct use case for useEffect in React.js? (variation 93)
44. Which statement best describes controlled inputs in React.js? (variation 75)
45. Which statement best describes controlled inputs in React.js? (variation 95)
46. Which option is a correct use case for memoization in React.js? (variation 108)
47. Which statement best describes components in React.js? (variation 350)
48. Which option is a correct use case for memoization in React.js? (variation 78)
49. What is the most accurate beginner-level explanation of state? (variation 352)
50. When working with React.js, why would a developer use conditional rendering? (variation 76)
51. Which option is a correct use case for memoization in React.js? (variation 358)
52. Which statement best describes components in React.js? (variation 80)
53. A student says 'keys' is not relevant to real projects. What is the best correction?
54. What is the most accurate beginner-level explanation of context? (variation 107)
55. What is the most accurate beginner-level explanation of state? (variation 102)

56. Which option is a correct use case for `useEffect` in `React.js`? (variation 103)

57. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)

58. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)

59. What is the most accurate beginner-level explanation of state? (variation 92)

60. Which statement best describes components in `React.js`? (variation 100)