

University Exams Previous Year Practice 2019 (2019)

Subject: General | Topic: DevOps

1. When working with DevOps, why would a developer use infrastructure as code? (variation 91)
2. When working with DevOps, why would a developer use rollback? (variation 106)
3. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 84)
4. When working with DevOps, why would a developer use infrastructure as code? (variation 81)
5. Which option is a correct use case for Kubernetes deployments in DevOps? (variation 353)
6. Which option is a correct use case for logs in DevOps? (variation 93)
7. Which option is a correct use case for logs in DevOps? (variation 83)
8. A student says 'infrastructure as code' is not relevant to real projects. What is the best correction?
9. What is the most accurate beginner-level explanation of continuous integration? (variation 87)
10. When working with DevOps, why would a developer use rollback? (variation 86)
11. What is the most accurate beginner-level explanation of blue-green deployments? (variation 92)
12. Which statement best describes Kubernetes deployments in DevOps? (variation 100)
13. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 79)
14. What is the most accurate beginner-level explanation of Docker images?
15. Which option is a correct use case for continuous delivery in DevOps? (variation 98)
16. Which statement best describes Kubernetes deployments in DevOps? (variation 110)
17. Which statement best describes Kubernetes deployments in DevOps? (variation 80)

18. What is the most accurate beginner-level explanation of blue-green deployments? (variation 102)
19. A student says 'rollback' is not relevant to real projects. What is the best correction?
20. Which statement best describes Kubernetes deployments in DevOps? (variation 90)
21. When working with DevOps, why would a developer use continuous delivery? (variation 351)
22. Which option is a correct use case for logs in DevOps? (variation 103)
23. Which statement best describes continuous integration in DevOps? (variation 350)
24. Which statement best describes blue-green deployments in DevOps? (variation 355)
25. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 104)
26. Which option is a correct use case for continuous delivery in DevOps? (variation 88)
27. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 94)
28. Which statement best describes alerts in DevOps? (variation 115)
29. A student says 'rollback' is not relevant to real projects. What is the best correction? (variation 359)
30. What is the most accurate beginner-level explanation of continuous integration? (variation 77)
31. What is the most accurate beginner-level explanation of continuous integration? (variation 97)
32. When working with DevOps, why would a developer use continuous delivery?
33. What is the most accurate beginner-level explanation of continuous integration? (variation 107)
34. What is the most accurate beginner-level explanation of metrics?
35. Which statement best describes alerts in DevOps? (variation 105)
36. A student says 'infrastructure as code' is not relevant to real projects. What is the best correction? (variation 354)

37. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 89)
38. Which statement best describes alerts in DevOps? (variation 95)
39. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 109)
40. What is the most accurate beginner-level explanation of metrics? (variation 357)
41. Which option is a correct use case for alerts in DevOps? (variation 358)
42. Which option is a correct use case for logs in DevOps? (variation 113)
43. Which option is a correct use case for continuous delivery in DevOps? (variation 108)
44. When working with DevOps, why would a developer use logs?
45. A student says 'metrics' is not relevant to real projects. What is the best correction? (variation 114)
46. What is the most accurate beginner-level explanation of blue-green deployments? (variation 112)
47. Which option is a correct use case for Kubernetes deployments in DevOps?
48. When working with DevOps, why would a developer use infrastructure as code? (variation 101)
49. When working with DevOps, why would a developer use rollback? (variation 96)
50. What is the most accurate beginner-level explanation of Docker images? (variation 352)
51. When working with DevOps, why would a developer use infrastructure as code? (variation 111)
52. A student says 'Docker images' is not relevant to real projects. What is the best correction? (variation 99)
53. What is the most accurate beginner-level explanation of blue-green deployments? (variation 82)
54. Which statement best describes continuous integration in DevOps?
55. [AI_TEST_DB_SAVE] What is 2+2?

56. Which statement best describes blue-green deployments in DevOps?

57. Which option is a correct use case for alerts in DevOps?

58. Which statement best describes alerts in DevOps? (variation 85)

59. Which option is a correct use case for continuous delivery in DevOps? (variation 78)

60. When working with DevOps, why would a developer use logs? (variation 356)