

NEET Previous Year Practice 2018 (2018)

Subject: General | Topic: React.js

1. Which statement best describes components in React.js? (variation 70)
2. Which statement best describes controlled inputs in React.js? (variation 355)
3. Which option is a correct use case for memoization in React.js? (variation 78)
4. When working with React.js, why would a developer use conditional rendering? (variation 106)
5. What is the most accurate beginner-level explanation of context? (variation 97)
6. When working with React.js, why would a developer use props? (variation 101)
7. Which statement best describes controlled inputs in React.js?
8. When working with React.js, why would a developer use conditional rendering? (variation 96)
9. Which option is a correct use case for useEffect in React.js? (variation 93)
10. What is the most accurate beginner-level explanation of state? (variation 102)
11. What is the most accurate beginner-level explanation of context? (variation 77)
12. Which option is a correct use case for memoization in React.js? (variation 98)
13. When working with React.js, why would a developer use props?
14. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
15. Which statement best describes components in React.js? (variation 90)
16. When working with React.js, why would a developer use conditional rendering? (variation 86)
17. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)

18. What is the most accurate beginner-level explanation of context? (variation 107)
19. Which option is a correct use case for memoization in React.js?
20. Which option is a correct use case for useEffect in React.js? (variation 353)
21. What is the most accurate beginner-level explanation of context?
22. When working with React.js, why would a developer use conditional rendering? (variation 76)
23. What is the most accurate beginner-level explanation of context? (variation 357)
24. Which option is a correct use case for useEffect in React.js?
25. When working with React.js, why would a developer use props? (variation 91)
26. Which option is a correct use case for memoization in React.js? (variation 108)
27. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
28. A student says 'keys' is not relevant to real projects. What is the best correction?
29. Which statement best describes components in React.js? (variation 350)
30. What is the most accurate beginner-level explanation of state?
31. When working with React.js, why would a developer use conditional rendering?
32. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
33. What is the most accurate beginner-level explanation of state? (variation 72)
34. When working with React.js, why would a developer use props? (variation 351)
35. Which option is a correct use case for useEffect in React.js? (variation 83)
36. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)

37. Which statement best describes controlled inputs in React.js? (variation 85)
38. Which statement best describes controlled inputs in React.js? (variation 95)
39. Which statement best describes components in React.js?
40. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
41. Which statement best describes components in React.js? (variation 100)
42. Which statement best describes components in React.js? (variation 80)
43. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
44. Which option is a correct use case for memoization in React.js? (variation 358)
45. What is the most accurate beginner-level explanation of state? (variation 352)
46. What is the most accurate beginner-level explanation of state? (variation 82)
47. Which statement best describes controlled inputs in React.js? (variation 75)
48. A student says 'client routing' is not relevant to real projects. What is the best correction?
49. When working with React.js, why would a developer use conditional rendering? (variation 356)
50. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
51. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
52. Which option is a correct use case for memoization in React.js? (variation 88)
53. Which option is a correct use case for useEffect in React.js? (variation 103)
54. What is the most accurate beginner-level explanation of context? (variation 87)
55. When working with React.js, why would a developer use props? (variation 71)

56. When working with React.js, why would a developer use props? (variation 81)
57. Which option is a correct use case for useEffect in React.js? (variation 73)
58. Which statement best describes controlled inputs in React.js? (variation 105)
59. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
60. What is the most accurate beginner-level explanation of state? (variation 92)