

NEET Previous Year Practice 2019 (2019)

Subject: General | Topic: React.js

1. A student says 'keys' is not relevant to real projects. What is the best correction?
2. Which statement best describes controlled inputs in React.js? (variation 95)
3. Which option is a correct use case for useEffect in React.js?
4. What is the most accurate beginner-level explanation of state? (variation 92)
5. What is the most accurate beginner-level explanation of context? (variation 87)
6. Which option is a correct use case for memoization in React.js? (variation 88)
7. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
8. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
9. What is the most accurate beginner-level explanation of context? (variation 97)
10. When working with React.js, why would a developer use props? (variation 81)
11. When working with React.js, why would a developer use props? (variation 71)
12. When working with React.js, why would a developer use conditional rendering? (variation 86)
13. Which option is a correct use case for useEffect in React.js? (variation 73)
14. Which statement best describes controlled inputs in React.js? (variation 105)
15. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
16. What is the most accurate beginner-level explanation of context?
17. Which statement best describes components in React.js? (variation 350)

18. What is the most accurate beginner-level explanation of state? (variation 82)
19. Which option is a correct use case for useEffect in React.js? (variation 83)
20. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
21. Which option is a correct use case for memoization in React.js? (variation 108)
22. Which option is a correct use case for useEffect in React.js? (variation 103)
23. When working with React.js, why would a developer use conditional rendering? (variation 76)
24. Which option is a correct use case for memoization in React.js? (variation 98)
25. What is the most accurate beginner-level explanation of state? (variation 102)
26. What is the most accurate beginner-level explanation of state? (variation 352)
27. What is the most accurate beginner-level explanation of state?
28. What is the most accurate beginner-level explanation of context? (variation 107)
29. When working with React.js, why would a developer use props? (variation 91)
30. When working with React.js, why would a developer use conditional rendering? (variation 96)
31. A student says 'client routing' is not relevant to real projects. What is the best correction?
32. Which option is a correct use case for useEffect in React.js? (variation 353)
33. What is the most accurate beginner-level explanation of context? (variation 77)
34. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
35. When working with React.js, why would a developer use conditional rendering? (variation 356)
36. Which statement best describes controlled inputs in React.js?

37. What is the most accurate beginner-level explanation of context? (variation 357)
38. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
39. When working with React.js, why would a developer use conditional rendering?
40. Which statement best describes controlled inputs in React.js? (variation 85)
41. What is the most accurate beginner-level explanation of state? (variation 72)
42. Which statement best describes components in React.js? (variation 70)
43. Which option is a correct use case for memoization in React.js? (variation 358)
44. Which option is a correct use case for memoization in React.js? (variation 78)
45. When working with React.js, why would a developer use conditional rendering? (variation 106)
46. Which statement best describes controlled inputs in React.js? (variation 75)
47. Which statement best describes components in React.js?
48. Which statement best describes components in React.js? (variation 90)
49. When working with React.js, why would a developer use props? (variation 351)
50. When working with React.js, why would a developer use props?
51. Which option is a correct use case for useEffect in React.js? (variation 93)
52. Which statement best describes components in React.js? (variation 100)
53. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
54. Which statement best describes components in React.js? (variation 80)
55. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)

56. Which option is a correct use case for memoization in React.js?

57. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)

58. When working with React.js, why would a developer use props? (variation 101)

59. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)

60. Which statement best describes controlled inputs in React.js? (variation 355)