

NEET Previous Year Practice 2024 (2024)

Subject: General | Topic: React.js

1. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
2. What is the most accurate beginner-level explanation of state? (variation 82)
3. When working with React.js, why would a developer use props? (variation 71)
4. Which statement best describes components in React.js? (variation 350)
5. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)
6. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
7. When working with React.js, why would a developer use props? (variation 91)
8. What is the most accurate beginner-level explanation of state?
9. A student says 'keys' is not relevant to real projects. What is the best correction?
10. Which statement best describes components in React.js? (variation 70)
11. When working with React.js, why would a developer use props? (variation 101)
12. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
13. What is the most accurate beginner-level explanation of context? (variation 77)
14. Which statement best describes controlled inputs in React.js? (variation 355)
15. What is the most accurate beginner-level explanation of context? (variation 87)
16. Which statement best describes controlled inputs in React.js? (variation 95)
17. What is the most accurate beginner-level explanation of state? (variation 102)

18. Which option is a correct use case for `useEffect` in `React.js`?
19. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
20. Which option is a correct use case for `useEffect` in `React.js`? (variation 83)
21. Which statement best describes controlled inputs in `React.js`?
22. Which option is a correct use case for `useEffect` in `React.js`? (variation 353)
23. What is the most accurate beginner-level explanation of state? (variation 72)
24. When working with `React.js`, why would a developer use props? (variation 351)
25. When working with `React.js`, why would a developer use conditional rendering? (variation 356)
26. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
27. Which option is a correct use case for `useEffect` in `React.js`? (variation 93)
28. Which option is a correct use case for memoization in `React.js`? (variation 108)
29. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
30. When working with `React.js`, why would a developer use conditional rendering? (variation 106)
31. Which option is a correct use case for `useEffect` in `React.js`? (variation 103)
32. Which statement best describes controlled inputs in `React.js`? (variation 85)
33. When working with `React.js`, why would a developer use conditional rendering? (variation 96)
34. What is the most accurate beginner-level explanation of context? (variation 97)
35. Which statement best describes components in `React.js`?
36. When working with `React.js`, why would a developer use conditional rendering? (variation 86)

37. What is the most accurate beginner-level explanation of context? (variation 107)
38. Which statement best describes components in React.js? (variation 80)
39. Which option is a correct use case for memoization in React.js? (variation 78)
40. What is the most accurate beginner-level explanation of context?
41. What is the most accurate beginner-level explanation of state? (variation 92)
42. What is the most accurate beginner-level explanation of state? (variation 352)
43. When working with React.js, why would a developer use conditional rendering? (variation 76)
44. Which statement best describes controlled inputs in React.js? (variation 75)
45. What is the most accurate beginner-level explanation of context? (variation 357)
46. Which option is a correct use case for memoization in React.js? (variation 358)
47. When working with React.js, why would a developer use props?
48. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
49. Which statement best describes controlled inputs in React.js? (variation 105)
50. Which option is a correct use case for memoization in React.js? (variation 98)
51. Which option is a correct use case for memoization in React.js?
52. When working with React.js, why would a developer use props? (variation 81)
53. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
54. Which statement best describes components in React.js? (variation 100)
55. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)

56. A student says 'client routing' is not relevant to real projects. What is the best correction?

57. Which option is a correct use case for memoization in React.js? (variation 88)

58. Which option is a correct use case for useEffect in React.js? (variation 73)

59. Which statement best describes components in React.js? (variation 90)

60. When working with React.js, why would a developer use conditional rendering?