

UPSC Previous Year Practice 2017 (2017)

Subject: General | Topic: React.js

1. Which option is a correct use case for memoization in React.js? (variation 98)
2. What is the most accurate beginner-level explanation of state? (variation 92)
3. When working with React.js, why would a developer use props? (variation 101)
4. Which option is a correct use case for useEffect in React.js?
5. What is the most accurate beginner-level explanation of state?
6. What is the most accurate beginner-level explanation of context? (variation 97)
7. Which option is a correct use case for memoization in React.js? (variation 358)
8. Which option is a correct use case for memoization in React.js?
9. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
10. When working with React.js, why would a developer use conditional rendering?
11. Which statement best describes components in React.js? (variation 70)
12. Which option is a correct use case for memoization in React.js? (variation 108)
13. When working with React.js, why would a developer use conditional rendering? (variation 356)
14. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
15. Which option is a correct use case for useEffect in React.js? (variation 103)
16. Which statement best describes components in React.js? (variation 100)
17. What is the most accurate beginner-level explanation of state? (variation 102)

18. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
19. Which option is a correct use case for useEffect in React.js? (variation 93)
20. Which statement best describes controlled inputs in React.js?
21. What is the most accurate beginner-level explanation of context? (variation 357)
22. Which statement best describes controlled inputs in React.js? (variation 75)
23. When working with React.js, why would a developer use props? (variation 81)
24. Which statement best describes controlled inputs in React.js? (variation 85)
25. Which statement best describes components in React.js? (variation 90)
26. Which option is a correct use case for memoization in React.js? (variation 88)
27. What is the most accurate beginner-level explanation of context? (variation 87)
28. When working with React.js, why would a developer use conditional rendering? (variation 76)
29. A student says 'client routing' is not relevant to real projects. What is the best correction?
30. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
31. When working with React.js, why would a developer use props? (variation 351)
32. Which statement best describes components in React.js? (variation 350)
33. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
34. What is the most accurate beginner-level explanation of state? (variation 82)
35. When working with React.js, why would a developer use conditional rendering? (variation 86)
36. A student says 'keys' is not relevant to real projects. What is the best correction?

37. What is the most accurate beginner-level explanation of context? (variation 77)
38. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
39. When working with React.js, why would a developer use conditional rendering? (variation 106)
40. What is the most accurate beginner-level explanation of context?
41. When working with React.js, why would a developer use props? (variation 91)
42. Which statement best describes controlled inputs in React.js? (variation 355)
43. Which statement best describes controlled inputs in React.js? (variation 105)
44. Which statement best describes controlled inputs in React.js? (variation 95)
45. What is the most accurate beginner-level explanation of context? (variation 107)
46. When working with React.js, why would a developer use conditional rendering? (variation 96)
47. Which option is a correct use case for memoization in React.js? (variation 78)
48. When working with React.js, why would a developer use props? (variation 71)
49. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
50. Which option is a correct use case for useEffect in React.js? (variation 353)
51. When working with React.js, why would a developer use props?
52. Which statement best describes components in React.js?
53. What is the most accurate beginner-level explanation of state? (variation 72)
54. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
55. Which statement best describes components in React.js? (variation 80)

56. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)

57. Which option is a correct use case for `useEffect` in `React.js`? (variation 83)

58. What is the most accurate beginner-level explanation of state? (variation 352)

59. Which option is a correct use case for `useEffect` in `React.js`? (variation 73)

60. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)