

UPSC Previous Year Practice 2020 (2020)

Subject: General | Topic: React.js

1. When working with React.js, why would a developer use props? (variation 71)
2. Which statement best describes components in React.js? (variation 100)
3. When working with React.js, why would a developer use props? (variation 91)
4. Which option is a correct use case for memoization in React.js? (variation 98)
5. Which option is a correct use case for useEffect in React.js? (variation 73)
6. What is the most accurate beginner-level explanation of context?
7. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 359)
8. Which option is a correct use case for useEffect in React.js?
9. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 84)
10. When working with React.js, why would a developer use conditional rendering? (variation 86)
11. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 104)
12. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 79)
13. Which option is a correct use case for useEffect in React.js? (variation 83)
14. Which statement best describes components in React.js? (variation 80)
15. Which statement best describes controlled inputs in React.js? (variation 355)
16. Which statement best describes components in React.js? (variation 70)
17. Which statement best describes components in React.js?

18. Which option is a correct use case for memoization in React.js? (variation 78)
19. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 354)
20. When working with React.js, why would a developer use props? (variation 351)
21. When working with React.js, why would a developer use props? (variation 101)
22. What is the most accurate beginner-level explanation of context? (variation 107)
23. Which statement best describes components in React.js? (variation 350)
24. When working with React.js, why would a developer use conditional rendering? (variation 106)
25. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 74)
26. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 89)
27. What is the most accurate beginner-level explanation of state? (variation 82)
28. When working with React.js, why would a developer use conditional rendering? (variation 96)
29. Which option is a correct use case for memoization in React.js?
30. When working with React.js, why would a developer use conditional rendering? (variation 76)
31. Which statement best describes controlled inputs in React.js? (variation 75)
32. Which option is a correct use case for memoization in React.js? (variation 108)
33. Which option is a correct use case for useEffect in React.js? (variation 353)
34. What is the most accurate beginner-level explanation of state? (variation 92)
35. Which option is a correct use case for memoization in React.js? (variation 358)
36. What is the most accurate beginner-level explanation of context? (variation 97)

37. A student says 'keys' is not relevant to real projects. What is the best correction? (variation 94)
38. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 99)
39. A student says 'client routing' is not relevant to real projects. What is the best correction?
40. Which option is a correct use case for useEffect in React.js? (variation 103)
41. Which statement best describes controlled inputs in React.js? (variation 95)
42. What is the most accurate beginner-level explanation of state?
43. What is the most accurate beginner-level explanation of state? (variation 352)
44. When working with React.js, why would a developer use props?
45. What is the most accurate beginner-level explanation of state? (variation 102)
46. What is the most accurate beginner-level explanation of context? (variation 77)
47. Which option is a correct use case for useEffect in React.js? (variation 93)
48. When working with React.js, why would a developer use conditional rendering? (variation 356)
49. Which statement best describes controlled inputs in React.js? (variation 85)
50. What is the most accurate beginner-level explanation of state? (variation 72)
51. What is the most accurate beginner-level explanation of context? (variation 357)
52. When working with React.js, why would a developer use props? (variation 81)
53. Which option is a correct use case for memoization in React.js? (variation 88)
54. When working with React.js, why would a developer use conditional rendering?
55. Which statement best describes components in React.js? (variation 90)

56. What is the most accurate beginner-level explanation of context? (variation 87)

57. Which statement best describes controlled inputs in React.js?

58. A student says 'client routing' is not relevant to real projects. What is the best correction? (variation 109)

59. Which statement best describes controlled inputs in React.js? (variation 105)

60. A student says 'keys' is not relevant to real projects. What is the best correction?